

ENVIRONMENT CLEARANCE COMPLIANCE REPORT

October 2021- March 2022

For

GRANITE BUILDING STONE QUARRY (Minor Mineral)

Extent: 12.2987 Ha. (30.3907 Acres)

At

Sy No. : 354/4 ,354 /5, 355/1 pt ,

351/1 pt , 350 ,352 /1 pt

Village : Manakkad

Taluk : Thodupuzha

District : Idukki

State : Kerala,

'Quarry Project of Mr.George Kochuparambil'

File NO. 1137/EC/SEIAA/KL/2017

Dated 17/03/2018

Date: 20-04-2022

To,

The Deputy Director General of Forests(C)

MoEF, Regional office, Koramangala, Bangalore.
Kendriya Sadan, 4th Floor, E&F. Wings, 17th Main Road,
Koramangala, 2ND Block, Bangalore - 560034

Sub: Environmental Clearance Compliance Report for the period October 2021 - March 2022 pertaining to Quarry Project of Mr. George Kochuparambil.

Ref: Environmental Clearance No: 56/2018 dated: 17/03/2018.

Respected Sir,

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from October 2021 to March 2022 of the EC Granted to 'Quarry Project of Mr. George Kochuparambil' by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order.

Thanking you,

Yours truly,

For '**Quarry Project of Mr. George Kochuparambil**'



Mr. George Kochuparambil
(Managing Director)

Encl: as above

Cc: The Member Secretary

State Environment Impact Assessment Authority (SEIAA)
Directorate of Environment & Climate Change
4th Floor, KSTRC Bus Terminal,
Thampanoor, Kerala-01

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

Introduction

Shri. George Kochuparambil, Kochuparambil house, Vazhithala Post, Thodupuzha Taluk, Idukki District, Kerala-685583 has been granted for a mining lease to quarry Granite Building Stone over an area of 12.2987 Ha. in Re-Sy Block No.11, Re-Sy. Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt of Manakkad Village, Thodupuzha Taluk, Idukki District, Kerala State.

The Environmental clearance is also obtained for this mining lease vide letter no 1137/EC/SEIAA/KL/2017, Dated: 17/03/2018, for a maximum production of 4,00,000 MTA. This granite building stone quarry is located at 6.0 Kms from Manakkad Village in Thodupuzha Taluk. It is at a distance of 10.6 Kms by road from Thodupuzha town. It can be reached from Vazhithala - Parakkadavu Road.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

Description of the project

File No.	1137/EC/SEIAA/KL/2017
Name of the project	GRANITE BUILDING STONE QUARRY (Minor Mineral) of Mr.George Kochuparambil
District and state	: Idukki, Kerala
Taluk / Mandal	: Thodupuzha
Village	: Manakkad
Category & Schedule	B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	: Re-Sy Block No.11, Re-Sy. Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt.
Extent of Area	12.2987 Ha
Ownership / Occupancy	: Private Land
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	: The nearest railhead – Piravam Road (30 Kms) and Nearest airport – Cochin International Airport (48 Kms) from the mine.
Latitude & Longitude	: N - 09°53'32.72" to N - 09°53'48.09" E - 76°38'21.51" to E - 76°38'36.07"
Address of Registered office	Shri. George Kochuparambil, Kochuparambil house, Vazhithala-Post, Thodupuzha Taluk, Idukki District Pincode: 685 583 E-mail: - unitedgranitesandmetals@gmail.com

Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil

Compliance Status of the General Conditions for Mining Projects Laid down by the State Environment Impact Assessment Authority, Kerala vide their Environment Clearance No.56/2018 Dated:17/03/2018

Part A – Specific Conditions

1	If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area.	Noted
---	--	-------

Compliance:

The Endemic species are properly protected and transplanted to a suitable area.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

Part B – General Conditions

1	Rainwater harvesting facility should be installed as per prevailing provisions of KMBR/KPBR, unless otherwise specified.	Complied
---	--	----------

Compliance:

Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. Rain water harvesting facility is installed. The photos of Rain water Collection Pond attached below.



Rain Water Harvesting Pond 1

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Rain Water Harvesting Pond 2

2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Complied
---	--	----------

Compliance:

Environment monitoring cell is formed & is made functional.

The details of Environmental monitoring cell are given in below table.

Sl No.	Name	Post
1	Shri. Sonu Jose	Head of Monitoring Cell
2	Mr. Baby P Poulouse	In charge
3	Mr. Joseph K Y	Member
4	Mr. Prasanth P P	Member
5	Mr. Jomy Joy	Member
6	Mr. John Peter	Member

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including approach roads and internal roads.	Complied
---	---	----------

Compliance:

Suitable Avenue trees are planted along either side of the road & parking areas.



Plantations along Roads & Parking Area

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Complied
---	--	----------

Compliance:

Solar Energy generation and utilization is adopted.

Invoices of Solar Light Installation is enclosed as **Annexure - 5**



Poles with Solar Lights

5	Sprinklers shall be installed and used in the Project Site to contain dust emissions.	Complied
---	---	----------

Compliance:

Mist Sprayers and Water Tankers with sprinklers are used in project site to control dust emission.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Mist Sprayers & Water tanker with Sprinklers

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

6	Eco-restoration, including the Mine Closure Plan shall be done at the own cost of the Project Proponent.	Noted.
---	--	--------

Compliance:

Plantation of various saplings within the project area has been initiated. The mine closure plan will be prepared as agreed by the project proponent.



Plantation of Various Saplings

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

7	At least 10 per cent of total excavated Pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco- friendly, if no other specific condition on reclamation of the Pit is stipulated in the EC.	Agreed.
---	--	---------

Compliance:

During Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & overburden and indigenous plant species will be planted.

8	Corporate Social Responsibility (CSR) agreed upon by the Proponent should be implemented.	Complied
---	---	----------

Compliance:

Several Corporate Social Responsibility (CSR) activities has been carried out by the project proponent. The Activities were carried in the sectors like Infrastructure Development, Education, Health-care, etc. The details of CSR provided in the period is mentioned in the below table.

Sector	Party Name	Date	Purpose	Amount
Health	ANNAKUTTY	05-10-2021	Medical Help	3,000.00
	MARY THOMAS	05-10-2021	MEDICAL HELP	3,000.00
	PALLIATIVE CARE-MANKKADU GRAMAPANCHAYTHU	11-10-2021	MEDICAL HELP	51,000.00
	VILASINI KULAPPARA, PURAPPUZHA	16-10-2021	MEDICAL HELP	5,000.00
	PALLIATIVE CARE-MANKKADU GRAMAPANCHAYTHU	09-11-2021	MEDICAL HELP	50,000.00
	BIJU KUNJATHUE, KOLADY	29-11-2021	MEDICAL HELP	5,000.00
	PALLIATIVE CARE-MANKKADU GRAMAPANCHAYTHU	14-12-2021	MEDICAL HELP	50,000.00
	PALLIATIVE CARE-MANKKADU GRAMAPANCHAYTHU	11-01-2022	MEDICAL HELP	50,000.00

Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil

	KURIACHEN PULICKAL, MARIKA	11-02-2022	MEDICAL HELP	5,000.00
	PALLIATIVE CARE-MANKKADU GRAMAPANCHAYTHU	12-02-2022	MEDICAL HELP	50,000.00
	KUNJUMON PAIGARAPILLIL, KOLADY	15-02-2022	MEDICAL HELP	10,000.00
	MANOJ V R, VAZHITHALA	15-02-2022	MEDICAL HELP	3,000.00
	MATHAI	22-02-2022	MEDICAL HELP	5,000.00
	SEBASTIAN P. V	20-02-2022	MEDICAL HELP	5,000.00
	JOSE VATTAKATTU, PERUMBALLOOR	25-02-2022	MEDICAL HELP	1,00,000.00
	V K BABY VATTAKUNNEL, ENCHIYANI	25-02-2022	MEDICAL HELP	5,000.00
	ABHILASH MUTHIRAYIL	29-12-2021	MEDICAL HELP	5,000.00
	PALLIATIVE CARE-MANKKADU GRAMAPANCHAYTHU	07-03-2022	MEDICAL HELP	50,000.00
Education	JOSNA JOSE	22-02-2022	EDUCATIONAL HELP-LAPTOP PURCHASE	50,000.00
	ST. SEBASTIAN SCHOOL, VAZHITHALA	03-03-2022	SCHOOL BUS CHARGES PAID	1,35,100.00
Social	WARD-13, MANAKKADU GRAMMAPANCHAYTHU	26-01-2022	ELECTRICITY BILL-PUBLIC WATER SUPPLY	5,083.00
Infrastructure Development	KUTTAPPEN PATTASSERIL, VAZHITHALA	04-10-2021	MAINTENANCE WORKS-HOUSE	7,000.00
	DEEPA BIJU	23-10-2021	MATERIALS SUPPLIED- HOUSE CONSTRUCTION	55,673.00
	APPUKUTTAN NELLIKKATHAKIDIYIL, ERUTTUTHODU	10-12-2021	MATERIALS SUPPLIED- HOUSE CONSTRUCTION	23,605.00
	SHANOOJ PUTHENPURAYIL, THODUPUZZHA	28-12-2021	MATERIALS SUPPLIED- HOUSE CONSTRUCTION	5,439.00
	APPACHAN ERAVIPARAYIL, PERIYAMBRA	01-02-2022	MAINTENANCE WORKS-HOUSE	26,146.00
	GOVERNMENT LOWER PRIMARY SCHOOL, EDAYAR	28-02-2022	MAINTENANCE WORKS-ROAD	11,025.00
	NARAYANAN PARAMANTHYIL	19-03-2022	MAINTENANCE WORKS-HOUSE	3,000.00
	KRISHNAN PARACKAL, KOLADY	07-01-2022	MAINTENANCE WORKS-HOUSE	1,70,133.00
	MANAKKADU GRAMAPANCHAYATHU	24-01-2022	MAINTENANCE WORKS-ROAD	76,188.00
	TOTAL			10,23,392.00

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

9	The Lease area shall be fenced off with barbed wires to a minimum height of 4 ft around, before starting of Mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Complied
---	--	----------

Compliance:

Lease area is fenced off. Sign boards have been erected at prominent places.



Fencing of Lease Area

Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil



Lease area fencing

UNITED GRANITES AND METALS

VAZHITHALA P.O., THODUPUZZHA, KERALA, INDIA. PIN CODE - 685 583

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)


Environmental Clearance Order No. 1137/EC/SEIAA/KL/2017 Validity expires on 16.03.2023

1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMR/KPBR, unless otherwise specified.
2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
3. Suitable access roads should be planned along either side of the mined face and open parking areas, if any, including approach road and internal roads.
4. Maximum possible solar energy generation and utilization should be ensured as an essential part of the project.
5. Spoilbanks should be installed and used in the project site to control dust emissions.
6. Eco-restoration including the mine closure plan shall be done at own cost of the project proponent.
7. At least 10 percent out of the mine clearance pit area should be treated as waste storage area and the remaining area should be reclaimed with stacked dumpings and revegetation and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the EC.
8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.
9. The fence area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, marking, etc) shall be protected at all times and shall be conspicuous.
10. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
11. Control measures on noise and vibration generated by KPCB should be implemented.
12. Quarrying activities should be limited to any time as per KPCB guidelines/specific conditions.
13. Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
14. A licensed person should supervise control the blasting operations.
15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan specific conditions.
17. Height of benches should not exceed 5m, and width should not be less than 5m, if there is no mention in the mining plan/specific condition.
18. Efforts to reduce fly rock should be a minimum of 10 FPM should be provided.
19. Maximum depth of mining from general ground level at site shall not exceed 15m.
20. No mining operations should be carried out in places having a slope greater than 45°.
21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KPCA.
22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
23. Guarded drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
24. The transportation of materials should be done in covered trucks to contain dust emissions.
25. The employment of mine labor shall be at least 5 times of the loss that has been occurred while clearing the land for the project.
26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
29. 100m buffer distance should be maintained from forest boundaries.
30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
31. All other statutory clearances should be obtained, as applicable, by agreed proponent from the respective competent authorities including that for blasting and storage of explosives.
32. In the case of any changes in the scope of the project, latest quarterly process of mining technology involved or in any way affecting the environmental and storage of explosives.
33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the Environment Protection Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water Prevention and Control of Pollution Act, 1974, the Air Prevention and Control of Pollution Act 1981, the Environment Protection Act, 1986, the Public Liability Insurance Act, 1991 and SIA Notification, 2006.
35. The project proponent shall be responsible for all direct and indirect local respondents widely circulated in the region, one of which (both the advertisement and the consent) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaa.kerala.gov.in. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayath/Municipality/Corporation/Urban Local Body and also to the Local RDO, if any, from whom consent/permissions/notifications, if any, were received while processing the project. The Environmental Clearance sheet also be put on the website of the company by the proponent.

37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitoring data both in hard copies as well as by e-mail and digital. The status of compliance of the stipulated EC conditions, including results of monitoring data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of M&E, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
38. The status of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 48. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.
39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance renewals) that all the conditions stipulated in the EC shall be scrupulously followed.
40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, in applicable.
41. The project proponent shall ensure that no surface water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
42. Monitoring of Ambient Air Quality to be carried out based on the foundation 2008, as amended from time to time by the Regional Pollution Control Board.
43. Water sprinkling should be increased at places loading and unloading points, transfer point to reduce fugitive emissions. The water hoses (OH) generated during the mining operations shall be stacked at earmarked dump sites only. The maximum height of the dump should not exceed 10m and 20m and 20m slope of the dump shall be maintained at 45°. The OH dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire accumulated area shall be backfilled.
44. Monitoring and management of rehabilitated areas should continue till the vegetation becomes self-sustaining.
45. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and O&G dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine site, roads, open work areas, etc. The drains shall be regularly desilted periodically after monsoon and maintained properly.
46. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution with having levels of PM10 and PM2.5 such as haul roads, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
47. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
48. Measures should be taken for control of noise levels below 55 dBA in the work environment.
49. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
50. The funds committed for environmental protection measures and CSR initiatives should be kept in separate account and should not be diverted for other purposes. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
51. The Regional Office of M&E/ P&C located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should submit all correspondence to the office of the Regional Office by transcribing the requisite details/notifications/reports.
52. Any appeal against this Environmental Clearance shall be filed with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
53. Compliance of the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment Protection Act 1986.
54. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or this implementation of any of the above conditions in the interest of environment protection, satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection, satisfactory, in consultation or simplified, contained in any other points, clause on consent.
55. The above consent is valid for a period of 5 years or the expiry date of mine lease, whichever is earlier, subject to any pending litigation related to the land or project, in any court of law.
56. The Environmental Clearance will be subject to the final order of the court in any pending litigation related to the land or project, in any court of law.
57. The mining operations shall be restricted to above ground water table and it should not intersect ground water table.
58. All vehicles used for transportation and within the mine shall have 'PVC' certificates from authorized pollution testing centers. Washing of all vehicles shall be done in designated areas.
59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial natural flowing in and around the mine lease area shall be carried out and reported in the half yearly reports to SEIAA.
61. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and haze, corrective measures, if needed.

Sign Board showing EC details

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Sign Board Showing Project details



Over Burden Dumping Area Sign Board

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

UNITED GRANITES & METALS	
Kochuparambil, Vazhithala, Thodupuzha PIN : 685 583 Ph : 0486 2274694	
NAME AND ADDRESS OF LICENSEE	GEORGE KOCHUPARAMBIL PROPRIETOR, UNITED GRANITES AND METALS, VAZHITHALA Pin: 685 583 THODUPUZHA
EXPLOSIVE LICENSE	1. E/ SC/ KL/22/ 811 (E 38112) 2. E/ SC/ KL/ 22/ 1730 (E 72220)
MINING AND GEOLOGY DEPARTMENT RMCU REGISTRATION	No. 56/ 2018/ - 19/ RMCU/ IDKY/ 3576/, m3/ 2018 Dtd. 11/10/2018
ENVIRONMENTAL CLEARANCE	No. 1137/ EC/ SEIAA/ KC/ 2017
D & O LICENSE GRAMA PANCHAYAT MANAKKAD	1. MGP/ A4/ 2/ 2018 - 2019 2. A4/ 107/ 2018 - 2019 3. MGP/ A4/ 3/ 2018 - 2019
KERALA STATE POLLUTION CONTROL BOARD	1. R 15 1DU - R4 - 7450321 2. O18 1DK CTOA 7515269 3. R15 1DUCTO - 750390
GSTIN	32AFJPK9650E1ZH
DEPARTMENT OF INDUSTRIES GOVERNMENT OF KERALA	32 - 009 - 1 - 3 - 2095 - PART II
FACTORIES AND BOILERS GOVERNMENT OF KERALA	1DK / 04/ 140/ 2000
FIRE & RESCUE SERVICES IDUKKI	No. A1 - 1057/18 No. A1 - 1090/18
DISTRICT MEDICAL OFFICE	No. C3 (K. DIS) - 12656/ 14

Sign Board Showing License Details

Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil



Caution Sign Boards

10	Warning alarms indicating the time of Blasting (to be done at specific timings) has to be arranged as per stipulations of the Explosives department.	Complied
----	--	----------

Compliance:

Blasting time and safety boards have been erected at all entrance to the mine. Siren is blown before and after blasting regularly.



Sign Boards Showing Quarry Activity & Blasting time

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

11	Control measures on noise and vibrations prescribed by KSPCB should be implemented.	Complied
----	---	----------

Compliance:

- Noise and vibration control measures is implemented by adapting controlled blasting.
- Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks.
- Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.



Noise Level Monitoring

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

12	Quarrying activities should be limited to daytime as per KSPCB guidelines/specific conditions.	Complied
----	--	----------

Compliance:

Quarrying activities are limited to daytime only as per KSPCB guidelines.



Sign Board Showing Quarry Timings

13	Blasting should be done in a controlled manner as specified by the regulations of the Explosives department or any other concerned agency.	Complied
----	--	----------

Compliance:

Controlled blasting is done as per regulations.

14	A licensed person should supervise/control the Blasting Operations	Complied
----	--	----------

Compliance:

Blasting supervision/control is done by a Mining Official having DGMS Certificate.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

15	Access roads to the quarry shall be tarred to contain dust emission that may arise during the transportation of material	Complied
----	--	----------

Compliance:

Access road to the Quarry is tarred and tiled to control dust emissions.



Access Roads to Quarry

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

16	Overburden materials should be managed within the site and used for reclamation of Mine Pit as per Mine closure Plan/specific conditions	Complied
----	--	----------

Compliance:

Overburden material is stacked very close to the site for future use of reclamation and green belt afforestation.

17	Height of Benches should not exceed 5 M and width should not be less than 5 M, if there is no mention in the Mining Plan/specific conditions	Complied
----	--	----------

Compliance:

The height of the benches will not exceed 5 metres, and the width will not be less than 5 metres, in order to ensure safety.



Benches in Quarry

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

18	Mats to reduce fly rock blast to a maximum of 10PPV should be provided	Complied
----	--	----------

Compliance:

Mats are laid on the top of the charged holes area to control fly rock and kept below 10ppv.



Blasting Mats on Top of Charged Holes

19	Maximum depth of mining and general groundlevel at site shall not exceed 10m	Noted
----	--	-------

Compliance:

The Mining process will be carried out following the approved mining plan. Therefore mining depth does not exceed beyond 10m.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

20	No mining operation should be carried out at place having a slope greater than 45	Noted.
----	---	--------

Compliance:

No mining operation will be carried out at place having a slope greater than 45⁰

21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Complied.
----	--	-----------

Compliance:

Acoustic enclosures have been provided to reduce sound amplifications.

22	The workers on the site should be provided with the required protective equipment such as ear muffs helmet, etc.	Complied
----	--	----------

Compliance:

Requisite Personal Protective equipment (PPE's) is provided to all employees.

23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Complied
----	---	----------

Compliance:

Drains are provided to channelize Storm water.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Complied
----	--	----------

Compliance:

All trucks transporting material are covered by firmly tied tarpaulin.



Truck covered with Tarpaulin

25	The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.	Complied
----	--	----------

Compliance:

Plantations of about 5 times the loss that has been occurred while clearing the land is being done.

Nursery receipts are enclosed as **Annexure-4**

26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Complied
----	--	----------

Compliance:

Spent oil is re-used as a lubricant for drilling.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

27	Explosives should be stored in magazines in isolated place specified and approved by the Explosive Department.	Complied
----	--	----------

Compliance:

Explosives are stored in a Licensed Explosives Magazine, which is approved by Explosive Licence. Copy of Explosive license is attached as **Annexure-6**.

28	A minimum buffer distance of 100 M from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	Complied
----	---	----------

Compliance:

No dwellings are situated within 100 M from the boundary of the quarry.

29	100 M buffer distance should be maintained from forest boundaries	Considered
----	---	------------

Compliance:

Mining area is not located near any forest areas.

30	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Obtained
----	--	----------

Compliance:

Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the consent is attached as **Annexure-1**

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competitive authorities including that for blasting and storage of explosives.	Complied
----	--	----------

Compliance:

All required statutory clearances are obtained.

32	In the case of any change(s) in the scope of the Project, extent, quantity, process of mining technology involved or in any way affecting the environment parameters/impacts as assessed, based on which only the EC is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	Noted
----	--	-------

Compliance:

There is no change in the scope of the project.

33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environmental Clearance under provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed.
----	--	----------------

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*


34	The stipulations by the Statutory Authorities under different Acts and Notifications should be complied with including the provisions of the Water (Prevention and control of Pollution) Act,1974, the Air (Prevention and control of Pollution) Act1981, the Environment (Protection) Act,1986, the Public Liability (Insurance) Act,1991 and EIA Notification,2006	Agreed
35	The project proponent should advertise in at least 2 newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the Project has been accorded Environment Clearance and the copies of the Clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org . The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same signed in all the pages should be forwarded to the Office of this Authority as confirmation	Complied

Compliance:

Advertisements are given in two newspapers.

- 1. Kerala Kaumady – Malayalam – 12/04/2018**
- 2. The Hindu Daily – English – 12/04/2018**

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Newspaper Advertisement

36	A copy of the clearance letter shall be sent by the proponent to the concerned Gram Panchayat/District Panchayat/Municipality/Corporation/Urban local Body and also to the Local NGO, if any from whom suggestions/representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	Complied
----	---	----------

Compliance:

A copy of the Clearance is submitted to the concerned authorities. Copy of Panchayat license attached as **Annexure-2**.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office	Noted
----	--	-------

Compliance:

Half yearly compliance reports are submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF&CC, Bangalore. The monitored data of Air, Noise and Water is attached as **Annexure-3**.

38	The details of Environment Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times Roman font of size not less than 40. Sign board with extent of Lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	Complied
----	---	----------

Compliance:

Details of Environmental Clearances is prominently displayed at the entrance to the Mine.

Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil



Board with EC Details

39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Complied
----	---	----------

Compliance:

Notarized affidavit is submitted.

40	No change in mining technology and scope of working should be made without prior approval of the SEIAA. No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Agreed
----	--	--------

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

Compliance:

Prior approval from the SEIAA will be sought in case of change of mining technology.

41	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Complied
----	---	----------

Compliance:

No natural water course is obstructed. Necessary safeguard measures are taken to protect first order streams if originating from the mining lease in the future.

42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Complied
----	---	----------

Compliance: Monitoring of Ambient Air Quality is carried out. Monitoring reports have been enclosed as **Annexure-3**.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Air Quality Monitoring

43	<p>The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The Over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8 m and the width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo-textiles shall be undertaken for stabilization of the dump. The entire excavated area should continue until the vegetation becomes self- sustaining</p>	Complied
----	---	----------

Compliance:

Top Soil dump is stacked at the designated area and will be utilized during the Mine Closure for Afforestation and Green belt development. OB generated is stacked separately and is vegetated with locally available shrubs and grasses.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly	Complied
----	---	----------

Compliance:

Catch drains and siltation ponds are made around the mining workings, mineral and the water from the drain is directed to the Rain Water Harvesting Pond. The water from RWHP is utilized for watering the mine area, roads, green belt development etc. The drains are regularly de silted particularly after monsoons and maintained properly.

45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Complied
----	---	----------

Compliance:

Regular water sprinkling is done on all necessary roads with watertankers and sprinklers.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Water Sprinkling done on Necessary Roads

46	Fugitive dust emissions from all sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and transfer points should be provided and properly maintained.	Complied
----	---	----------

Compliance: Fugitive dust emissions are controlled by using water tankers with sprinklers.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*



Water Sprinkler Unit

47	Measures should be taken for control of noise levels below 85 dB (A) in the work environment.	Complied
----	---	----------

Compliance:

Adequate measures for noise control have been adopted.

48	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior executive, who will report directly to the head of the Organization.	Complied
----	--	----------

Compliance:

An Environment Management Cell has been set up with Mr. Sonu Jose as the head of the Cell.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

49	The funds earmarked for environment protection measures and CSR activities should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	Complied
----	---	----------

Compliance:

The funds earmarked for environment protection measures and CSR activities Shall be kept in a separate account and will not be diverted for other purpose. Photos of the CSR receipts are enclosed as **Annexure-7**.

50	The Regional Office of MOEF and CC located in Bangalore shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the Officer(s)if the Regional Office by furnishing the requisite data/information/monitoring reports	Agreed
----	---	--------

51	Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Agreed
----	---	--------

52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986.	Agreed
----	---	--------

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

53	The Regional Office of MOEF and CC located in Bangalore shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the Officer(s) if the Regional Office by furnishing the requisite data/information/monitoring reports	Agreed
54	The above conditions shall prevail notwithstanding anything to the contrary, inconsistent or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Agreed
55	The order is valid for a period of 5 years of the expiry date of Mine lease period issued by the Government of Kerala, whichever is earlier	Agreed
56	The Environment Clearance will be subject to the final order of the courts in any pending litigation related to the land or the project, in any court of law.	Agreed
57	The Mining operations shall be restricted to above ground water table and it should not intersect ground water table.	Noted

Compliance:

Mining operations will be restricted to above ground water table and due care will be taken so as not to intersect ground water.

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking center. Washing of all vehicles shall be inside the Lease area	Noted
----	--	-------

Compliance:

It is ensured that all transportation vehicles have 'PUC' Certificate issued by an authorized Pollution checking center. All the vehicles are washed inside the lease area.

59	Project proponent should obtain necessary prior permission of the competent authorities for drawl of necessary quantity of surface and ground water for the project.	Agreed.
----	--	---------

Compliance:

There is no need for Drawl of Surface and ground water for the project activities. As there is Rain Water Facility present which will be main source of water.



Rain Water Harvesting Pond

*Compliance Report for the period of October 2021-March 2022
Quarry Project of Mr. George Kochuparambil*

60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA.	Noted
----	--	-------

Compliance:

No perennial nallah flows through the lease or exist around the Mine Lease.


61	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Noted
----	--	-------

Compliance:

Occupational health surveillance will be undertaken periodically.

Health insurance for Employees is enclosed as **Annexure-8**.

For Granite Building Stone Quarry of **George Kochuparambil**



George Kochuparambil
(Managing Director)

Date: 20-04-2022

FILE NO : PCB/RO-EKM/IDK/OL-845/18

Date of issue : 16/07/2018



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974
The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. :7515269

Dated:28-06-2018

TO

**M/s SRI.GEORGE KOCHUPARAMBIL,QUARRY OF UNITED GRANITES & METALS
GEORGE KOCHUPARAMBIL VAZHITHALA P O THODUPUZHA**

Consent No. :018IDKCTOA7515269

Valid Upto :15/07/2023

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	15/07/2023
2	Name and Address of the establishment	SRI.GEORGE KOCHUPARAMBIL,QUARRY OF UNITED GRANITES & METALS VAZHITHALA P O THODUPUZHA 685583
3	Communication	Telephone :91-9995878898 Fax :- E-mail:unitedgranitesandmetals@gmail.com
4	Occupier Details	GEORGE KOCHUPARAMBIL KOCHUPARAMBIL(H) MANAKKAD VAZHITHALA
5	Local Body	MANAKADU PNCHAYATH
6	Survey Number	351/1 pt,354/4,354/5,355/1pt,352/1pt,350
7	Village	MANAKKAD
8	Taluk	THODUPUZHA
9	District	IDUKKI
10	Capital Investment(Rs in Lakhs)	1200
11	Scale	Large
12	Category	RED
13	Annual fee(Rs)	Rs. 81000
	Total Fee remitted(Rs)	Rs. 405000/-
14	RAW MATERIAL	PRODUCTS
	ROCK/Y @400000 Metric Tonnes	STONE AGGREGATES/Y @400000 Metric Tonnes
15	Total Power Required (HP)	

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption:
- 2.3 Effluent generation:
- 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

Sl.NO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent

2.5 Mode of disposal of treated effluent:

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level	Roof Level	

3.2 Emission characteristics shall not exceed the following:

Sl.No.	Parameter	Limiting Standards (mg/Nm3)

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.

4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001

4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

4.3.1 Activities for which Authorisation is granted

Collection		transport	
Reception		Storage	
Treatment		Reprocessing/Disposal	

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

Sl.No.	Hazardous Waste	Schedule Category	Quantity Tonne/year
Mode of			
Storage		Disposal	

4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

5.1. This consent, unless withdrawn earlier is valid up to the validity of permit/lease issued by the Department of Mining and Geology or 15.07.2023. In case of operation of the quarry is to be continued

thereafter, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System on or before 16.04.2023. Late application will be accepted with a fine or late fee as applicable.

5.2 This consent is granted for operating quarry with production capacity of 200MT/day granite boulders.

5.3 The consent issued from the board is only with respect to the powers vested under the water Act 1974 Air Act 1981 and the Rules there under. The operation of the unit shall be commenced only after obtaining clearances from all concerned Authorities.

5.4 The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention and control of air, water, land and sound pollution.

5.5 A minimum distance of at least 50m shall be kept from the boundary of quarry area to residential buildings, places of worship, public buildings, public road having vehicular traffic, river or lake, railway line and bridges.

5.6 All control measures provided should be maintained properly to ensure that the system is adequate to control the pollution caused.

5.7 The quarry should not be operated between 6.00 pm and 6.00am.

5.8 Necessary permission from Mining & Geology, Explosive Department may be obtained before doing blasting.

5.9 After excavation at the site is completed the land may be used for rain water harvesting with protective barriers/any other suitable approved purpose or may be reclaimed.

5.10 The depth of excavation below the highest point shall not exceed 6m.

5.11 Fencing shall be provided around the boundary of quarry operation and shall be maintained properly.

5.12 The PM10 in ambient air at the boundary shall not exceed 100 $\mu\text{g}/\text{m}^3$.

5.13 The PM2.5 in ambient air at the boundary shall not exceed 60 $\mu\text{g}/\text{m}^3$.

5.14 The sound level (Leq) at 1m outside the boundary of the site should not exceed the ambient noise standard applicable to the adjoining areas.

5.15 The consent issued from the Board shall be valid only for a period when all other statutory or necessary clearance from other concerned authorities are valid.

5.16 No other machineries shall be operated without prior Consent of the Board.

5.17 The validity of this Consent is subject to subsequent Government Orders & directions/judgement of Honourable High Court and National Green Tribunal.

5.18 The location of the quarry unit shall be as shown in the drawing attached and no change, deviation or alteration that may affect the environment, extend and location of the quarry shall be made.

5.19 Fugitive emission from the premises shall be suppressed.

5.20 Products shall be transported with proper cover and/ or after wetting to prevent spreading of dust.

5.21 All the conditions stipulated in the Environmental clearance No.56/2018 shall be fully complied with during operation of the quarry.

5.22 For renewal of the consent in case of continuance of operation of the quarry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System 3 months prior to the date of expiry. Late application will be accepted only with fine.

DATE :16/07/2018

BAJU M A

Digitally signed by BAJU M A
Date: 2018.07.18 12:08:10 +05'30'

SIGNATURE & SEAL OF ISSUING AUTHORITY



To

SRI.GEORGE KOCHUPARAMBIL, QUARRY OF UNITED GRANITES & METALS VAZHITHALA
P O THODUPUZHA

Copy to:

1. Member Secretary, Head Office, Trivandrum
2. Environmental Engineer, District Office, Idukki

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

പ്രകൃതി പരിരക്ഷാ
 വകുപ്പ് - തിരുവനന്തപുരം
 ജില്ലാ പരിരക്ഷാ

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി 2018-19 351 & 350

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി


പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി	പരിരക്ഷാ പരിഷ്കരണ പരിപാടി	പരിരക്ഷാ പരിഷ്കരണ പരിപാടി
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200
01 0200	01 0200	01 0200



പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി

BAJU M A
 Digitally signed by BAJU M A
 Date: 2018.07.18 12:05:22 +05'30'
CHIEF ENVIRONMENTAL ENGINEER

പരിരക്ഷാ പരിഷ്കരണ പരിപാടി



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/RO-EKM/IDK/OL-845/18

Date of issue :2018-10-17

CONSENT VARIATION ORDER

Consent No : O18IDKCVO8831136

Ref : 1. Consent No.018IDKCTOA7515269 dated 16/07/2018 valid Up to 15/07/2023

2. Consent Variation Order No:O18LDKCVO 8454273 Dated:4.9.2018

The ' Integrated Consent to Operate' issued as per reference above to M/s SRI.GEORGE KOCHUPARAMBIL, QUARRY OF UNITED GRANITES & METALS, VAZHITHALA P O,THODUPUZHA is hereby modified & issued to M/s SRI.GEORGE KOCHUPARAMBIL, QUARRY OF UNITED GRANITES & METALS, VAZHITHALA P O,THODUPUZHA The consent(s)/ variation order(s) cited under reference are integral part of this consent variation order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Survey No	Re Survey Nos.351/1pt,354/4,354/5,355/1pt,352/1pt,350
2	Total Power Required (HP)	444 HP

II. CONDITIONS

2.1.Condition no.5.2 is modified as: This consent is granted for operating quarry with a production capacity of 1500 T/day granite boulders.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :17/10/2018

BAIJU M A
SIGNATURE & SEAL OF ISSUING AUTHORITY
CHIEF ENVIRONMENTAL ENGINEER

Digitally signed by BAIJU M A
Date: 2018.10.17 12:39:25 +05'30'



To

SRI.GEORGE KOCHUPARAMBIL,QUARRY OF UNITED GRANITES & METALS,
VAZHITHALA P O, THODUPUZHA

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



നമ്പർ: 25/2021-2022/A-9/702/2021

തീയതി: 01/04/2021

മണക്കാട് ഗ്രാമപഞ്ചായത്ത്

പുതുപ്പരിയാരം പി.ഒ പി.ഒ., ഇടുക്കി (ജില്ല)

പിൻ: 685608, ഫോൺ: 04862-202248, ഇ-മെയിൽ: manakkadgp@gmail.com

വ്യവസായം, വാണിജ്യം, സംരഭകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള ലൈസൻസ്

(കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE & OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)

ലൈസൻസിയുടെപേര്	ജോർജ്ജ് കൊച്ചുപറമ്പിൽ		
ലൈസൻസിയുടെ മേൽവിലാസം	പ്രൊസ്പെക്ട്, യൂണൈറ്റഡ് ഗ്രാനൈറ്റ്സ് & മെറ്റൽസ്		
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	യൂണൈറ്റഡ് ഗ്രാനൈറ്റ്സ് & മെറ്റൽസ്		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കല്ല് ഖനനം നടത്തുന്നതിന്		
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	XII/Surey No.354/4,5,355/1pt,351/1pt,350,352/1pt		
ലൈസൻസ് കാലാവധി	01/04/2021	മുതൽ	31/03/2022 വരെ
ലൈസൻസ് ഫീസ്	തുക	രസീത് നമ്പർ	തീയതി
	15000 /- രൂപ	120010103080	25/03/2021
	മോട്ടോർ ഫീസ്	4440 /- രൂപ	120010103080
തൊഴിൽ നികുതി	2500 /- രൂപ	120010103080	25/03/2021
ലൈസൻസ് അനുവദിക്കുന്നതിന് ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)	<ol style="list-style-type: none"> Consent to operate from PCB No-PCB/RO/EKM/IDK/OL-845/18 dtd 16/07/2018 Valid upto-15/07/2023 Environmental clearance certificate No-1137/EC/SEIAA/KL/2017 valid upto-16/03/2023 certificate from PESO NO-E/SC/KL/22/1730(E72220) 4. Blastmancertificate 		

ഓഫീസ് മുദ്ര



സെക്രട്ടറി
 ജോസ് എസ്. സൈമൺ
 മണക്കാട് ഗ്രാമപഞ്ചായത്ത്
 പുതുപ്പരിയാരം

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- 1 കേരള പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൈകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാണ്.
- 3 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാക്കാത്ത വിധത്തിലും വ്യപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച,അണുക്കൾ,പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാക്കാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- 8 ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് വയ്പിക്കേണ്ടതാണ്.
- 10 അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്.
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തപക് രോഗമോ കുഷ്ഠ രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കെ) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയോഗിക്കുന്ന നിരോധിത വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്റ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ബ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.



[Handwritten Signature] സെക്രട്ടറി

മണക്കാട് ഗ്രാമപഞ്ചായത്ത്

N.B:- ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള ഫീസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.

സെക്രട്ടറി
മണക്കാട് ഗ്രാമപഞ്ചായത്ത്
പുതുപ്പതിയാരം പി.ഒ., ഇടുക്കി ജി.ഓ. - 685 608
ഫോൺ: 04862-202248, മൊബൈൽ: 9496045103



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in

GEMS-LD/TF/11/01
 Date: 06.11.2021

Analysis Report of Ambient Air Quality Monitoring

1	Name of the Customer/Address	: Granite Building Stone Quarry of Shri. George Kochuparambil Extent: 12.2987Ha Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt, Manakkad Village, Thodupuzha Taluk, Idukki District, Kerala
2	Sample Description	: Ambient Air Quality Monitoring
3	Sample Collected By	: GLOBAL Environment & Mining Services
4	Duration of the Monitoring	: 24 Hour of Sampling
5	Location of Monitoring	: (A1) Core zone
6	Report No	: ULR-TC532321000000696F

Result

Sl No.	Date	Parameters in $\mu\text{g}/\text{m}^3$				
		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Lead in PM
1	01.11.2021	58.2	28.4	20.8	16.6	BDL
NAAQ Standards 2009		100	60	80	80	1.0

PM10 - IS 5182 (Part 23): 2006 (RA 2017)
PM2.5 - USEPA 2001
SO2 - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0)
NO2 - IS 5182 (Part 6): 2006 (RA 2017) BDL (<<5.0)
Lead - IS 5182 (Part 22): 2004 (RA 2014)
BDL - Below Detectable Limit.

J.M. Thippeswamy

Analyzed By
 J.M. Thippeswamy
 Chemist

RKR

Authorized Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our Laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET – 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 06.11.2021

Analysis Report of Ambient Air Quality Monitoring

1	Name of the Customer/Address	: Granite Building Stone Quarry of Shri. George Kochuparambil Extent: 12.2987Ha
		: Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt, Manakkad Village, Thodupuzha Taluk, Idukki District, Kerala
2	Sample Description	: Ambient Air Quality Monitoring
3	Sample Collected By	: GLOBAL Environment & Mining Services
4	Duration of the Monitoring	: 24 Hour of Sampling
5	Location of Monitoring	: (A2) Kolady
6	Report No	: ULR-TC532321000000697F

Result

Sl No.	Date	Parameters in $\mu\text{g}/\text{m}^3$				
		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Lead in PM
1	02.11.2021	48.4	22.6	16.8	12.6	BDL
NAAQ Standards 2009		100	60	80	80	1.0

Note: No Mining activities during the period of Monitoring.

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO2 - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0)

NO2 - IS 5182 (Part 6): 2006 (RA 2017) BDL (<5.0)

Lead - IS 5182 (Part 22): 2004 (RA 2014)

BDL - Below Detectable Limit.

J.M. T

Analyzed By
J.M. Thippeswamy
Chemist



Authorized Signatory
K. Ramakrishna Reddy
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET – 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 06.11.2021

TEST REPORT OF AMBIENT NOISE LEVEL MONITORING

- Granite Building Stone Quarry of
Shri. George Kochuparambil
Extent: 12.2987Ha
- 1 Name of the Customer/Address : Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt,
350 & 352/1pt,
Manakkad Village, Thodupuzha Taluk, Idukki
District, Kerala
- 2 Sample Description : **Ambient Noise Level monitoring**
- 3 Sample Collected By : GLOBAL Environment & Mining Services
- 4 Particulars of Sample Collected : Noise Level Meter (Equinox-107)
- 5 Duration of the Monitoring : 24 Hours Sampling
- 6 Date of Analysis Completion : 02.11.2021
- 7 Report No : ULR-TC532321000000698F

Result

Date	01.11.2021	02.11.2021
Name of the Location	Core Zone	Kolady
Time (hrs)	N1	N2
6.00	36.8	36.0
7.00	46.6	46.8
8.00	48.8	46.2
9.00	50.2	48.8
10.00	52.6	52.4
11.00	52.4	50.2
12.00	56.8	52.4
13.00	56.2	54.2
14.00	52.2	50.2
15.00	56.0	52.6
16.00	56.2	51.2
17.00	54.8	51.6
18.00	50.0	49.4
19.00	48.6	50.8
20.00	42.8	49.4
21.00	40.2	46.8
22.00	40.8	46.2
23.00	40.6	44.8
00.00	36.8	42.2
01.00	38.6	40.8
02.00	38.4	40.4
03.00	36.8	40.2
04.00	36.2	36.6
05.00	36.4	38.6

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET – 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

ULR-TC53232100000698F		
L max	56.8	54.2
L min	36.2	36.0
Ld	52.96	50.76
Ln	38.28	41.85
Ldn	51.7	51.2

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note	Day time shall mean from 6:00 am and 10.00 pm
	Night time shall mean from in between 10.00 pm and 5.00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
	A “decibel” is a unit in which noise is measured
	“A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
Leq: It is energy mean of the noise level over a specified period.	



Authorized Signatory
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET – 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01
Date: 06.11.2021

ANALYSIS REPORT OF WATER QUALITY DATA

- Granite Building Stone Quarry of
Shri. George Kochuparambil
Extent: 12.2987Ha
- 1 Name of the Customer/Address : Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt,
350 & 352/1pt,
Manakkad Village, Thodupuzha Taluk, Idukki
District, Kerala
- 2 Sample Collected By : GLOBAL Environment & Mining Services
- 3 Sampling Method : Grab Sample
- 4 Date of sample collection : 01.11.2021
- 5 Date of sample Received : 05.11.2021
- 6 Date of sample Analyzed : 05.11.2021
- 7 Report Number : ULR-TC532321000000699F

Result

Sl. No.	Parameters	Unit	Result	Test Protocol	Requirement/Limit IS : 10500 : 2012	
					Acceptable	Permissible
1.	pH	-	7.64	APHA 22 nd Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)- 1984, RA- 2012 Platinum cobalt Method	5	15
3.	Taste*	-	Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5) – 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	1.42	APHA 22 nd Edition 2012 2130 B (Pg No. 2-14)	1	5
6.	Conductivity	µS/cm	152	APHA 22 nd Edition 2012 2510 B (Pg No. 2-54)	-	-
7.	Total Dissolved Solids	mg/L	160	APHA 22 nd Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO ₃	mg/L	72	APHA 22 nd Edition 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO ₃	mg/L	158	APHA 22 nd Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	52	APHA 22 nd Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	68	APHA 22 nd Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	17.2	APHA 22 nd Edition 2012 4500 Cl (Pg No. 4-72)	250	1000
13.	Sulphate as SO ₄	mg/L	98	APHA 22 nd Edition 2012 4500 SO ₄ 2 – E (Pg No. 4-190)	200	400
14.	Nitrates as NO ₃	mg/L	8.4	APHA 23 rd Edition - 4500 NO ₃ , – E (Pg No. 4-131 to 4-132)	45	NR
14.	Nitrate Nitrogen as NO ₃	mg/L	18	APHA 22 nd Edition 2012 4500 NO ₃ E (Pg No. 4-125 to 4-127)	45	No relaxation

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET – 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

ULR-TC532321000000699F

15.	Fluoride as F	mg/L	0.52	APHA 23 rd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.36	APHA 23 rd Edition – 3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	9.6	APHA 23 rd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	-	-
18.	Potassium as K	mg/L	0.78	APHA 23 rd Edition 3500 K B (Pg No. 3-89 to 3-90)	-	-
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) – 1993 , RA-2014,	-	-
20.	COD as O2	mg/L	NIL	APHA 23 rd Edition 5220 C (Pg No. 5-18 to 5-19)	-	-
21.	Oil & Grease	mg/L	NIL	APHA 23 rd Edition 5520 B (Pg No.5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 rd Edition-3111 –B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 rd Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	<0.001	APHA-23 rd Edition-3111 –B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 rd Edition-3111-B (Pg No. 3-20 to 3-21)	5	15
26.	Salinity*	PPT	NIL	APHA-23 rd Edition-3111-B (Pg No. 3-20 to 3-21)	-	-
27.	Total Phosphorous	mg/L	<0.01	APHA-23 rd Edition 4500-D (Pg No. 4-154)	-	-
28.	Total Coliforms*	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 B (Pg No.9-78)	-	-
29.	Feecal Coliforms	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 D (Pg No.9-85)	-	-
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 rd Edition 10200 F (Pg No.10-17)	-	-

Note: BDL Below Detectable Limit

Ag: Agreeable

NR: No Relaxation

RA: reaffirmed

Ab: Absent

****End of report****

J.M.T
Analyzed By
Chemist

P.K.D
Authorized Signatory
Technical Manager



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.

Nursery Bills

CASH BILL BABY: 96564198

ENHAR HERBAL GARDENS

NEAR V. V. S. SCHOOL
PIPE LINE ROAD, MANNUTHY

Date 10/02/2022

00
purchased granites and metals, Thodupuzha Vazhithala.

No.	Particulars	Qty.	Amount Rs.	Ps.
1	Thambalean.	500-	7500	
Total			7500	

Seven thousand and five hundred and

Authorized Signatory
2022/02/10 14:58

CASH MEMO

MADATHIKANDAM NURSERY & FARM PRODUCTS

THODUPUZZHA

Off: OLAMATTOM, Ph: 04862 - 222141, (R) 222949
Ph: 04923 - 277204, Mob: 9447613487

No. 527 Date 23.3.22

To: ~~Self~~ United granite and metals
Vazhithala

Rate	Item	Nos.	Value
	150/ kutti gady	25	3750
E & O.E		TOTAL	<u>3750</u>

Best Wishes...

RAJAGIRI FARM MUTHALAMADA, PALAKKAD

TAX INVOICE

(ORIGINAL FOR RECIPIENT)

Reecco Energy 2021-2022 XI/412/B, VENGACHUVADU VAZHAKULAM PO, ERNAKULAM PIN-686 670 Mob: +91 9745667444 GSTIN/UIN: 32CLCPM0419E1ZQ State Name : Kerala, Code : 32 E-Mail : reeccoe@gmail.com		Invoice No. RR214	Dated 16-Dec-21			
		Reference No. & Date.	Other References			
		Buyer's Order No.	Dated			
Consignee (Ship to) United Granites and Metals Vazhithala Po Thodupuzha 9446863987 Delivery at Marika Church GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32						
Buyer (Bill to) United Granites and Metals Vazhithala Po Thodupuzha 9446863987 GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32 Place of Supply : Kerala						
Sl No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
1	30 W Solar Street Light	94055040	1.00 Nos	19,642.86	Nos	19,642.86
2	4 Sqmm Dc Cable Red	85444992	30.00 Mtr	38.98	Mtr	1,169.40
						20,812.26
	<i>Output CGST@6%</i>				6 %	1,178.57
	<i>Output SGST@6%</i>				6 %	1,178.57
	<i>Output CGST @ 9%</i>				9 %	105.25
	<i>Output SGST @ 9%</i>				9 %	105.25
continued ...						

This is a Computer Generated Invoice

Reecco Energy 2021-2022 XI/412/B, VENGACHUVADU VAZHAKULAM PO, ERNAKULAM PIN-686 670 Mob: +91 9745667444 GSTIN/UIN: 32CLCPM0419E1ZQ State Name : Kerala, Code : 32 E-Mail : reeccoe@gmail.com	Invoice No.	Dated
	RR214	16-Dec-21
	Reference No. & Date.	Other References
	Buyer's Order No.	Dated
Consignee (Ship to)		
United Granites and Metals Vazhithala Po Thodupuzha 9446863987 Delivery at Marika Church GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32		
Buyer (Bill to)		
United Granites and Metals Vazhithala Po Thodupuzha 9446863987 GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32 Place of Supply : Kerala		

Sl No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
	Round Off					0.10
	Total					₹ 23,380.00

Amount-Chargeable (in words)

INR Twenty Three Thousand Three Hundred Eighty Only

E. & O.E

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
055040	19,642.86	6%	1,178.57	6%	1,178.57	2,357.14
444992	1,169.40	9%	105.25	9%	105.25	210.50
Total	20,812.26		1,283.82		1,283.82	2,567.64

Tax Amount (in words) : **INR Two Thousand Five Hundred Sixty Seven and Sixty Four paise Only**

Company's Bank Details

A/c Holder's Name : **Reecco Energy**Bank Name : **South Indian Bank**A/c No. : **0335073000000291**Branch & IFS Code : **Vazhakulam & SIBL0000335**

SWIFT Code :

Declaration

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

for **Reecco Energy 2021-2022**

Authorised Signatory

This is a Computer Generated Invoice

TAX INVOICE

(ORIGINAL FOR RECIPIENT)

Reecco Energy 2021-2022
 XI/433
 Kadalikkadu, Manjalloor
 Ernakulam District
 PIN-686 670
 Mob: +91 9745667444
 GSTIN/UIN: 32CLCPM0419E1ZQ
 State Name : Kerala, Code : 32
 E-Mail : reeccoe@gmail.com

Invoice No. RR165	Dated 1-Nov-21
Reference No. & Date.	Other References
Buyer's Order No.	Dated

Consignee (Ship to)
United Granites and Metals
 Vazhithala Po
 Thodupuzha
 9446863987
 Delivery at Marika Church
 GSTIN/UIN : 32AFJPK9650E1ZH
 State Name : Kerala, Code : 32

Buyer (Bill to)
United Granites and Metals
 Vazhithala Po
 Thodupuzha
 9446863987
 Delivery at Marika Church
 GSTIN/UIN : 32AFJPK9650E1ZH
 State Name : Kerala, Code : 32
 Place of Supply : Kerala

Sl No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
1	15 W Garden Light	94055040	3.00 Nos	9,375.00	Nos	28,125.00
	<i>Output CGST@6%</i>				6 %	1,687.50
	<i>Output SGST@6%</i>				6 %	1,687.50
	Total		3.00 Nos			₹ 31,500.00


Amount Chargeable (in words) **INR Thirty One Thousand Five Hundred Only** E. & O.E

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
94055040	28,125.00	6%	1,687.50	6%	1,687.50	3,375.00
Total	28,125.00		1,687.50		1,687.50	3,375.00

Tax Amount (in words) : **INR Three Thousand Three Hundred Seventy Five Only**

Company's Bank Details
 A/c Holder's Name : **Reecco Energy**
 Bank Name : **South Indian Bank**
 A/c No. : **0335073000000291**
 Branch & IFS Code : **Vazhakulam & SIBL 0000335**
 SWIFT Code

Declaration
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.


for **Reecco Energy 2021-2022**

 Authorized Signatory

This is a Computer Generated Invoice

TAX INVOICE

Reecco Energy 2021-2022 XI/433 Kadalikkadu, Manjalloor Ernakulam District PIN-686 670 Mob: +91 9745667444 GSTIN/UIN: 32CLCPM0419E1ZQ State Name : Kerala, Code : 32 E-Mail : reeccoe@gmail.com		Invoice No.	Dated			
		RR188	27-Nov-21			
		Reference No. & Date.	Other References			
		Buyer's Order No.	Dated			
Consignee (Ship to) United Granites and Metals Vazhithala Po Thodupuzha 9446863987 Delivery at Marika Church GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32						
Buyer (Bill to) United Granites and Metals Vazhithala Po Thodupuzha 9446863987 Delivery at Marika Church GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32 Place of Supply : Kerala						
SI No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
1	20 W SOLAR STREET LIGHT	94055040	1.00 Nos	13,392.86	Nos	13,392.86
	<i>Output CGST@6%</i>				6 %	803.57
	<i>Output SGST@6%</i>				6 %	803.57
Total			1.00 Nos			₹ 15,000.00
Amount Chargeable (in words)						E. & O.E
INR Fifteen Thousand Only						
HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
94055040	13,392.86	Rate	Amount	Rate	Amount	
		6%	803.57	6%	803.57	1,607.14
Total	13,392.86		803.57		803.57	1,607.14
Tax Amount (in words) : INR One Thousand Six Hundred Seven and Fourteen paise Only						
Declaration We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.						
Company's Bank Details A/c Holder's Name : Reecco Energy Bank Name : South Indian Bank A/c No. : 0335073000000291 Branch & IFS Code : Vazhakulam & SIBL0000335 SWIFT Code :						
						for Reecco Energy 2021,2022 Authorised Signatory

This is a Computer Generated Invoice





भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ पी.ओ.कक्कानाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037

फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

ई-मेल Email: dycceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/1730(E72220)

दिनांक (Date): 31/01/2022

सेवा में | To,

George Kolhuparambil, Proprietor,

M/s. United Granites & Metals, Vazhithala P.O., Thodupuzha,, Town/Village - Vazhithala

District-IDUKKI, State-Kerala, Pincode - 685588

विषय : Survey No.357/3, Block No. 11, ग्राम Manakkadu (v), Thodupuzha Taluk, जिला IDUKKI, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1730(E72220) के नवीनीकरण संदर्भ में।

Subject: Possession for Use of of Explosives from magazine situated at Survey No.:357/3, Block No. 11, Manakkadu (v), Thodupuzha Taluk, Dist. IDUKKI, Kerala -Licence No.: E/SC/KL/22/1730(E72220) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 19/01/2022 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2027 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।

Reference to your letter No.: Nil dated: 19/01/2022, the subject licence duly renewed upto 31/3/2027 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

Conditions:

1) USE OF EXPLOSIVES IN QUARRY SHALL BE STARTED ONLY AFTER GRANT OF QUARRYING LEASE FROM THE DIRECTOR OF MINES & GEOLOGY. PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF THE DGMS, BANGALORE AS REQUIRED UNDER THE MINES ACT 1952 AND METTALIFERROUS MINES REGULATIONS 1961 अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/ 2027 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2027.

- प्ररूप आरई-1 में विधेवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासीक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(पी.के.राणा | Dr. P. K. Rana)

विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

कृते उप मु.कोच्ची विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives

प्रतिलोप प्रेषित | Copy Forwarded to:

1. जिला माजिस्ट्रेट (District Magistrate), IDUKKI (Kerala)- सूचना के लिए (for information.)

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोच्ची | Ernakulam

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1730(E72220)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-



Space of the occupier's signature

1. Licence is hereby granted to

George Kolhuparambil, Proprietor (अधिभागी / Occupier : George Kolhuparambil), M/s. United Granites & Metals, Vazhithala P.O., Thodupuzha,, Town/Village - Vazhithala, District-IDUKKI, State-Kerala, Pincode - 685588

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : **Proprietorship Firm**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।
Licence is valid only for the following purpose. : possess for use of **Detonators, Safety Fuse, Nitrate Mixture, - के उपयोग के लिए**

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	250 Kg.
2.	Detonators	6,3	0	5000 Nos.
3.	Safety Fuse	6,1	0	2000 Mtrs

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3 (b) and (c)] : **20 times as above.**

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing : रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1730 (E72220)
(s) दिनांक (Dated) 01/04/2015

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:
Survey No. 357/3, Block No. 11 , ग्राम (Town/Village) : Manakkadu (Thodupuzha Taluk) पुलिस थाना (Police Station) : Thodupuzha
जिला (District) **IDUKKI** राज्य (State) **Kerala** पिनकोड (Pincode) **685588**
दूरभाष (Phone) इ. मेल (E-Mail) फेक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities. : **Constructed magazine for explosives and detonator as per Specification 2 of Schedule VII of Explosives Rules, 2008.**

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञप्ति प्राधिकारी व्दाररा हस्ता.क्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख **31 मार्च 2019** तक विधिमान्य रहेगी। This licence shall remain valid till **31st day of March 2019.**

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the

conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Sd/-

तारीख | The Date - 01/04/2015

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of
Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 25/09/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 09/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 29/06/2018

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीनीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
31/01/2022	31/03/2027	Dy. Chief Controller of Explosives, Ernakulam

कृत उप मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/1730(E72220) की शर्तें निम्नलिखित हैं।
The following are the conditions of licence number E/SC/KL/22/1730(E72220) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु -
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लोअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचों, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचें, शेल्फें और फिटिंग यथासाध्य ग्रीट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधेकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;
Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञप्तिधारी द्वारा पश्चात्कर्तव्य प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :
परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा :
परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।
If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the event of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is

passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.


10. उपयुक्त तथा जेब रहित कार्यकरण वस्तुओं, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :
परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।
Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:
Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.
11. अनुज्ञप्तिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा। स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञप्तिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञप्तिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
मैगजीन का अनुज्ञप्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशेषियों को पढ़ने के लिए उनके बीच से होकर आ जा सके।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा।
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकेजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञप्तिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकतः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञत परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्ट्री या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log₁₀ (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञापनीधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.


कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

कृते उप मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1730(E72220) in form LE-3 granted to George Kolhuparambil, Proprietor, M/s. United Granites & Metals, Vazhithala P.O., Thodupuzha,, Kerala-685588 .


Type of Structure(s)	Safety distances meters	
	M	UM
Inside Safety Distances(ISD)		
1 Room or Workshop used in Connection with the Magazine	16	24
2 Any other Explosives Magazine or store House or Factory of the Applicant		
3 Magazine Office		
Middle Safety Distances(MSD)		
4 Magazine Keeper's or Chowkidar's Dwelling house		
5 Railway including Minerals and Private Railways		
6 Canal (in active use) or other navigable water		
7 Dock or Pier or Jetty		
8 Public Highway or Public Road		45
9 Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10 River Embankment or Sea Embankment or Public Well		
11 Reservoir or Bounded tank/rope way		
12 Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)		
13 Dwelling House		
14 Govt. and Public Building		
15 Temple, Mosque, Church or Gurudwara or other Places of Worships		
16 Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17 Factory		
18 Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19 Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		68
20 Aerodrome		
21 Furnace, Kiln or Chimney		
22 Quarry or mine pit head		
23 Power House or Electric Substation		
24 Wireless Station		
25 Warehouse or other Storage Building		
26 Any other Protected works		
Overhead Electric lines		
27 Electric Power over head Transmission Lines above 440V		68
28 Electric Power over head Transmission Lines upto 440V		15

The Date : 01/04/2015

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 25/09/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 09/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 29/06/2018

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.


For Joint Chief Controller of Explosives
South Circle, Chennai

कृते उप मुख्य विस्फोटक नियन्त्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

ടിസ്സി ജോബ്

പ്രസിഡന്റ്

മണക്കാട് ഗ്രാമപഞ്ചായത്ത്

ഫോൺ : 04862 - 202248



പുളിയപ്പിള്ളിൽ

വഴിത്തല പി.ഒ. - 685 583

മൊബൈൽ : 9495601743

ഇ-മെയിൽ : manakkadgp@gmail.com

തീയതി... 24/01/2022

To,


George Kechuparambil,

United Granites and Metals

Vazhithala.

കോലടി ചുരുക്കരിയാരം റോഡ്
 തടങ്ങുന്ന ഭാഗം വർഷങ്ങളായി പൊളിഷ്
 കീടകകലാലിജനം. മണക്കാട് ഗ്രാമപഞ്ചായത്തിൽ
 ജിടി കുന്നം പോക്കുന്ന ഈ റോഡ് താഴെ
 ശ്രദ്ധയിൽ പെട്ട് ന്യൂ മേഡയാ ഇവിടെ Interlock
 ചെയ്ത് ഭാഗിയാക്കിയത് ശ്രദ്ധയിൽ പെട്ടുകയ്യ
 സായി. നിങ്ങളുടെ സ്ഥാപനത്തിന്റെ CSR
 പദ്ധതിയിൽ പെട്ട് (ഏകദേശം 76,000/-
 ചിലവഴിച്ചു) ഇങ്ങനെ ഒരു കാര്യാ ചെയ്തത്
 ഏറെ അഭിമാനം അറിയിക്കുന്ന കാര്യാമാണ്.
 പഞ്ചായത്ത് ഭരണസമിതിയുടേയും ഈ ഭാഗത്തെ
 ഇനങ്ങളുടേയും ഹൃദയം നിറഞ്ഞ നന്ദി അറിയിക്കുന്ന
 അറിയിച്ചു കൊള്ളുന്നു.

എസ്


TISSY JOB
 President
 Manakkad
 Grama Panchayat

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /9444

Invoice Date : 15/01/2022

Vehicle : KL17R1125

Place of Supply : VAZHITHALA

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address KOLADY PUTHUPARIYARAM ROAD INTERLOCK CSR						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	6MM 2517	565	37	20905.00	0.00	20905.00	0.00	522.63	2.50	522.63	0.00	0.00
2												
	Total					20905.00	522.63	522.63		0.00		

Invoice Value (In words) Rupees Twenty One Thousand Nine Hundred Fifty Only
Invoice Value (In Figure) 21950.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



Authorised Signatory

Tax Invoice

(ORIGINAL FOR RECIPIENT)

Unistone Pavers & Blocks Pvt Ltd No.III/30, Thenumkuttill House Varikoli.P.O, Puthencruz, Ernakulam GSTIN/UIN: 32AABCU9147J1Z5 State Name : Kerala, Code : 32 E-Mail : sales.unistone@gmail.com	Invoice No.	Dated
	M-1061/2021-22	16-Jan-2022
Buyer United Granites and Metals GSTIN/UIN : 32AFJPK9650E1ZH State Name : Kerala, Code : 32 <i>Bhoothakavu Road</i>	Delivery Note	Mode/Terms of Payment
	Supplier's Ref.	Other Reference(s)
	Buyer's Order No.	Dated
	Despatch Document No.	Delivery Note Date
	Despatched through	Destination Vazhithala
	Bill of Lading/LR-RR No.	Motor Vehicle No. KI 39 R 7709
Terms of Delivery		

SI No.	Description of Goods and Services	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
1	M40 Grade Zigzag Shape Paver Block (100mm)	68101110	60.00 sq.mt	699.40	sq.mt		41,964.00
2	Handling Charges	8428	1.000 nos	4,000.00	nos		4,000.00
							45,964.00
					Cgst 9%	9 %	4,136.76
					Sgst 9%	9 %	4,136.76
					Round Off		0.48
Total							₹ 54,238.00

Amount Chargeable (in words) E. & O.E


INR Fifty Four Thousand Two Hundred Thirty Eight Only

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
68101110	41,964.00	9%	3,776.76	9%	3,776.76	7,553.52
8428	4,000.00	9%	360.00	9%	360.00	720.00
Total			4,136.76		4,136.76	8,273.52

Tax Amount (in words) : **INR Eight Thousand Two Hundred Seventy Three and Fifty Two paise Only**

Remarks: 100 mm pavers- 09 bundles, Declaration we declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.	Company's Bank Details Bank Name : AXIS BANK A/c No. : 921030037173776 Branch & IFS Code : Kolenchery & UTIB0004050 for Unistone Pavers & Blocks Pvt Ltd
	Prepared by _____ Verified by _____ Authorised Signatory _____

This is a Computer Generated Invoice



P.O for Eway Bill

ഗവ. ലോവർ പ്രൈമറി സ്കൂൾ, ഇടയാർ

ഇടയാർ പി.ഒ., കുത്താട്ടുകുളം, എറണാകുളം ജില്ല - 686 662

കുത്താട്ടുകുളം വിദ്യാഭ്യാസ ഉപജില്ല

Email: glps28303@gmail.com

നമ്പർ :

തീയതി : 23/2/22

പ്രേക്ഷിതൻ : ഹെഡ്മാസ്റ്റർ

സ്വീകർത്താവ് : മാതൃകേന്ദ്രം

സർ/ മാഡം, പ്രൈമറി സ്കൂൾ, ഗ്രാമപഞ്ചായത്ത്, മേട്ടൂർ

വിഷയം :-

സൂചന:-

ഇടയാർ ഗവ.പ്രൈമറി സ്കൂളിലേക്ക് പേരവെഴുതുന്നതിനുള്ള വഴി കുടുംബ ക്ലബ്ബിലെ വളരെ മോശമായി കിടക്കുകയാണ്. അതിനാൽ സ്കൂൾബസ്, മറ്റു വാഹനങ്ങൾ, ഉച്ചഭക്ഷണത്തിനുള്ള സാധനങ്ങളും സ്കൂൾ കെട്ടിടത്തിൽ പേരവെഴുതുന്ന അങ്കണവാടികളിലേക്കുള്ള ഭക്ഷണസാധനങ്ങളും സ്കൂളിലേക്ക് കയറ്റുന്നതിന് തടസ്സമായിരിക്കുന്നു. ഈ വഴി കുടുംബ ക്ലബ്ബ് ഉള്ള സഞ്ചാരലേഖ്യമാക്കുന്നതിന് ആവശ്യമായ മിറ്റിംഗ് പാർപ്പിച്ചിട്ടുണ്ടെന്നും തന്നെ സഹായിക്കണമെന്ന് അഭ്യർത്ഥിക്കുന്നു.



വിദ്യാസ്തതലയുടെ

Jessy P. John
Headmistress
G.L.P.S. Edayar

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

IN: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /13623

Invoice Date : 28/02/2022

Place of Supply : EDAYAR

Vehicle : KL17T45

Details of Receiver (Billed to)						Details of consignee (Shipped to)						
Name and Address						Name and Address						
GOVT .LOVER PRIMARY SCHOOL EDAYAR						GSTIN						
EDAYAR												
Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	20MM 2517	140	38.00	5320.00	0.00	5320.00	0.00	133.00	2.50	133.00	0.00	0.00
2												
Total						5320.00	133.00	133.00		0.00		

Invoice Value (In words) Rupees Five Thousand Five Hundred Eighty Six Only
Invoice Value (In Figure) 5586.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



E & O E

Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

IN: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /13624

Invoice Date : 28/02/2022

Place of Supply : EDAYAR

Vehicle : KL59G2026

Details of Receiver (Billed to)							Details of consignee (Shipped to)					
Name and Address GOVT .LOVER PRIMARY SCHOOL EDAYAR EDAYAR							Name and Address GSTIN					
Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	DUST 2517	140	37.00	5180.00	0.00	5180.00	0.00	129.50	2.50	129.50	0.00	0.00
2												
	Total					5180.00	129.50	129.50		0.00		

Invoice Value (In words) Rupees Five Thousand Four Hundred Thirty Nine Only
Invoice Value (In Figure) 5439.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



E & O E

Authorised Signatory

JOEMON JOSEPH (JOEKUTTAN) CHARITABLE TRUST PURAPUZHA
KANIV Beneficiary List for Account transfer March 2022

Manakkadu Grama Panchayat

Sl.No.	A/c Holder	A/c No	Bank	Branch	IFSC	Amount
MA 2	Aleykutty Issac	67202104800	State Bank of India	Vazhithala	SBIN0070962	1000
MA 6	Ammuni Appu	338002010014446	Union Bank of India	Thodupuzha	UBIN0533807	1000
MA 7	Saneesh T	16940100016038	Federal Bank	Thodupuzha	FDRL0001694	1000
MA 10	Annakutty Ulahannan	67202883910	State Bank of India	Vazhithala	SBTR0000962	1000
MA 11	Aswin Aji	67249971198	State Bank of India	Thodupuzha	SBIN0070155	1000
MA 12	Augusthy Ulahannan	67202618748	State Bank of India	Vazhithala	SBIN0070962	1000
MA 14	Baiju A K	33254532282	State Bank of India	Nediyasala	SBIN0006457	1000
MA 15	Bindumol N G	36696319370	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 16	Jagadamma	338002010021202	Union Bank of India	Thodupuzha	UBIN0533807	1000
MA 18	Gauriamma Kunjikuttan	239053000027108	South Indian Bank	Murikkassery	SIBL0000239	1000
MA 23	Kumari Sreekumar	4355001702005679	Punjab National Bank	Thodupuzha	PUNB0435500	1000
MA 25	Madhavi	33041198645	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 26	Parukutty K O	0722108030732	Canara Bank	Thodupuzha	CNRB0000722	1000
MA 27	Mathira	33069636011	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 29	John Marcose	31714099226	State Bank of India	Nediyasala	SBIN00006457	1000
MA 30	Mathai Pathrose	67323931639	State Bank of India	Vazhithala	SBIN0070962	1000
MA 31	Mercy	11210100258690	Federal Bank	Thodupuzha	FDRL0001121	2000
MA 32	Kutty Balan	672225858081	State Bank of India	Vazhithala	SBIN0070962	1000
MA 34	Pennamma	32996271414	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 36	Sajeewan E N	33226479752	State Bank of India	Thodupuzha	SBIN0008674	1000

March - 7

MA 37	Sali Louis		30188238651	State Bank of India	Nediyasala	SBIN0006457	1000
MA 39	Sarojini Sukumaran		32865143845	State Bank of India	Nediyasala	SBIN0006457	1000
MA 40	Sheela D		0806053000000324	South Indian Bank	Thodupuzha	SBIL0000806	1000
MA 41	Shibu Thomas		32668155787	State Bank of India	Nediyasala	SBIN0006457	1000
MA 42	Syjan Thomas		33055429907	State Bank of India	Nediyasala	SBIN 0006457	1000
MA 43	Thankamma Ayyappan		33452841784	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 45	Annies Sebastian		30322013976	State Bank of India	Nediyasala	SBIN0006457	1000
MA 46	Aravindakshan Nair		33438304010	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 47	Bhavani		67203548926	State Bank of India	Vazhithala	SBIN0070962	1000
MA 48	Chinna Balan		0722119000098	Canara Bank	Thodupuzha	CNRB0000722	1000
MA 49	Kalyani		207701231001318	Vijaya Bank	Thodupuzha	VJIB0002077	1000
MA 50	Nalini Vasu		10550100089533	Federal Bank	Vazhithala	FDRL0001055	1000
MA 54	Thomas K P		10550100076282	Federal Bank	Vazhithala	FDRL0001055	1000
MA 55	Valsala Kunjappan		32951554314	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 58	Anil M N		10550100122995	Federal Bank Ltd	Vazhithala	FDRL 0001055	1000
MA 59	Mercy		32987339555	State Bank of India	Thodupuzha	SBIN 0008674	1000
MA 60	Molly Babu		20302987028	State Bank of India	Nediasala	SBIN0006457	1000
MA 63	Sulochana		33024669458	State Bank of India	Thodupuzha	SIBN0008674	1000
MA 64	Joseph Mathai		120321200421432	Idukki Dist. Co Bank	Thodupuzha	IDUK0000032	1000
MA 66	Sivaraman P B		20176937929	State Bank of India	Thodupuzha	SBIN 0008674	1000
MA 68	Geejakumari		20263063290	State Bank of India	Thodupuzha	SBIN 0008674	1000
MA 69	Thresssia Paulose		32984323559	State Bank of India	Nediasala	SBIN0006457	1000
MA 70	Amose V M		10550100106717	Federal Bnak	Vazhithala	FDRL0001055	1000
MA 71	Ammini Ayyappan		32954131340	State Bank of India	Thodupuzha	SBIN00068674	1000
MA 72	Subhashini Divakaran		39683230052	State Bank of India	Vazhithala	SBIN0070962	1000
MA 73	Thankamani Prabhakararai		672226875505	State Bank of India	Vazhithala	SBIN 0070962	1000
MA 74	Rosamma Mathew		36818539764	State Bank of India	Vazhithala	SBIN 0070962	1000

MA 75	Annakutty Pathrose	67201841483	State Bank of India	Vazhithala	SBIN 0070962	1000
MA 76	Ammini Johnny	67206434799	State Bank of India	Peruva	SBIN 0070869	1000
				Total		50000

Account Name :	UNITED GRANITES AND METALS	Branch Name :	Vazhithala
Communication Address :	Vazhithala P O Thodupuzha Vazhithala Kerala 685583 India	Branch Sol Id :	1055
Account Last Updated On :	26/09/2016	Account Number :	14100200006064
Mobile Number :	919995878898	Customer Id :	16933700
Account Id :	unitedgranitesandmetals@g	Account Open Date :	28/11/2006
Account Type :	Current	Account Status :	Active
Account Name :	OD DEPOSIT/CLEAN	Mode of Operation :	Single
Account Code :	FDRL0001055	Joint Holders :	GEORGE KOCHUPARAMBIL
Account Code :	685049810		
Account Code :	FDRLINBBIBD	Nomination :	Not Registered
Available Balance :	1188736.58	Currency :	INR
Opening Balance :	38,19,447.58	Date of Issue :	15/03/2022

Statement of Account for the period 07-MAR-2022 to 07-MAR-2022

Value Date	Particulars	Tran Type	Tran ID	Cheque Details	Withdrawals	Deposits	Balance	Dr/Cr
07-03-2022	FB1255081	TFR	S15822030		7,000.00		38,12,447.58	CR
07-03-2022	FB1255090	TFR	S15822032		7,000.00		38,05,447.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00002399069/STA N	TFR	S16295613		1,11,368.00		36,94,079.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00000972811/STA N	TFR	S16327580		1,13,580.00		35,80,499.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00002399070/STA N	TFR	S16329113		27,022.00		35,53,477.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00002924567/STA N	TFR	S16352693		1,21,094.00		34,32,383.58	CR

24x7 PHONE BANKING
1800 425 1199
1800 420 1199
2630994/5 (NRI)

www.federalbank.co.in

FEDERAL BANK
YOUR PERFECT BANKING PARTNER

Value Date	Particulars	Tran Type	Tran ID	Cheque Details	Withdrawals	Deposits	Balance	Dr/Cr
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00002374420/STAN	TFR	S16353719		1,11,584.00		33,20,799.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00001503966/STAN	TFR	S16399814		1,17,220.00		32,03,579.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00001666984/STAN	TFR	S16401858		84,825.00		31,18,754.58	CR
07-03-2022	ACHDR/TP ACH ICICI BANK/FDRL00000 00000972815/STAN	TFR	S16406194		1,13,580.00		30,05,174.58	CR
07-03-2022	TO ECM/3038/PaytmElectricityBill \PaytmElectr	TFR	S16645834		8,612.00		29,96,562.58	CR
07-03-2022	TO ECM/5659/PaytmElectricityBill \PaytmElectr	TFR	S16671408		1,045.00		29,95,517.58	CR
07-03-2022	TO ECM/8217/PAYTM \PAYTM	TFR	S16707303		500.00		29,95,017.58	CR
07-03-2022	TO ECM/1611/PAYTM \PAYTM	TFR	S16724836		902.00		29,94,115.58	CR
07-03-2022	TO ECM/9300/BSNL \BSNL	TFR	S16755522		500.00		29,93,615.58	CR
07-03-2022	CASH:SELF	CASH	FB27691			10,00,000.00	39,93,615.58	CR
07-03-2022	RTG/FDRLR52022 030733393910/GEORGE KOC/SBIN/UNITED	TFR	S17617228		2,00,000.00		37,93,615.58	CR
07-03-2022	EBIZ NEFT C76607032212370 3 UNI	TFR	FB77731		42,000.00		37,51,615.58	CR
07-03-2022	EBIZ A2A C76607032212370 3 UNIT	TFR	FB77838		6,000.00		37,45,615.58	CR
07-03-2022	NFT/FBBT2206653 57305/AMMINI AYYAPP/SBIN/UNITED GRA	TFR	S18339234		1,000.00		37,44,615.58	CR



തീയതി... 01/02/2022

To,

മാനോജർ
കൊച്ചുപറമ്പിൽ
യിരഞ്ഞെറുപ്പ് ആൻഡ് ഗ്രാണൈറ്റുസ്
സർ,

മണക്കാട് ഗ്രാമപഞ്ചായത്തിൽ
XI - ഘട്ടാർഡിൽ താമസിച്ച് വരുന്ന അപ്പച്ചൻ,
ഇരുവിപ്പാറയിൽ, വഴിത്തല P.O എന്നൊരു കുടുംബം
കുടുംബവും സാമ്പത്തികമായി പിന്നോക്കം നിൽക്കുന്ന
അളക്കുകയാണ്. ഇവരെ പണിക്ക് അറിയാവുന്നതിൽ
ഇവരുടെ വീട് പൊളിഞ്ഞ് താമസിക്കാൻ പരാഞ്ഞ
തിനാൽ ജ്യോക്കിന്റെ പദ്ധതിയായ PMAY ഭവനനി
ർമ്മാണ പദ്ധതിയിൽ അനുമാനിക്കുകയും വിടപണി
അനുവദിക്കുകയും ചെയ്തു. അതിനൊപ്പം CSR
പദ്ധതിയിൽ പെടുന്നതിൽ കുറച്ചു മിമലും പാറമേ
ലും കൊടുക്കണമെന്ന് അപേക്ഷിച്ചിരുന്നു.

13-9-2021
വഴിത്തല

എന്ന്

Linxy

ലിൻസി ജോൺ

ലിൻസി ജോൺ
മെമ്പർ, വാർഡ് - XI
മണക്കാട് ഗ്രാമപഞ്ചായത്ത്

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

N: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /6974

Invoice Date : 07/12/2021

Vehicle : KL38D2289

Place of Supply : PERIAMBRA

Details of Receiver (Billed to)							Details of consignee (Shipped to)					
Name and Address							Name and Address					
APPACHAN ERAVIPARAYIL PERIYAMBRA CSR							GSTIN					
Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	20MM 2517	150	38	5700.00	0	5700.00	0.00	142.50	2.50	142.50	0.00	0.00
2												
	Total					5700.00	142.50	142.50			0.00	

Invoice Value (In words) Rupees Five Thousand Nine Hundred Eighty Five Only
Invoice Value (In Figure) 5985.00

Bank Details	
Bank	Federal Bank, Vazhithala
Acc No	10555500004370
IFSC	FDRL0001055



E & OE

Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

N: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /6975

Vehicle : KL38D2289

Invoice Date : 07/12/2021

Place of Supply : PERIAMBRA

Details of Receiver (Billed to)							Details of consignee (Shipped to)					
Name and Address							Name and Address					
APPACHAN ERAVIPARAYIL PERIYAMBRA CSR							GSTIN					
Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	20MM 2517	150	38	5700.00	0	5700.00	0.00	142.50	2.50	142.50	0.00	0.00
2												
	Total					5700.00	142.50	142.50			0.00	

Invoice Value (In words) Rupees Five Thousand Nine Hundred Eighty Five Only
Invoice Value (In Figure) 5985.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

IN: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /6945

Invoice Date : 06/12/2021

Place of Supply : PERIAMBRA

Vehicle : KL38D2289

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address APPACHAN ERAVIPARAYIL PERIYAMBRA CSR						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	2MM 2517	150	45.00	6750.00	0.00	6750.00	0.00	168.75	2.50	168.75	0.00	0.00
2												
Total						6750.00	168.75		168.75		0.00	

Invoice Value (In words) Rupees Seven Thousand Eighty Eight Only
 Invoice Value (In Figure) 7088.00

Bank Details	
Bank	Federal Bank, Vazhithala
Acc No	10555500004370
IFSC	FDRL0001055



Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

IN: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /6946

Invoice Date : 06/12/2021

Place of Supply : PERIAMBRA

Vehicle : KL38D2289

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address APPACHAN ERAVIPARAYIL PERIYAMBRA CSR						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	2MM 2517	150	45.00	6750.00	0.00	6750.00	0.00	168.75	2.50	168.75	0.00	0.00
2												
Total						6750.00	168.75	168.75	0.00			

Invoice Value (In words) Rupees Seven Thousand Eighty Eight Only
Invoice Value (In Figure) 7088.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



Authorised Signatory

Medical treatments help - Rs. 100000/-

പ്രിയമുള്ളവരേ,

ഞങ്ങളുടെ പപ്പ ജോസ്, മുവാറ്റുപുഴ വട്ടക്കാട്ട് പെരുമ്പല്ലൂർ, ആലുവ രാജഗിരിഹോസ്പിറ്റലിൽ കരൾ സംബന്ധമായ അസുഖത്തേതുടർന്ന് വളരെ അത്യന്തനിലയിൽ കഴിയുകയാണ്. മെഡിക്കൽ ഡിപ്പാർട്ട്മെന്റുമാനം എത്രയും വേഗം Liver Transplant ചെയ്യണം എന്നുള്ളതാണ്. അത്രയേറെ ഗുരുതരാവസ്ഥയിൽ ആണ് ഞങ്ങളുടെ പപ്പ. ഞങ്ങളുടെ മമ്മി മുവാറ്റുപുഴ നിർമ്മല ഹൈസ്കൂളിലെ മലയാളം ടീച്ചർ Lissy Jose ആണ്. ഭീമമായ ഒരു തുക വഹിക്കാനുള്ള സാഹചര്യം ഇപ്പോൾ ഞങ്ങൾക്കില്ല. ഞങ്ങൾ രണ്ട് മക്കളും വിദ്യാർത്ഥിനികൾ ആണ്. സാമ്പത്തികമായി വളരെ ബുദ്ധിമുട്ടിൽ ആണ് ഞങ്ങളുടെ കുടുംബം. കഴിയുന്നത്ര സാമ്പത്തിക സഹായം ഈ അവസരത്തിൽ നിങ്ങളിൽനിന്നും എത്രയും വേഗം പ്രതീക്ഷിക്കുന്നു.

മക്കൾ - Anmariya jose

& Aleena jose.

മമ്മിയുടെ Bank Ac/ Num:

Lissy, SIB Muvattupuzha Town Br. Ac/ 0342053 000003790.

IFSC SIBL0000342

Name	: UNITED GRANITES AND METALS	Branch Name	: Vazhithala
Communication Address	: Vazhithala P O Thodupuzha Vazhithala Kerala 685583 India	Branch Sol Id	: 1055
Address Last Updated On	: 26/09/2016	Account Number	: 14100200006064
Regd. Mobile Number	: 919995878898	Customer Id	: 16933700
Email Id	: unitedgranitesandmetals@g	Account Open Date	: 28/11/2006
Type of Account	: Current	Account Status	: Active
Scheme	: OD DEPOSIT/CLEAN	Mode of Operation	: Single
Account No	: FDRL0001055	Joint Holders	: GEORGE KOCHUPARAMBIL
MICR Code	: 685049810	Nomination	: Not Registered
SWIFT Code	: FDRLINBBIBD	Currency	: INR
Effective Available Balance	: 1188736.58	Date of Issue	: 15/03/2022
Opening Balance	: 88,94,489.86		

Statement of Account for the period 25-FEB-2022 to 25-FEB-2022

Date	Value Date	Particulars	Tran Type	Tran ID	Cheque Details	Withdrawals	Deposits	Balance	Dr/Cr
25-02-2022	25-02-2022	CASH:SELF	CASH	FB7595			10,00,000.00	98,94,489.86	CR
25-02-2022	25-02-2022	EBIZ TP AJAY SEBASTIAN UNITED	TFR	FB29468		5,000.00		98,89,489.86	CR
25-02-2022	25-02-2022	EBIZ TP NJT FINANCE PRIVATE LI	TFR	FB29561		10,80,770.00		88,08,719.86	CR
25-02-2022	25-02-2022	NFT/FBBT2205650 83947/LISSY/SIBL/ UNITED GRANITES 03	TFR	S39205530		1,00,000.00		87,08,719.86	CR
25-02-2022	25-02-2022	NFT/FBBT2205650 83948/MERCY BABY/KLGB/UNIT ED GRANIT	TFR	S39205534		5,000.00		87,03,719.86	CR
25-02-2022	25-02-2022	RTG/FDRLR52022 022533379171/ME TSO INDI/SCBL/united	TFR	S39205841		10,67,780.00		76,35,939.86	CR
25-02-2022	25-02-2022	RTG/FDRLR52022 022533379193/GE ORGE KOC/SBIN/UNITE D	TFR	S39205992		2,00,000.00		74,35,939.86	CR

Kerala Gramin Bank

Name and address of the Branch

VAZHITHALA (PO)
VAZHITHALA (PO)
IDUKKI (DT) - 685583
Tel No : 04862274500
Mob No : 9400999357

email ID : kkb357@keralagrainbank.com
Website : www.keralagrainbank.com

REQUEST :

1. Please do not fold the Pass Book.
2. Please preserve your Pass Book with care.
3. Go through the instructions given in the last page of the Pass Book.

IFSC Code : KLG80040357
MICR Code : 685480006

Account No. : 40357101037393

MISS JOBNA JOGE
D/O JOSEPH MATHEM
NEEDUMTHOTTIYIL HOUSE
VAZHITHALA (PO)
IDUKKI (DT) - 685583



Schema Code : SB105
Open Date : 02-07-2018
Customer ID : 412262590
AADHAR No : XXXXXXXXXX5535
PAN : N
Mobile No : 8921761263
Location : VAZHITHALA
Nomination : N
Debit Card : N
email ID :
Operated By : REPAYABLE BY SEL
Cheque Book : N
Kerala Gramin Bank

Asst. Manager

Manager

View Transaction Details

Transaction Date:	22-02-2022
Amount Type:	Dr.
Amount:	INR 50,000.00
Nature Of Transaction:	NFT/FBBT220534999012/JOSNA JOSE/KLGB/UNI

Education help.
Laptop purchase.




തീയതി 03-10-2021

To,
Managing Director,
United Metals & Minerals,
Vazhithala.

മണക്കാട് ഗ്രാമപഞ്ചായത്ത് 2021-20

ചാർജിൽ താഴെപ്പറയുന്ന ഭവന കെട്ടിട കൂലിയുടെ
വഴിത്തല ചുമന്നയാൾക്കും ^{കൂട്ടംപെന്റിങ്ങ} ~~ചുമന്നയാൾ~~ വിഭിദ്യ, മേൽ
സംസ്ഥാനീകരണ ചിന്താക്കര നിർമ്മാണ ദിവാലയ
വിഭിദ്യൻ ചുമന്നിട്ട് ഉടനീച്ചിട്ടുണ്ട്. വിഭിദ്യൻ
നിർമ്മാണ പ്രവർത്തനങ്ങൾ ആവശ്യമായി
വരുന്ന പാറമണൽ, മെറ്റൽ, പാറചെടി
ചുമന്നിട്ട നിങ്ങളുടെ CSR പദ്ധതിയിൽ ചെട്ടുക്ക
നൽകണമെന്ന് താല്പര്യപ്പെടുന്നു.

- മെറ്റൽ - 500 രൂപക്ക്
- പാറമണൽ - 450 രൂപക്ക്
- പാറചെടി - 300 രൂപക്ക്


TISSY JOB
President
Manakkad
Grama Panchayat

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /9621

Invoice Date : 18/01/2022

Place of Supply : VAZHITHALA

Vehicle : KL38D2289

Details of Receiver (Billed to)		Details of consignee (Shipped to)	
Name and Address	DEEPA BIJU	Name and Address	
		GSTIN	

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	20MM 2517	140	38.00	5320.00	0.00	5320.00	0.00	133.00	2.50	133.00	0.00	0.00
Total						5320.00	133.00		133.00		0.00	

Invoice Value (In words) Rupees Five Thousand Five Hundred Eighty Six Only
 Invoice Value (In Figure) 5586.00

Bank Details	
Bank	Federal Bank, Vazhithala
Account No	10555500004370
Branch	FDRL0001055



UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /9622

Invoice Date : 18/01/2022

Vehicle : KL38D2289

Place of Supply : VAZHITHALA

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address DEEPA BIJU						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	2MM 2517	140	45.00	6300.00	0.00	6300.00	0.00	157.50	2.50	157.50	0.00	0.00
2												
	Total					6300.00	157.50	157.50		0.00		

Invoice Value (In words)	Rupees Six Thousand Six Hundred Fifteen Only
Invoice Value (In Figure)	6615.00

Bank Details	
Bank	Federal Bank, Vazhithala
Acc No	10555500004370
IFSC	FDRL0001055



Authorised Signatory

E & O E

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /12161

Invoice Date : 14/02/2022

Vehicle : KL38D2289

Place of Supply : .VAZHITHALA

Details of Receiver (Billed to)							Details of consignee (Shipped to)					
Name and Address DEEPA BIJU							Name and Address					
							GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	2MM 2517	150	45.00	6750.00	0.00	6750.00	0.00	168.75	2.50	168.75	0.00	0.00
2												
	Total					6750.00	168.75		168.75		0.00	

Invoice Value (In words) Rupees Seven Thousand Eighty Eight Only

Invoice Value (In Figure) 7088.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



Authorised Signatory

E & O E

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

V: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /12162

Invoice Date : 14/02/2022

Vehicle : KL38D2289

Place of Supply : KOLADY

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address DEEPA BIJU						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	2MM 2517	150	45.00	6750.00	0.00	6750.00	0.00	168.75	2.50	168.75	0.00	0.00
2												
Total						6750.00	168.75	168.75	0.00			

Invoice Value (In words) Rupees Seven Thousand Eighty Eight Only
Invoice Value (In Figure) 7088.00

Bank Details	
Bank	Federal Bank, Vazhithala
Acc No	10555500004370
IFSC	FDRL0001055



UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

IN: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /12163

Invoice Date : 14/02/2022

Place of Supply : KOLADY

Vehicle : KL38D2289

Details of Receiver (Billed to)

Details of consignee (Shipped to)

Name and Address DEEPA BIJU

Name and Address


GSTIN

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	20MM 2517	150	38.00	5700.00	0.00	5700.00	0.00	142.50	2.50	142.50	0.00	0.00
2												
Total						5700.00	142.50	142.50	0.00			

Invoice Value (In words) Rupees Five Thousand Nine Hundred Eighty Five Only
Invoice Value (In Figure) 5985.00

Bank Details

Bank Federal Bank, Vazhithala
Account No 10555500004370
Branch SC FDRL0001055



Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

IN: 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /12164

Invoice Date : 14/02/2022

Vehicle : KL38D2289

Place of Supply : KOLADY

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address DEEPA BIJU						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	20MM 2517	150	38.00	5700.00	0.00	5700.00	0.00	142.50	2.50	142.50	0.00	0.00
2												
	Total					5700.00	142.50	142.50		0.00		

Invoice Value (In words) Rupees Five Thousand Nine Hundred Eighty Five Only

Invoice Value (In Figure) 5985.00

Bank Details

Bank Federal Bank, Vazhithala
Acc No 10555500004370
IFSC FDRL0001055



Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /15246

Invoice Date : 17/03/2022

Place of Supply : VAZHITHALA

Vehicle : KL43C6373

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address DEEPA BIJU						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	P SAND 2517	150	55	8250.00	0	8250.00	0.00	206.25	2.50	206.25	0.00	0.00
2												
	Total					8250.00	206.25	206.25		0.00		

Invoice Value (In words)	Rupees Eight Thousand Six Hundred Sixty Three Only
Invoice Value (In Figure)	8663.00

Bank Details	
Bank	Federal Bank, Vazhithala
Acc No	10555500004370
IFSC	FDRL0001055



Authorised Signatory

UNITED GRANITES AND METALS

VAZHITHALA P.O 685583, THODUPUZHA, PH: 8281885888

.. 32AFJPK9650E1ZH

Application for Electronic Reference Number of an Invoice

Invoice No : BU /15277

Invoice Date : 17/03/2022

Vehicle : KL38G1699

Place of Supply : VAZHITHALA

Details of Receiver (Billed to)						Details of consignee (Shipped to)					
Name and Address DEEPA BIJU						Name and Address					
						GSTIN					

Sl. No.	Description Good and HSN Code	Qty	Rate	Total Amount	Discount	Taxable Value	CGST		SGST		IGST	
							Rate	Amt	Rate	Amt	Rate	Amt
1	P SAND 2517	150	55	8250.00	0	8250.00	0.00	206.25	2.50	206.25	0.00	0.00
2												
	Total					8250.00	206.25	206.25		0.00		

Invoice Value (In words)	Rupees Eight Thousand Six Hundred Sixty Three Only
Invoice Value (In Figure)	8663.00

Bank Details	
Bank	Federal Bank, Vazhithala
Acc No	10555500004370
IFSC	FDRL0001055



Authorised Signatory

Max Health Plus – Hospitalization Cover



Quote is valid for 15 days from the date of quote issued or policy start date which ever be earlier. Quote is liable to change with change in information.
Quote is valid for the given set of data, any change in data will require revised premium.

Quote No.	MBQ000095444
Channel Type	Banca
Date of Quote Issue	10/25/2021 12:50:16 PM

Name of Policyholder	United Granites & Metals
Industry Type	Services
Location	Rest of India
Cover Type (Individual/Floater)	Individual
Policy Period – Start Date	23-10-2021
Policy Period – End Date	22-10-2022
Policy Type (Fresh / Renewal)	Own Renewal
GST Waived Off Policy	No

Premium Details

Premium excluding Tax	GST	Total Premium
330460	59483	389943

Expiring Policy Snapshot

Claims Report Date	Total Claims (Paid + O/S)
15-10-2021	78653

The quote is based on on the claims details as mentioned above and the demography details as pasted below, if there is any change in the claims or the demography details, the quote is subject to change.

S.No	Basic Details	Particulars
1	Family Structure	Employee Only
2	Total no of employees/Primary Members	122
3	Total no of Insured Members	122
4	Health Card	Both
5	Claim Servicing	In-House

Benefit Structure

Inpatient Care – Sum Insured	INR 200000 ,	
Listed Day Care Treatment	Covered upto Sum Insured	
Hospital Accommodation – Room rent/day & ICU/day	Normal	1%
	ICU	2%
	If the Insured Person is admitted in the Hospital in a room category or in a room where the Room Rent is higher than the eligibility as specified above, then Niva Bupa shall be liable to pay only a pro-rated proportion of the total Associated Medical Expenses (including surcharge or taxes thereon) in the proportion of the difference between the Room Rent actually incurred and the entitled room category/eligible Room Rent.	
Pre Hospitalization Medical Expenses	Covered upto Sum Insured for 30 days	
Post Hospitalization Medical Expenses	Covered upto Sum Insured for 60 days	
Emergency Ambulance	INR 1000 per hospitalization	
Maternity Expenses	Normal	Not Covered
	C-Section	Not Covered
	1. Maternity Expenses Benefit is available for Employees or Spouse only if both are covered in Insured members data received from Policyholder. 2. The Maternity Benefit may be claimed under the Policy in respect of eligible Insured Person(s) only twice during the lifetime of the Policy including any Renewal thereafter for the delivery of a child or Medically Necessary Treatment and lawful termination of pregnancy up to maximum of 2 pregnancies or terminations."	
Pre & Post Natal Expenses	NA	

Corporate Floater	Not Covered
Corporate Floater Limit	Not Covered
Corporate Floater utilization/family	Not Covered
OPD (including Consultancy and Diagnostics except for Pharmacy & Procedures)	Not Covered
Health Checkup Benefit	Not Covered

Co-payment	Not Applicable
Disease wise capping	Not applicable
Domiciliary	Not Covered
Ayush Treatment	Not Covered

Waiting Periods

Pre-Existing Disease (PED)	Not Applicable
2 yr exclusions (Disease Specific Exclusions)	Not Applicable
Initial Waiting Period	Not Applicable
Waiting period for Maternity benefit	Not Applicable

Special Conditions:

Lasik Surgery for power above +/- 7.5
Existing Employees who had enrolled their dependent parents in last year coverage, will only be allowed to cover their dependent parents. This term is applicable only if parental cover is opted under the policy

Terms & Conditions	
Group to Retail portability clause	Continuity benefit will be provided as per retail medical underwriter.
Claim intimation and Document submission clause	<p>For Reimbursement – Claim intimation should be given to Niva Bupa within 48 hours of admission or before discharge from hospital. Documents needs to be submitted within 30 days from date of discharge from hospital.</p> <p>For Cashless – Incase of cashless hospitalization, claim intimation should be given within 24 hours of admission or before discharge from hospital</p>
Addition/Deletion Endorsement clause	<p>– Midterm addition is allowed only in case of natural addition (i.e. new born baby, Newly wedded spouse) falling during the Policy period.</p> <p>– In case of deletion, there will be no refund for members who have claimed.</p> <p>– In case of deletion, if intimation will be provided later than the DOL and any claim has been taken by the member in that period, Recovery of the claim amount need to be made from the corporate.</p> <p>– The Insured must inform of new additions or deletions to the company within a reasonable time but not later than 30 days from the date of the joining of the employee or separation of an employee from the organization.</p> <p>– Addition to be done on prorata basis effective from date of joining subject to balance being available in CD account.</p>
Other Standard Conditions	<p>– 50% co-pay applicable for cyber-knife treatment/Robotic Surgery (if opted)</p> <p>– No individual (employee or dependent) can be covered more than once in a policy.</p> <p>– Mid-term increase in Sum insured due to change in level of the employee (promotion) is allowed, but in case of claims already registered it will not be applicable.</p> <p>– Individuals cannot be covered as an employee and dependent under the same policy, nor may children or parents will be covered by both under the same policy.</p> <p>– Following charges levied by hospitals will not be payable under the policy: - Admission charge / Surcharge / Service charges / miscellaneous charges / Registration fee / Admission Fee / Other non- medical or non-treatment related expenses.</p> <p>– Existing groups may not split into multiple groups to obtain multiple benefit levels.</p> <p>– Excluding a class within a group from coverage is not permitted.</p> <p>– Ineligible employees include: contractors; temporary, seasonal, substitute, uncompensated employees; volunteers, silent partners, shareholders or investors only; owners, officers or managing members who are not active, permanent, full-time employees.</p> <p>– Any type of contraception, sterilization, abortions, voluntary termination of pregnancy or family planning is excluded from the Policy.</p>

Proposed Demography												
Sum Insured/Age Band	0-2 yrs	3-17 yrs	18-25 yrs	26-30 yrs	31-35 yrs	36-40 yrs	41-45 yrs	46-50 yrs	51-55 yrs	56-60 yrs	61-65 yrs	65+ yrs
50000												
100000												
150000												
200000			13	24	18	15	12	14	11	6	4	5
250000												
300000												
350000												
400000												
450000												
500000												
600000												
700000												
750000												
1000000												

Per Person premium Rater (Excluding GST)

Sum Insured/Age Band	0-2 yrs	3-17 yrs	18-25 yrs	26-30 yrs	31-35 yrs	36-40 yrs	41-45 yrs	46-50 yrs	51-55 yrs	56-60 yrs	61-65 yrs	65+ yrs
50000												
100000												
150000												
200000	650.35	650.35	1260.05	1524.25	1755.20	2078.52	2614.32	3018.94	3711.78	4992.14	6499.76	8860.96
250000												
300000												
350000												
400000												
450000												
500000												
600000												
700000												
750000												
1000000												