

ENVIRONMENT CLEARANCE COMPLIANCE REPORT

October 2023 to March 2024

for

***GRANITE BUILDING STONE QUARRY
(Minor Mineral)***

Extent: 12.2987 Ha. (30.3907 Acres)

Sy No.	354/4,354/5,355/1, 351/1pt,350,352/1pt
Village	Manakkad
Taluk	Thodupuzha
District	Idukki
State	Kerala

**‘Granite building Stone Quarry of
Shri. George Kochuparambil’**

EC NO. 1137/EC/SEIAA/KL/2017. Dated 17/03/2018

EC Revalidated on 02/03/2023

To,

The Deputy Director General of Forests (c)

MoEF, Inetgrated Regional office Kedriya Sadan,
Koramangala, 4th Floor, E&F Wings,
17th Main Road, Koramangala II Block, Bangalore - 560034

Sub: Environmental Clearance Compliance Report for the period October 2023 – March 2024 pertaining to 'Granite Building Stone Quarry of 'Shri. George Kochuparambil'

**Ref: Environmental Clearance No: 1137/EC/SEIAA/KL/2017, Dated 17/03/2018,
EC Revalidated on 02/03/2023**

Respected Sir,

EC No. 1137/EC/SEIAA/KL/2017 dated 17.03.2018 was valid till 15.03.2023. This EC is renewed with same File No, on 02.03.2023 with some additional specific conditions.

This is complied and reports are attached.

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from October 2023 – March 2024 of the EC Granted to 'Granite Building Stone Quarry of Shri. George Kochuparambil by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order.

Thanking you,

Yours truly,

For 'Granite Building Stone Quarry of Shri. George Kochuparambil



Mr. George Kochuparambil
(Managing Director)

Encl: as above

Cc: The Member Secretary
State Environment Impact Assessment Authority SEIAA)
Directorate of Environment & Climate Change
4th Floor, KSTRC Bus Terminal, Thampanoor,
Kerala-01

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

Introduction

Shri. George Kochuparambil, Kochuparambil house, Vazhithala Post, Thodupuzha Taluk, Idukki District, Kerala-685583 has been granted for a mining lease to quarry Granite Building Stone over an area of 12.2987 Ha. in Re-Sy Block No.11, Re-Sy. Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt of Manakkad Village, Thodupuzha Taluk, Idukki District, Kerala State vide order No: 451/2018-19/890/M3/2017/DMG dated 01.10.2018 for a period of 12 years from 04.10.2018 to 03.10.2030.

The Environmental clearance is also obtained for this mining lease vide letter no 1137/EC/SEIAA/KL/2017, Dated: 17/03/2018, for a maximum production of 4,00,000 MTA. Vide letter no. 1137/EC/SEIAA/KL/2017 dated 02.03.2023, the validity of EC is extended for the project life of 16 years from the date of original EC (ie 17.03.2018).

The lease is located on the slope of the area gently dipping towards NE. The highest elevation in this area is 145m above MSL and the lowest elevation is 35m above MSL. This granite building stone quarry is located at 6.0 Kms from Manakkad Village in Thodupuzha Taluk. It is at a distance of 10.6 Kms by road from Thodupuzha town. It can be reached from Vazhithala - Parakkadavu Road.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

Description of the project

File No.		1137/EC/SEIAA/KL/2017
Name of the project		GRANITE BUILDING STONE QUARRY (Minor Mineral) of Mr. George Kochuparambil
District and state	:	Idukki, Kerala
Taluk / Mandal	:	Thodupuzha
Village	:	Manakkad
Category & Schedule		B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	:	Re-Sy Block No.11, Re-Sy. Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt.
Extent of Area		12.2987 Ha
Ownership / Occupancy	:	Private Land
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	:	The nearest railhead – Piravam Road (30 Kms) and Nearest airport – Cochin International Airport (48 Kms) from the mine.
Latitude & Longitude	:	N - 09°53'32.72" to N - 09°53'48.09" E - 76°38'21.51" to E - 76°38'36.07"
Address of Registered office		Shri. George Kochuparambil, Kochuparambil house, Vazhithala-Post, Thodupuzha Taluk, Idukki District Pincode: 685 583 E-mail: - unitedgranitesandmetals@gmail.com Website: - www.unitedgranitesandmetals.in

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

Compliance Status of the General Conditions for Mining Projects Laid down by the State Environment Impact Assessment Authority, Kerala vide their Environment Clearance No.56/2018 Dated:17/03/2018, EC Revalidated on. 02-03-2023

Part A – Specific Conditions (1137/EC/SEIAA/KL/2017, Dated: 17/03/2018)

Sl. No.	Condition	Status of Compliance
1	If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area.	The Endemic species are properly protected and transplanted to a suitable area.

Additional Specific Conditions No.1137/EC/SEIAA/KL/2017 revalidated Dated - 02-03-2023

Sl. No.	Condition	Status of Compliance
1	The buffer zone should be maintained with a uniform width of 7.5m and it should be used for developing and maintaining thick green belt.	7.5m wide buffer zone is maintained. Thick green belt is maintained. Geo tagged photograph is attached as Annexure- 1
2	The garland canal, silt traps and overflow channel should be maintained periodically by cleaning and desilting and geo-tagged photographs of the process should be included in the half yearly compliance report.	The garland canal, silt traps and overflow channel should be maintained periodically by cleaning and desilting. Geo-tagged photographs are attached as Annexure- 2
3	The impact of vibration due to blasting on the nearest houses and other built structures should monitored in terms of	Study of blast vibration is being done. Monitoring is done near the nearest house also. Report is attached as Annexure-03.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

	Peak Particle Velocity and amplitude for a maximum charge per delay and included in the Half Yearly Compliance Report.	
4	NONEL short delay detonator may be used for initiation.	Nonel initiation system is only used in blasting.
5	Blasts should be conducted by a blasters or mining mate certificate holder	Blasting is done by person having statutory certificate issued by DGMS.
6	To restrict fly rock within 10m, muffling arrangements should be made.	Blasting mats are used to restrict fly rocks up to 10m.
7	In wake of occurrence of large-scale landslides in the state, as per the information provided by the Department of Mining and Geology, it is directed to use only NONEL for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wild life.	Initiation by NONEL is only used for blasting.
8	Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust.	Blasting mats are used during rock blasting to contain the blast, prevent fly rocks and suppress dust.
9	The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act, 1986.	Agreed.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

Part B – General Conditions

Sl. No.	Condition	Status of Compliance
1	Rainwater harvesting facility should be installed as per prevailing provisions of KMBR/KPBR, unless otherwise specified.	Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. Rain water harvesting facility is installed. The photos of Rain Water harvesting Pond is attached as Annexure- 4
2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment monitoring cell is formed & is made functional. The details of Environmental monitoring cell and meeting minutes are given as Annexure-5 .
3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including approach roads and internal roads.	Suitable types of trees are planted along either side of the road & parking areas. Photographs are attached as Annexure- 6 .
4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Solar Energy generation and utilization is adopted. Photos of solar lights are attached as Annexure- 7 .
5	Sprinklers shall be installed and used in the Project Site to contain dust emissions.	Sprinklers & Water Tankers are used in project site to control dust emission. Photos are attached as Annexure-8 .
6	Eco-restoration, including the Mine Closure Plan shall be done at the own cost of the Project Proponent.	Plantation of various saplings within the project area has been initiated. The mine closure plan will be prepared as agreed by the project proponent. Photos are attached as Annexure- 9 .
7	At least 10 per cent of total excavated Pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco- friendly, if no other specific condition on reclamation of the Pit is stipulated in the EC.	During Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & overburden and indigenous plant species will be planted.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

8	Corporate Social Responsibility (CSR) agreed upon by the Proponent should be implemented.	Several Corporate Social Responsibility (CSR) activities has been carried out by the project proponent. The Activities were carried in the sectors like Infrastructure Development, Education, Health-care, etc.
9	The Lease area shall be fenced off with barbed wires to a minimum height of 4 ft around, before starting of Mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Lease area is fenced off. Sign boards have been erected at prominent places. Photos are attached as Annexure-10 .
10	Warning alarms indicating the time of Blasting (to be done at specific timings) has to be arranged as per stipulations of the Explosives department.	Blasting time and safety boards have been erected at all entrance to the mine. Siren is blown before blasting as warning and after blasting siren is hooted to give all clear message. Photographs of Blasting time and safety boards are attached as Annexure- 11 .
11	Control measures on noise and vibrations prescribed by KSPCB should be implemented.	<ul style="list-style-type: none"> ➤ Noise and vibration control measures is implemented by adapting controlled blasting. ➤ Use of sharp drilling bits, delivery of compressed air at optimal pressure, Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks. ➤ Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.
12	Quarrying activities should be limited to daytime as per KSPCB guidelines/specific conditions.	Quarrying activities are limited to daytime only as per KSPCB guidelines. Photograph of sign boards are attached as Annexure- 12 .
13	Blasting should be done in a controlled manner as specified by the regulations of the Explosives department or any other concerned agency.	Controlled blasting is done with Nonel initiation. Muffling is done to control fly rocks.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

14	A licensed person should supervise/control the Blasting Operations	Blast design is approved by the First-Class Mines Manager. Supervision is done by the Second-Class Mines Manager
15	Access roads to the quarry shall be tarred to contain dust emission that may arise during the transportation of material.	Access road to the Quarry is tarred and tiled to control dust emission. Photographs of road are attached as Annexure- 6.
16	Overburden materials should be managed within the site and used for reclamation of Mine Pit as per Mine closure Plan/specific conditions	Overburden material is stacked very close to the site for future use of reclamation and green belt afforestation.
17	Height of Benches should not exceed 5 M and width should not be less than 5 M, if there is no mention in the Mining Plan/specific conditions	Benches are Maintained in a safe way.
18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided	Mats are laid on the top of the charged holes area to control fly rock. Blasting is done with Nonel initiation system only. Controlled blasting keeps the vibration below 10ppv.
19	Maximum depth of mining and general ground level at site shall not exceed 10m	The Mining is done as per the approved mining plan. Maximum depth of mining and general ground level at site shall not exceed 10m.
20	No mining operation should be carried out at place having a slope greater than 45 ⁰	No mining operation will be carried out at place having a slope greater than 45 ⁰
21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures have been provided to reduce sound amplifications.
22	The workers on the site should be provided with the required protective equipment such as ear muffs helmet, etc.	All the employees are provided with Personal Protective equipment (PPE's).
23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Drains are provided to channelize Storm water. Photograph is attached as Annexure-2.
24	The transportation of minerals should be done in covered trucks to contain dust emissions.	All trucks transporting material are covered by firmly tied tarpaulin.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

25	The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.	Plantations of about 5 times the loss that has been occurred while clearing the land is being done.
26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil is re-used as a lubricant for drilling.
27	Explosives should be stored in magazines in isolated place specified and approved by the Explosive Department.	Explosives are stored in a Licensed Explosives Magazine. Copy of Explosive license is attached as Annexure-14 .
28	A minimum buffer distance of 100 M from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	No dwellings are situated within 100 M from the boundary of the quarry.
29	100 M buffer distance should be maintained from forest boundaries	Mining area is not located near any forest areas.
30	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the consent is attached as Annexure-15 .
31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competitive authorities including that for blasting and storage of explosives.	All required statutory clearances are obtained.
32	In the case of any change(s) in the scope of the Project, extent, quantity, process of mining technology involved or in any way affecting the environment parameters/impacts as assessed, based on which only the EC is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	There is no change in the scope of the project.
33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environmental Clearance under provisions of the Environment (Protection) Act,1986,	Agreed

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

	to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	
34	The stipulations by the Statutory Authorities under different Acts and Notifications should be complied with including the provisions of the Water (Prevention and control of Pollution) Act,1974, the Air (Prevention and control of Pollution) Act1981, the Environment (Protection) Act,1986, the Public Liability (Insurance) Act,1991 and EIA Notification,2006	Agreed
35	The project proponent should advertise in at least 2 newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the Project has been accorded Environment Clearance and the copies of the Clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same signed in all the pages should be forwarded to the Office of this Authority as confirmation	Advertisements are given in two newspapers. 1. Kerala Kaumady – Malayalam – 12/04/2018 2. The Hindu Daily – English – 12/04/2018 Copies of advertisements published in the newspapers are attached as Annexure- 13
36	A copy of the clearance letter shall be sent by the proponent to the concerned Gram Panchayat/District Panchayat/Municipality/Corporation/Urban local Body and also to the Local NGO, if any from whom suggestions/representations, if any were received while processing the proposal. The Environmental Clearance shall also be put	A copy of the Clearance is submitted to the concerned authorities. Copy of Panchayat license attached as Annexure-16.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

	on the website of the company by the proponent.	
37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office	Half yearly compliance reports are submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF&CC, Bangalore. The monitored data of Air, Noise and Water is attached as Annexure-19 .
38	The details of Environment Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times Roman font of size not less than 40. Sign board with extent of Lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	Details of Environmental Clearances is prominently displayed at the entrance to the Mine. Photograph is attached as Annexure- 17
39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Notarized affidavit is submitted.
40	No change in mining technology and scope of working should be made without prior approval of the SEIAA. No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Prior approval from the SEIAA will be sought in case of change of mining technology.
41	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any,	No natural water course is obstructed. Necessary safeguard measures are taken to protect first order streams if originating from the mining lease in the future.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

	originating from the mine lease shall be taken.	
42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Monitoring of Ambient Air Quality is carried out. Monitoring reports have been enclosed as Annexure- 19.
43	The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The Over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8 m and the width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo-textiles shall be undertaken for stabilization of the dump. The entire excavated area should continue until the vegetation becomes self-sustaining	Top Soil dump is stacked at the designated area and will be utilized during the Mine Closure for Afforestation and Green belt development. OB generated is stacked separately and is vegetated with locally available shrubs and grasses.
44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly	All Storm water from the lease area is collected in Silt Settling Tank 1(SST 1) through garland drains. After settling this water over flows to SST 2 and then to SST 3. The clear water from SST 3 is pumped to Rainwater Harvesting ponds (RWHP) for use in water sprinkling, Gardening etc.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Regular water sprinkling is done on all necessary roads with water tankers and sprinklers. Photograph is attached as Annexure- 8
46	Fugitive dust emissions from all sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and transfer points should be provided and properly maintained.	Fugitive dust emissions are controlled by using water tankers with sprinklers.
47	Measures should be taken for control of noise levels below 85 dB (A) in the work environment.	Adequate measures for noise control have been adopted.
48	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior executive, who will report directly to the head of the Organization.	Environment monitoring cell is formed & is made functional. The details of Environmental monitoring cell and meeting minutes are given as Annexure-5 .
49	The funds earmarked for environment protection measures and CSR activities should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	The funds earmarked for environment protection measures and CSR activities Shall be kept in a separate account and will not be diverted for other purpose. Photos of the CSR receipts are enclosed as Annexure-18 .
50	The Regional Office of MOEF and CC located in Bangalore shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the Officer(s) if the Regional Office by furnishing the requisite data/information/monitoring reports	Agreed

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

51	Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Agreed
52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986.	Agreed
53	The Regional Office of MOEF and CC located in Bangalore shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the Officer(s) if the Regional Office by furnishing the requisite data/information/monitoring reports	Agreed
54	The above conditions shall prevail notwithstanding anything to the contrary, inconsistent or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Agreed
55	The order is valid for a period of 5 years of the expiry date of Mine lease period issued by the Government of Kerala, whichever is earlier	Agreed
56	The Environment Clearance will be subject to the final order of the courts in any pending litigation related to the land or the project, in any court of law.	Agreed
57	The Mining operations shall be restricted to above ground water table and it should not intersect ground water table.	Mining operations will be restricted to above ground water table and due care will be taken so as not to intersect ground water.
58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution	It is ensured that all transportation vehicles have 'PUC' Certificate issued by an authorized Pollution checking center. All the vehicles are washed inside the lease area.

EC Compliance Report for the period of October 2023 – March 2024
Granite building stone quarry of Shri. George Kochuparambil

	checking center. Washing of all vehicles shall be inside the Lease area	
59	Project proponent should obtain necessary prior permission of the competent authorities for drawl of necessary quantity of surface and ground water for the project.	There is no need for drawl of Surface and ground water for the project activities. As there is Rain Water Harvesting Pond present which will be main source of water. Photograph of Rain water harvesting pond is attached as Annexure- 4 .
60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA	No perennial nallah flows through the lease or exist around the Mine Lease.
61	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance will be undertaken periodically.

For Granite Building Stone Quarry of Shri. George Kochuparambil



George Kochuparambil
Managing Director

Date: 27-05.2024

Greenbelt

ANNEXURE- 01



GPS Map
Camera Lite


VJWW+243, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.8961142°

Longitude
76.64280854°

Local 11:13:00 AM
GMT 05:43:00 AM

Altitude 44 meters
Thursday, 22.02.2024



GPS Map
Camera Lite

VJRV+WJJ, Vazhithala Koladi Road, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.89423704°


Longitude
76.64262455°

Local 11:53:06 AM
GMT 06:23:06 AM

Altitude 76 meters
Thursday, 22.02.2024

Garland Drains

ANNEXURE- 02




VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.89624935°

Longitude
76.64090112°

Local 11:36:23 AM
GMT 06:06:23 AM

Altitude 55 meters
Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.89617589°

Longitude
76.6407574°

Local 11:04:58 AM
GMT 05:34:58 AM

Altitude 65 meters
Thursday, 22.02.2024




Unnamed Road, Manakkad, Kerala 685583, India

Latitude
9.89587837°

Longitude
76.6416554°

Local 11:07:59 AM
GMT 05:37:59 AM

Altitude 45 meters
Thursday, 22.02.2024



VJWW+243, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.89665412°

Longitude
76.6434711°

Local 11:41:44 AM
GMT 06:11:44 AM

Altitude 46 meters
Thursday, 22.02.2024

Blast Vibration Report

ANNEXURE- 03

**TECHNICAL REPORT ON BLAST INDUCED GROUND VIBRATION STUDIES AND
ASSESSMENT OF EFFECT OF BLASTING OPERATIONS IN
GRANITE BUILDING STONE QUARRY OF
Shri. GEORGE KOCHUPARBIL,
MANAKKAD VILLAGE, THODUPUZZHA (TK), IDUKKI DISTRICT, KERALA**



GLOBAL ENVIRONMENT & MINING SERVICES

#212, Celestic Towers, Palm Avenue,
Green Glen Layout, Bellandur,
Bangalore – 560103
Ph : +91 6361550211
e-mail : www.gems.blr@globalmining.com
website : <http://www.globalmining.in/>



**BLAST INDUCED GROUND VIBRATION STUDIES AND
ASSESSMENT OF BLASTING EFFECTS IN
GRANITE BUILDING STONE QUARRY OF
Shri. GEORGE KOCHUPARAMBIL**

Cyriac Joseph BE (Mining), FCC.

Sankar. S BE (Mining), FCC.

Saju. K BE (Mining), FCC.

Jaikaran H. J. BE (Mining), SCC.



GLOBAL ENVIRONMENT & MINING SERVICES

#212, Celestic Towers, Palm Avenue,
Green Glen Layout, Bellandur,
Bangalore – 560103

Ph : +91 6361550211

e-mail : www.gems.blr@globalmining.com

website : <http://www.globalmining.in/>



ABSTRACT

Shri. George Kochuparambil, Kochuparambil, is operating granite building stone quarry in Re-Sy Block No.11, Re-Sy. Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt in Manakkad Village, over an extent of 12.2987 Ha in Thodupuzha Taluk, Idukki District, Kerala. The Granite building Stone is very hard and has to be excavated in this stone quarry with Drilling and Blasting methodology. As a Part of Statutory requirement for DGMS & Complying the EC condition this scientific study has been taken up to ensure the ground vibration level. A field visit was made to the quarry site by a team of following mining engineers & Drilling & Blasting experts.

- 1) Mr. Cyriac Joseph BE (Mining), FCC.
- 2) Mr. Sankar S BE (Mining), FCC.
- 3) Mr. Saju K BE (Mining), FCC.
- 4) Mr. Jaikaran H.J BE (Mining), SCC.

A reconnaissance survey was made in the 17th of Feb 2024. The quarry area is surrounded by good vegetation and there are few houses outside the lease boundary of South West & South-East direction which is not visible from blasting area due to undulations. Since all the observed Dominant frequencies were above 8 Hz, as per DGMS guidelines, the permissible limit for Peak particle velocity (PPV) can be considered as 10 mm/sec.

Blasting is very important process for mining operation and lot of explosives is used for this purpose. Various studies indicate that fragmentation accounts

for only 20 – 30% of total amount of explosive energy used. Rest of the energy is lost in the form of ground vibration, fly rock, air overpressure and noise. The specific problem associated with ground vibrations represents the human response to them. Uncontrolled Blasting vibrations may also cause significant damage to nearby houses or various structures.

Scientific study was carried out to assess the intensity of ground vibration generated due to and their impacts on the surrounding structures. In total, 18 blast were conducted at Five different location in the quarry blasting operations were monitored through geophone at the distance of 64.7m, 145m, 172.8m, 202.1m and 466.7m. The data obtained from the InstanTel micromate instrument were analysed and graphical output was obtained from the instrument. The Peak Particle Velocity (PPV), Maximum charge per delay, air over pressure was recorded for each blast. After that the various observations were compared with standards to determine the Conclusion.

From the analysis of Blast induced ground vibration at the Granite building stone quarry of Shri. George Kochuparambil, it was determined that the vibration level was less than 10 mm/sec for the blasts (for Building & Structures not belonging to Owner). The results determined from the study indicates that the peak particle velocity, air over pressure generated due to blasting were within the limits.

INDEX

NO	TITLE	PAGE NO
1	EXECUTIVE SUMMARY	1
2	INTRODUCTION	4
3	DETAILS OF STRUCTURES NOT BELONGING TO THE OWNER	5
4	TOPOGRAPHY & LOCAL GEOLOGY OF THE AREA	6
5	BLAST VIBRATION STUDY	7
6	DRILLING & BLASTING	7
7	OBJECTIVES	9
8	METHODOLOGY	9
9	GROUND VIBRATIONS	10
10	PARAMETERS AND PROPAGATIONS	11
11	DAMAGE LEVEL	13
12	HUMAN RESPONSE TO GROUND VIBRATION	14
13	FIELD INVESTIGATION	14
14	GROUND VIBRATION MONITORING	21
15	SUMMARY OF BLAST MONITORING	26
16	RECOMMENDATIONS	28
17	BIBLIOGRAPHY	31

APPENDIX

NO	TITLE	PAGE NO
1	LAYOUTS OF BLAST STUDY	32
2	BLAST EVENT REPORTS	39

LIST OF FIGURES

NO	TITLE	PAGE NO
1	OVERVIEW OF MINES	4
2	HOUSE OF Mr. TOMY KURIAN	5
3	HOUSE OF Mr. KRISHNAN KRISHNAN	6
4	GOOGLE EARTH IMAGE OF THE MINE SHOWING BLASTING LOCATIONS & MONITORING POINTS	7
5	DIFFERENT KIND OF WAVEFORMS	11
6	DRILLING OF BLAST HOLES USING JACK HAMMER	15
7	A CLOSE VIEW OF THE BENCH VIEW	16
8	NON-ELECTRIC DELAY DETONATOR USED IN THE QUARRY	16
9	EXPLOSIVE CARTRIDGES USED IN QUARRY	16
10	STEMMING OF BLAST HOLES	17
11	CHARGED HOLES	17
12	FRAGMENTED ROCK AFTER BLASTING	18
13	BLAST VIBRATION MONITORING	19 & 20
14	RECOMMENDED BLASTHOLE PATTERN	29

LIST OF TABLES

NO	TITLE	PAGE NO
1	PERMISSIBLE PPV LEVELS RECOMMENDED BY DGMS	13
2	BLAST DETAILS	22, 23, 24, 25
3	SUMMARY OF THE BLAST MONITORING	26
4	BLASTING RECOMMENDATIONS	30

ABBREVIATIONS:

1. DGMS – *Directorate General of Mines Safety*
2. NABET – *National Accreditation Board for Education
& Training*
3. NABL – *National Accreditation Board for Testing
and Calibration Laboratories*
4. PPV – *Peak Particle Velocity*
5. dB – *Decibel*

EXECUTIVE SUMMARY

This report relates to the scientific study conducted by Global Environmental and Mining Services, Bangalore at Stone Quarry of Shri. George Kochuparambil. The main objective of the study was to check the blast induced ground vibration and air overpressure/noise generated during blasting. Fly rocks generated during the trial blasts were also observed and studied.

Eighteen blasts were conducted at different locations of the mine. Blast induced vibration and air overpressure/noise were monitored at different locations.

The investigational work, observations, result of the blasts conducted, analysis of the data and conclusions are summarized below.

1. In total, eighteen blasts were conducted and monitoring were done in nearest house of Mr. Tomy Kurian (towards South West of Mine lease boundary – M4), house of Mr. Krishnan Krishnan (towards North East of Mine lease boundary -M5), M1 & M3 (inside the Mine) and M2 (north side of the Rain Water Harvesting Pond-2). All the eighteen blasts, were conducted with bench blasting pattern.
2. All the blasts were conducted using 33 mm dia blast hole. Small diameter cartridge explosive of 25 mm diameter, 0.125 Kg weight per cartridge and Nonel initiation system with DTH- 250 ms & 25 ms at surface, & STLD – 42 ms were used in all blasts.

3. Depth of holes used are 8ft (2.4m). The total number of holes varied from 13 to 30. All the blasts were done in hard rock. So staggered pattern of drilling was used.
4. The burden and spacing for the bench blast was 1.0 m and 1.2 m respectively. The 8ft (2.4m) holes were charged with five cartridges of slurry explosives. The explosive quantity per hole was 0.625 Kg.
5. Blast induced ground vibrations and air overpressure/ noise generated during the blasts were monitored on compacted ground surface using Micromate of InstanTEL, Canada. Distances of monitoring points from the blast site varied from 64.7m to 466.7m.
6. The Peak Particle Velocity recorded at Monitoring Point M1 were 0.293mm/s, 0.361mm/s, 0.356mm/s and 0.337mm/s. Distance of M1 from blast location was 145m.
7. The Peak Particle Velocity recorded at Monitoring Point M2 were 0.176mm/s, 0.203mm/s, 0.252 and 0.220mm/s. Distance of M2 from blast location was 172.8m.
8. The Peak Particle Velocity recorded at Monitoring Point M3 were 3.608mm/s, 2.079mm/s, 2.317mm/s and 2.390mm/s. Distance of Monitoring Point M3 from the blast location was 64.7m.
9. The Peak Particle Velocity recorded at Monitoring Point M4 near the house of Mr. Tommy Kurian were 0.149mm/s, 0.185mm/s and 0.161mm/s. Distance of Monitoring Point M4 from the blast location was 202.1m.
10. The Peak Particle Velocity were not recorded at Monitoring Point M5 near the house of Mr. Krishnan Krishnan. Distance of M5 from blast location was 466.7m.

11. The highest value of vibration recorded was 3.608mm/s at a distance of 64.7m from blast site. This was recorded in blast no: 9 where maximum charge per delay was 0.625 Kg and total explosive charge in the blasting round was 18.75Kg.
12. Fly rocks up to 20 m was observed in blasting without muffling mats. The control of fly rock was achieved through proper blast design, Nonel initiation system and proper implementation and supervision of blasting operation.
13. Details of all the blasts studied are given in the table - 2. Summary of the blast are given in Table - 3. All the blasts layouts are given in Appendix - I. Blast events are given in Appendix - II.
14. The readings recorded were within the DGMS permissible limit.

INTRODUCTION:

Shri. George Kochuparambil is operating a granite building stone quarry since 1998. This company is more committed towards environment. Their registered office is in, Kochuparambil house, Vazhithala Post, Thodupuzha Taluk, Idukki District, Kerala-685 583. They have been granted a mining lease to quarry Granite Building Stone over an area of 12.2987 Ha. in Re-Sy Block No.11, Re-Sy. Nos: 354/4, 354/5, 355/1pt, 351/1pt, 350 & 352/1pt of Manakkad Village, Thodupuzha Taluk, Idukki District, Kerala State (www.unitedgranitesandmetals.in). Vide order No: 451/2018/-19/890/M3/2017/DMG, dated: 01.10.2018 for a period of 12 years from 04.10.2018 to 03.10.2030.



Fig 1: Overview of Mines

The Environmental clearance is also obtained for this mining lease vide letter no. 1137/EC/SEIAA/KL/2017, Dated: 17/03/2018, for a maximum production of 4, 00,000 MTA for a period of five years. Further the validity of EC was extended for the project life of 16 years from the date of original EC (i.e. 17.03.2018) on 02.03.2023.

This granite building stone quarry is located at 6.0 Kms from Manakkad Village in Thodupuzha Taluk. It is at a distance of 10.6 Kms by road from Thodupuzha town. It can be reached from Vazhithala - Parakkadavu Road.

DETAILS OF STRUCTURES NOT BELONGING TO THE OWNER:

The house of Mr. Tomy Kurian, is located at South West side of the Mine Lease at a distance of 153 m from the Boundary Pillar No. 48. Coordinates of the House is 9°53'35.16" N & 76°38'18.64" E. This is the nearest house in South west Direction of the Lease Area. The mentioned House/Structure not belonging to the Owner is situated near the Current year production Face of the Mine Lease.



Fig 2: House of Mr. Tomy Kurian

The house of Mr. Krishnan Krishnan, is located at North East side of the Mine Lease at a distance of 187m from the Boundary Pillar No.12. Coordinates of the House is 9°53'48.36"N & 76°38'41.28"E. This the nearest house located in the North East direction of the Lease Area.



Fig 3: House of Mr. Krishnan Krishnan

TOPOGRAPHY & LOCAL GEOLOGY OF THE AREA:

The lease is located on the slope of the area gently dipping towards NE. The highest elevation in this area is 142.0 m above MSL and the lowest elevation is 37 m above MSL.

The granite building stones are well exposed in the working pit, whereas the part of area with lower elevation is covered with topsoil/waste of about 0 to 2.2m thickness.

BLAST VIBRATION STUDY:

On 21.02.2024 and 22-02-2024, 18 Rounds of Blasts were conducted. The locations of Blasting & Monitoring stations are plotted in the Google Earth and shown below.




Fig 4: Google Earth Image of the Mine showing Blasting Locations & Monitoring Points

DRILLING & BLASTING:

Drilling and blasting combination are still an economical and viable method for rock excavation and displacement in mining as well as in civil construction works. The ill effects of blasting, i.e., ground vibrations, air blasts, fly rocks, back breaks, noises, etc. are unavoidable and cannot be completely eliminated but certainly minimize up to permissible level to avoid damage to the surrounding environment with the existing structures. Among all the ill

effects, ground vibration is major concern to the planners, designers and environmentalists. A number of researchers have suggested various methods to minimize the ground vibration level during the blasting. Ground vibration is directly related to the quantity of explosive used and distance between blasting face to monitoring point as well as geological and geotechnical conditions of the rock units in excavation area. Blast induced ground vibration is an impact from the use of explosives that has historically been an extremely difficult problem to effectively mitigate. There are many variables and site constants involved in the equation that when combined, result in the formation of a complex vibration waveform generated by the confined detonation of an explosive charge.

The application of proper field controls during all steps of the drilling and blasting operation will help to minimize the adverse impacts of ground vibrations, providing a well-designed blast plan. This design would consider the proper hole diameter and pattern that would reflect the efficient utilization and distribution the explosives energy loaded into the blast hole. It would also provide for the appropriate amount of time between adjacent holes in a blast to provide the explosive. The optimum level of energy confinement. After the blast has been properly designed, the parameters that have the greatest effect on the composition of the ground vibration waveform are:

- Geology between the blast site and the monitoring location
- Accurate delay timing between blast holes in a detonation sequence

Geological and geotechnical conditions and distance between blasting face to monitoring point cannot be altered but the only factor, i.e. quantity of explosive can be estimated based on certain empirical formulae proposed by

the different researchers to make ground vibrations in a permissible limit. An appropriate and rock friendly blasting can be only alternative for smooth progress of the rock removal process.

OBJECTIVES

To study the blast vibrations caused due to the mine blasting, and prediction of safe explosive charge for protection of surface structures.

- To conduct the reconnaissance survey at the mine to identify the nearest villages
- To monitor ground vibration produced from blasting at different distances by consultation with mine authorities
- To analyze the monitored ground vibration data to arrive at the site-specific predictor equations.
- To recommend the safe maximum charge per delay to keep the vibration level within the safe limits as per DGMS standards.

METHODOLOGY

- A preliminary reconnaissance survey was done to understand the quarrying operations, location of surrounding structures or houses
- Eighteen blasts were conducted at Four locations in the quarry with the different blast configurations
- Ground vibrations generated from the blasting operation were monitored with InstanTEL Micromate instrument.

- Data generated was analyzed systematically and conclusions were drawn. Suitable recommendations are made to conduct the blasting operations in the quarry in a safe manner.

GROUND VIBRATIONS

The movement of any particle in the ground can be described in three ways; displacement, velocity and acceleration. Velocity transducers (Geophones) produce the voltage which is proportional to the velocity of movement, and can be easily measured and recorded. They are robust and relatively inexpensive and so are most frequently used for monitoring. It has been shown in many studies, most notably by USBM that it is velocity which is most closely related to the onset of damage, and so it is velocity which is almost always measured. If necessary, the velocity recording can be converted to obtain displacement or acceleration. Each trace has a point where the velocity is a maximum (+ve or -ve) and this is known as peak particle velocity (or PPV) which has a unit of mm/s. Geophones are only able to respond to vibrations.

Ground vibration radiates outwards from the blast site and gradually reduces in magnitude. When an explosive charge is detonated in a blast hole, strain waves are generated in the surrounding rock mass carrying huge quantity of energy. This energy generates cracks and fractures in the strata due to various breakage mechanisms such as crushing, radial cracking, reflection breakage etc. Combined, the crushed and fractured zones encompass a certain volume of permanently deformed rock. When the intensity of strain waves diminishes to the level where no permanent deformation occurs in the

rock mass, i.e., beyond the fragmentation zone, strain waves propagate through the strata in the form of elastic waves. These waves in the elastic zone are known as ground vibrations.

The Ground vibration wave motion consists of different kinds of waves:

- a. *Longitudinal (or L) waves.*
- b. *Rayleigh (or R) waves.*
- c. *Transverse (or T) waves.*




Fig 5: Different kind of waveforms

PARAMETERS AND PROPOGATIONS

The parameters, which exhibit control on the amplitude, Dominant frequency and duration of the ground vibrations, are divided in two groups as follow:

- a) Non-controllable parameters
- b) Controllable parameters

The non-controllable parameters are those, over which the blasting engineer does not have any control. The local geology, rock characteristics and distance

of the structures from the blast site is non-controllable parameters. However, the control on the ground vibrations can be established with the help of controllable parameters. The same have been reproduced below:

1. Charge weight
2. Delay interval
3. Type of explosives
4. Direction of blast propagation
5. Burden, spacing and specific charge
6. Coupling
7. Stemming amount
8. Type of stemming
9. Charge depth
10. Angle of borehole

DAMAGE LEVEL

In India the Directorate General of Mines safety (Government of India) suggest safe limit of ground vibration for different categories of structures with frequencies of <8 Hz, 8 to 25Hz and >25Hz Respectively. Details of the permissible ground vibration standards given by DGMS (Technical Circular no: 7/1997) is given below

Type of Structure	Dominant Excitation Frequency, Hz		
	<8 Hz	8-25 Hz	>25 Hz
(A) Buildings/Structures not belong to the Owner			
(i) Domestic Houses/Structures (Kuchha Brick & Cement)	5	10	15
(ii) Industrial Buildings (RCC & Framed Structures)	10	20	25
(iii) Objects of Historical importance & Sensitive Structures	2	5	10
(B) Buildings belonging to Owner with limited span of life			
(i) Domestic Houses/Structures (Kuchha Brick & Cement)	10	15	25
(ii) Industrial Buildings (RCC & Framed Structures)	15	25	50

Table 1: Permissible PPV Levels recommended by DGMS

HUMAN RESPONSE TO GROUND VIBRATION

Human beings are more sensitive to ground vibration and noise. People inside buildings will respond differently than people outside. One of the most important factors is the presence of secondary sounds, such as rattling windows and doors. Complaints resulting from blast vibration to a large extent mainly due to rattling effect and fear of damage, rather than damage. The human body is very sensitive to low vibration levels, but unfortunately it is not a reliable damage indicator. Blasting nowadays is highly technological and precisely planned. In spite of this there are complaints because humans are very sensitive to vibrations and can detect levels as low as 0.5mm/s. People tend to complain about ground vibrations even below the accepted damage level because of many reasons. How they notice and respond to vibration varies greatly from person to person. For the same intensity different persons may react differently with age, health, state of mind and attitude. Blast vibrations effects became intolerable to humans at levels appreciably lower than levels at which structural damage takes place. The result is that often complaints can be received due to human response and not due to situation producing damage.

FIELD INVESTIGATION

Quarrying starts with drilling of 33mm small diameter blasthole of 8 Feet (2.4m) depth, using hand held jackhammer drills (Fig. 6). The Burden is about 1.0 m & the Spacing is about 1.2 m. Once the blast hole is ready, these holes are charged with small diameter (25mm) explosive cartridges, weighing 125g (fig. 9). NONEL detonators (25ms) are used for initiating the blast holes and

also Surface Trunk Line Delay (STLD of 42ms) for achieving required delay in the blast round (Fig. 8). (Fig. 11) shows the charged holes after placing required quantity of explosive into the blast holes. The remaining length of the hole is stemmed using the 3 mm material and Drill cuttings (Fig. 10). Fig.12 shows the fragmented material from the blasting operations.




Fig 6: Drilling of Blast Holes using Jack Hammer



Fig 7: A Close view of the Bench Face



Fig 8: Non-Electric Detonator & Surface Trunk Line Delay used in the Quarry



Fig 9: Explosive Cartridges used in the Quarry



Fig 10: Stemming of Blast holes



Fig 11: Charged Holes



Fig 12: Fragmented Rock after Blasting



Monitoring Station M1



Monitoring Station M2



Monitoring Station M3



Monitoring Station M4

Fig 13: Blast Vibration Monitoring



Monitoring Station M5

Fig 13: Blast Vibration Monitoring

GROUND VIBRATION MONITORING

Scientific study was carried out to assess the intensity of ground vibrations generated due to blasting operations and their impact on the surrounding structures. In total, 18 blasts were conducted at different locations in the quarry. Blastholes of 8 Ft (2.4m) depth were charged with the 625gms of Slurry explosive. NONEL based shock tube detonator & Surface Trunk Line Delays (STLD) are used for achieving required delay timing. The blast round was initiated after getting safety clearance from all directions. Ground vibration generated from different blast were monitored using InstanTel Micromate, Canada and geophone of these blast vibration monitors records the ground vibration. Trigger level geophone was set to a minimum PPV of 0.127 mm/sec. This indicate that the instrument will start monitoring the ground vibration. Geophone of the instrument is glued to the ground effectively using Plaster of Paris. Monitoring was done at different distances from blasting site to know the propagation of ground vibration from the quarry site. Fig.13 shows the study carried out to monitor the ground vibration towards the nearby house & inside the Mine. Details of all the blasts studied are given in the table-2 & the summary of the blast are given in Table-3. All the blasts layouts are given in Appendix- I. Blast events are given in Appendix-II.

Table 2: Monitored Blast details

S. No	Description	Blast No. 1	Blast No. 2	Blast No. 3	Blast No. 4
1	Date of Blast	21.02.2024	21.02.2024	21.02.2024	21.02.2024
2	Time of Blasts (Hours)	09:53:15	09:58:22	09:58:39	09:58:51
3	Location of blasts	9°53.7325'N, 76°38.3821'E	9°53.7325'N, 76°38.3821'E	9°53.7325'N, 76°38.3821'E	9°53.7325'N, 76°38.3821'E
4	Diameter of blast hole (mm)	33	33	33	33
5	Burden (m)	1.0	1.0	1.0	1.0
6	Spacing (m)	1.2	1.2	1.2	1.2
7	Depth of blast hole (m)	2.4	2.4	2.4	2.4
8	No of blast holes	13	30	26	18
9	Explosive charge/ Hole (kg)	0.625	0.625	0.625	0.625
10	Maximum Charge per delay (kg)	0.625	0.625	0.625	0.625
11	Total Charge / Blast (kg)	8.125	18.75	16.25	11.25
12	Initiation System	Nonel	Nonel	Nonel	Nonel
13	Initiation Pattern	Row to Row	Row to Row	Row to Row	Row to Row
14	Location of instrument	9°53.6689'N, 76°38.4284'E	9°53.6689'N, 76°38.4284'E	9°53.6689'N, 76°38.4284'E	9°53.6689'N, 76°38.4284'E
15	Distance (m)	145	145	145	145
16	PPV (mm/s)	0.293	0.361	0.356	0.337
17	Noise (dB)	105.5	111.5	118.4	104.7
18	Dominant Frequency (Hz)	74.75	84.75	94.75	44.75

Table 2: Monitored Blast details

S. No	Description	Blast No. 5	Blast No. 6	Blast No. 7	Blast No. 8
1	Date of Blast	21.02.2024	21.02.2024	21.02.2024	21.02.2024
2	Time of Blasts (Hours)	10:08:25	10:12:47	10:13:08	10:14:23
3	Location of blasts	9°53.6514'N, 76°38.4878'E	9°53.6514'N, 76°38.4878'E	9°53.6514'N, 76°38.4878'E	9°53.6514'N, 76°38.4878'E
4	Diameter of blast hole (mm)	33	33	33	33
5	Burden (m)	1.0	1.0	1.0	1.0
6	Spacing (m)	1.2	1.2	1.2	1.2
7	Depth of blast hole (m)	2.4	2.4	2.4	2.4
8	No of blast holes	15	15	20	17
9	Explosive charge/ Hole (kg)	0.625	0.625	0.625	0.625
10	Maximum Charge per delay (kg)	0.625	0.625	0.625	0.625
11	Total Charge / Blast (kg)	9.375	9.375	12.50	10.625
12	Initiation System	Nonel	Nonel	Nonel	Nonel
13	Initiation Pattern	Row to Row	Row to Row	Row to Row	Row to Row
14	Location of instrument	9°53.7350'N, 76°38.5287'E	9°53.7350'N, 76°38.5287'E	9°53.7350'N, 76°38.5287'E	9°53.7350'N, 76°38.5287'E
15	Distance (m)	172.8	172.8	172.8	172.8
16	PPV (mm/s)	0.176	0.203	0.252	0.220
17	Noise (dB)	106.5	107.0	94.94	100.8
18	Dominant Frequency (Hz)	34.25	74.38	148.3	64.50

Table 2: Monitored Blast details

S. No	Description	Blast No. 9	Blast No. 10	Blast No. 11	Blast No. 12	Blast No. 13
1	Date of Blast	21.02.2024	21.02.2024	21.02.2024	21.02.2024	22.02.2024
2	Time of Blasts (Hours)	11:55:49	11:58:51	11:59:49	12:01:09	09:45:28
3	Location of blasts	9°53.6689'N, 76°38.4380'E	9°53.6689'N, 76°38.4380'E	9°53.6689'N, 76°38.4380'E	9°53.6689'N, 76°38.4380'E	9°53.6486'N, 76°38.3951'E
4	Diameter of blast hole (mm)	33	33	33	33	33
5	Burden (m)	1.0	1.0	1.0	1.0	1.0
6	Spacing (m)	1.2	1.2	1.2	1.2	1.2
7	Depth of blast hole (m)	2.4	2.4	2.4	2.4	2.4
8	No of blast holes	30	18	18	20	22
9	Explosive charge/ Hole (kg)	0.625	0.625	0.625	0.625	0.625
10	Maximum Charge per delay (kg)	0.625	0.625	0.625	0.625	0.625
11	Total Charge / Blast (kg)	18.75	11.25	11.25	12.50	13.75
12	Initiation System	Nonel	Nonel	Nonel	Nonel	Nonel
13	Initiation Pattern	Row to Row	Row to Row	Row to Row	Row to Row	Row to Row
14	Location of instrument	9°53.6539'N, 76°38.4702'E	9°53.6539'N, 76°38.4702'E	9°53.6539'N, 76°38.4702'E	9°53.6539'N, 76°38.4702'E	9°53.5850'N, 76°38.3047'E
15	Distance (m)	64.7	64.7	64.7	64.7	202.1
16	PPV (mm/s)	3.608	2.079	2.317	2.390	0.149
17	Noise (dB)	117.9	109.9	111.5	113.4	103.0
18	Dominant Frequency (Hz)	126.80	249.00	112.30	91.75	39.50

Table 2: Monitored Blast details

S. No	Description	Blast No. 14	Blast No. 15	Blast No. 16	Blast No. 17	Blast No. 18
1	Date of Blast	22.02.2024	22.02.2024	22.02.2024	22.02.2024	22.02.2024
2	Time of Blasts (Hours)	09:48:41	09:52:57	11:32:48	11:39:01	11:45:54
3	Location of blasts	9°53.6486'N, 76°38.3951'E	9°53.6486'N, 76°38.3951'E	9°53.6514'N, 76°38.4878'E	9°53.6514'N, 76°38.4878'E	9°53.6514'N, 76°38.4878'E
4	Diameter of blast hole (mm)	33	33	33	33	33
5	Burden (m)	1.0	1.0	1.0	1.0	1.0
6	Spacing (m)	1.2	1.2	1.2	1.2	1.2
7	Depth of blast hole (m)	2.4	2.4	2.4	2.4	2.4
8	No of blast holes	25	19	20	30	28
9	Explosive charge/ Hole (kg)	0.625	0.625	0.625	0.625	0.625
10	Maximum Charge per delay (kg)	0.625	0.625	0.625	0.625	0.625
11	Total Charge / Blast (kg)	15.625	11.875	12.5	18.75	17.5
12	Initiation System	Nonel	Nonel	Nonel	Nonel	Nonel
13	Initiation Pattern	Row to Row	Row to Row	Row to Row	Row to Row	Row to Row
14	Location of instrument	9°53.5850'N, 76°38.3047'E	9°53.5850'N, 76°38.3047'E	9°53.8087'N, 76°38.6894'E	9°53'39.90"N, 76°38'27.90"E	9°53'39.90"N, 76°38'27.90"E
15	Distance (m)	202.1	202.1	466.7	466.7	466.7
16	PPV (mm/s)	0.185	0.161	Not detected		
17	Noise (dB)	108.5	95.75			
18	Dominant Frequency (Hz)	22.13	109.00			

Summary of the Blast Monitoring:

Monitoring Station	Blast Points	Distance (m)	Max Charge Per Delay (Kg)	PPV (mm/s)	Noise (dB)	Dominant Frequency (Hz)
M1	Blast No 1	145	0.625	0.293	105.5	74.75
	Blast No 2	145	0.625	0.361	111.5	84.75
	Blast No 3	145	0.625	0.356	118.4	94.75
	Blast No 4	145	0.625	0.337	104.7	44.75
M2	Blast No 5	172.8	0.625	0.176	106.5	34.25
	Blast No 6	172.8	0.625	0.203	107.0	74.38
	Blast No 7	172.8	0.625	0.252	94.94	148.30
	Blast No 8	172.8	0.625	0.220	100.8	64.50
M3	Blast No 9	64.7	0.625	3.608	117.9	126.80
	Blast No 10	64.7	0.625	2.079	109.9	249.00
	Blast No 11	64.7	0.625	2.317	111.5	112.30
	Blast No 12	64.7	0.625	2.390	113.4	91.75
M4	Blast No 13	202.1	0.625	0.149	103.0	39.50
	Blast No 14	202.1	0.625	0.185	108.5	22.13
	Blast No 15	202.1	0.625	0.161	95.75	109.00
M5	Blast No 16	466.7	0.625	Not detected		
	Blast No 17	466.7	0.625			
	Blast No 18	466.7	0.625			

Table 3: Summary of the Blast monitoring

From the Table 2, it can be observed that the highest peak Particle velocity (PPV) recorded was 3.608 mm/sec at the distance of 64.7m in Blast No 9 and the next highest PPV was 2.390 mm/sec at the distance of 64.7 m in Blast No 12.

The ground vibrations recorded in the Buildings/Structures not belonging to Owner is less than 1 mm/sec. Thus, the Ground Vibration values were within the Permissible limits standards as mentioned by DGMS [*Technical Circular: 7/1997*].

Use of Nonel detonating system provided required delay time to reduce the maximum charge per delay, which helped in controlling ground vibrations within permissible limits. The highest noise level of 118.4 dB was recorded at the distance of 145 m from blast location in blast No. 3 and the next highest noise level was 117.9 dB at the distance of 64.7 m from blast location in Blast No 9. The noise level recorded while monitoring in the nearby house were 103.0dB, 108.5dB and 95.75dB.

Fly rocks another serious problem associated with blasting operations. It was observed to a distance of 20 m from blast site without muffling arrangement. This is also due to free face available in all the blasts and also the proper delay timing followed using shock tube detonators.

Remarks: *It may therefore, be concluded that the intensity of ground vibrations, Noise and fly rock caused due to blasting operations carried out in Granite Building Stone quarry of Shri. George Kochuparambil in Re-survey Block no 11 & Re-survey no. 354/4, 354/5, 355/1pt, 351/1pt, 350, 352/1pt of Manakkad Village, Thodupuzha Taluk, Idukki District, Kerala., are within Permissible limit as per the standards prescribed by DGMS (Technical Circular No: 7/1997).*

RECOMMENDATIONS

Blasting operations may be conducted in the Granite Building stone quarry of Shri. George Kochuparambil in Re-Survey Block No 11 and Re-survey No. 354/1, 354/5, 355/1pt, 350, 352/1pt over an extent of 12.2987Ha in Manakkad Village, Thodupuzha taluk, Idukki District, Kerala. With the following recommendations:

1. Blasts may be conducted with a maximum of 25 holes in a blast round using 33 mm diameter blast holes drilled with hand held jackhammer drills to a maximum depth of 8 feet (2.4 m), each hole charged with maximum of 625 gm of explosive.
2. NONEL detonator & Surface Trunk Line Delay (STLD) may be used for initiation.
3. Blasts to be conducted by a Competent Blaster or Mining Mate certificate holder only, following all the rules and regulations stipulated by Director General of Mines Safety (DGMS) and other regulating agencies.
4. If fly rock to be restricted to within 10m, muffling arrangement to be made.
5. Blasting methodology suggested in Table-4 may be followed
6. Blast layouts suggested in Fig No.14 may be used with the available initiation system.

All other rules and regulations imposed by various agencies like DGMS/ Dept. of Mining and Geology/ any other relevant organization to be followed from time to time.





Fig 14: Recommended Blasthole pattern

Sl No	Parameters	Suggestion- I	Suggestion- II
1	Diameter of the Blast hole (mm)	33	33
2	Burden (m)	1.0	1.0
3	Spacing (m)	1.2	1.2
4	Depth of Blast hole (m)	1.8	2.4
5	No of Blast Holes	Maximum of 25	Maximum of 25
6	Explosive charge/ Hole (gm)	375	625
7	Maximum charge/ Delay (gm)	375	625
8	Total charge/ Blast (kg)	9.375	15.625
9	Initiation system	Short delay detonators	Short delay detonators
10	Initiation Pattern	Row by row	Row by row
11	Delay timing between any two blast holes	At least 25ms	At least 25ms
12	No. of rows	Maximum of 3	Maximum of 3

Table 4: Blasting recommendations



Cyriac Joseph,

Managing Partner & EIA Coordinator,
Global Environment & Mining Services.

BIBLIOGRAPHY

ISEE, Blaster's Hand Book (1998)

Anon, (1997), "Damage of structures due to blast induced ground vibrations in the mining areas", DGMS (Tech) (S&T) Circular No.7 of 1997 dated 29.08.1997

Siskind, D.E., et al, (1980), "Structure response and damage produced by air blast from surface mining", USBM RI 8485.

Indian Standard (2001), "Method for blast vibration monitoring. Int J Rock Mech MinSciGeomechAbstr;29(2):145-6

<http://www.vulcanhammer.net/svinkin/prediction.php>



<http://terrock.com.au/vibration/blasting.html>

APPENDIX – I

(LAYOUTS OF BLASTS STUDIES)



Layout of Blast No: 1

Free Face





Layout of Blast No: 2

Free Face





Layout of Blast No: 3



Free Face





Layout of Blast No: 4





Layout of Blast No: 5





Layout of Blast No: 6





Layout of Blast No: 7





Layout of Blast No: 8





Layout of Blast No: 9





Layout of Blast No: 10





Layout of Blast No: 11





Layout of Blast No: 12





Layout of Blast No: 13





Layout of Blast No: 14





Layout of Blast No: 15





Layout of Blast No: 16



Layout of Blast No: 17



Layout of Blast No: 18



APPENDIX – II (BLAST EVENT REPORTS)



Event Report

Date/Time Long at 09:53:15 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095315.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes



Location: STATION-1
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 105.5 dB(L) at 0.514 sec
ZC Freq 14.0 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1173 mv)

	Tran	Vert	Long	
PPV	0.205	0.213	0.229	mm/s
ZC Freq	73	68	79	Hz
Time (Rel. to Trig)	0.154	0.161	0.139	sec
Peak Acceleration	0.013	0.012	0.013	g
Peak Displacement	0.000	0.001	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.3	Hz
Overswing Ratio	4.1	4.1	4.2	

Peak Vector Sum 0.293 mm/s at 0.154 sec

DGMS India (A)



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div
Trigger =


Sensor Check

Date/Time Long at 09:53:15 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB


Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095315.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes
 Location: STATION-1
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:


Tran Dominant Frequency = 74.50 Hz., Amplitude = 0.005, PPV from Event = 0.205 mm/s




Vert Dominant Frequency = 56.00 Hz., Amplitude = 0.006, PPV from Event = 0.213 mm/s



Long Dominant Frequency = 74.75 Hz., Amplitude = 0.005, PPV from Event = 0.229 mm/s



MicL Dominant Frequency = 12.50 Hz., Amplitude = 0.138, PSPL From Event = 105.5 dB(L)



Date/Time Vert at 09:58:22 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB



Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095822.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes
 Location: STATION-1
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:

Microphone Linear Weighting
PSPL 111.5 dB(L) at 0.592 sec
ZC Freq 54 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1173 mv)

	Tran	Vert	Long	
PPV	0.347	0.331	0.339	mm/s
ZC Freq	93	85	85	Hz
Time (Rel. to Trig)	0.266	0.273	0.112	sec
Peak Acceleration	0.023	0.021	0.020	g
Peak Displacement	0.001	0.001	0.001	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.3	Hz
Overswing Ratio	4.1	4.1	4.2	

Peak Vector Sum 0.361 mm/s at 0.112 sec




Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 2.000 pa.(L)/div
Trigger =

Sensor Check

Date/Time Vert at 09:58:22 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095822.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes
Location: STATION-1
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:





Event Report

Date/Time Long at 09:58:39 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095839.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes


Location: STATION-1
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 118.4 dB(L) at 0.332 sec
ZC Freq 33 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1173 mv)


	Tran	Vert	Long	
PPV	0.307	0.244	0.292	mm/s
ZC Freq	93	85	73	Hz
Time (Rel. to Trig)	0.050	0.063	0.078	sec
Peak Acceleration	0.021	0.018	0.016	g
Peak Displacement	0.001	0.001	0.001	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.3	Hz
Overswing Ratio	4.1	4.1	4.2	

Peak Vector Sum 0.356 mm/s at 0.078 sec

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 5.000 pa.(L)/div
Trigger =


Sensor Check

Date/Time Long at 09:58:39 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB


Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095839.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes
Location: STATION-1
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:


Tran Dominant Frequency = 94.75 Hz., Amplitude = 0.004, PPV from Event = 0.307 mm/s




Vert Dominant Frequency = 47.00 Hz., Amplitude = 0.010, PPV from Event = 0.244 mm/s



Long Dominant Frequency = 47.50 Hz., Amplitude = 0.006, PPV from Event = 0.292 mm/s



MicL Dominant Frequency = 47.50 Hz., Amplitude = 0.159, PSPL From Event = 118.4 dB(L)





Event Report

Date/Time Vert at 09:58:51 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095851.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes



Location: STATION-1
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 104.7 dB(L) at 0.589 sec
ZC Freq 20 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1164 mv)

	Tran	Vert	Long	
PPV	0.213	0.331	0.244	mm/s
ZC Freq	128	79	79	Hz
Time (Rel. to Trig)	0.195	0.189	0.194	sec
Peak Acceleration	0.015	0.021	0.013	g
Peak Displacement	0.000	0.001	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.3	7.3	Hz
Overswing Ratio	3.9	4.1	4.2	

Peak Vector Sum 0.337 mm/s at 0.189 sec

DGMS India (A)



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div
Trigger =


Sensor Check

Date/Time Vert at 09:58:51 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB


Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221095851.IDFW
Scaled Distance 187.1 (145.0 m, 0.6 kg)

Notes
Location: STATION-1
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:


Tran Dominant Frequency = 58.00 Hz., Amplitude = 0.004, PPV from Event = 0.213 mm/s




Vert Dominant Frequency = 44.75 Hz., Amplitude = 0.007, PPV from Event = 0.331 mm/s



Long Dominant Frequency = 45.75 Hz., Amplitude = 0.004, PPV from Event = 0.244 mm/s



MicL Dominant Frequency = 19.50 Hz., Amplitude = 0.075, PSPL From Event = 104.7 dB(L)





Event Report

Date/Time Tran at 10:08:25 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221100825.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)

Notes


Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 106.5 dB(L) at 0.672 sec
ZC Freq 28 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1196 mv)


	Tran	Vert	Long	
PPV	0.158	0.150	0.102	mm/s
ZC Freq	43	73	102	Hz
Time (Rel. to Trig)	0.448	0.430	0.279	sec
Peak Acceleration	0.012	0.012	0.012	g
Peak Displacement	0.000	0.000	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.3	7.3	Hz
Overswing Ratio	3.8	4.1	4.1	

Peak Vector Sum 0.176 mm/s at 0.274 sec

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div
Trigger =

Sensor Check




FFT Report

Date/Time Tran at 10:08:25 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 5.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB


Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221100825.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)

Notes
Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:


Tran Dominant Frequency = 34.25 Hz., Amplitude = 0.002, PPV from Event = 0.158 mm/s




Vert Dominant Frequency = 67.88 Hz., Amplitude = 0.003, PPV from Event = 0.150 mm/s



Long Dominant Frequency = 21.63 Hz., Amplitude = 0.002, PPV from Event = 0.102 mm/s



MicL Dominant Frequency = 16.88 Hz., Amplitude = 0.060, PSPL From Event = 106.5 dB(L)



Date/Time MicL at 10:12:47 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221101247.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)



Notes

Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 107.0 dB(L) at 0.001 sec
ZC Freq 68 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1185 mv)

	Tran	Vert	Long	
PPV	0.118	0.197	0.181	mm/s
ZC Freq	93	93	85	Hz
Time (Rel. to Trig)	1.721	3.488	1.708	sec
Peak Acceleration	0.013	0.015	0.015	g
Peak Displacement	0.000	0.000	0.000	mm
Sensor Check	Passed	Passed	Check	
Frequency	7.3	7.3	8.8	Hz
Overswing Ratio	3.9	4.2	2545.0	

Peak Vector Sum 0.203 mm/s at 2.488 sec




Date/Time MicL at 10:12:47 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221101247.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)

Notes

Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:





Event Report

Date/Time Vert at 10:13:08 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221101308.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)

Notes


Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 94.94 dB(L) at 0.146 sec
ZC Freq N/A
Channel Test Passed (Freq = 19.7 Hz Amp = 1148 mv)


	Tran	Vert	Long	
PPV	0.142	0.244	0.181	mm/s
ZC Freq	85	>200	>200	Hz
Time (Rel. to Trig)	0.714	0.589	0.593	sec
Peak Acceleration	0.025	0.035	0.026	g
Peak Displacement	0.000	0.000	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.5	7.3	Hz
Overswing Ratio	4.0	4.1	4.1	

Peak Vector Sum 0.252 mm/s at 0.589 sec
N/A: Not Applicable

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div
Trigger =

Sensor Check


Date/Time Vert at 10:13:08 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221101308.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)


Notes

Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:


Tran Dominant Frequency = 108.3 Hz., Amplitude = 0.008, PPV from Event = 0.142 mm/s




Vert Dominant Frequency = 148.3 Hz., Amplitude = 0.004, PPV from Event = 0.244 mm/s



Long Dominant Frequency = 148.3 Hz., Amplitude = 0.009, PPV from Event = 0.181 mm/s



MicL Dominant Frequency = 49.75 Hz., Amplitude = 0.172, PSPL From Event = 94.94 dB(L)



Date/Time Vert at 10:14:23 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB



Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221101423.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)

Notes
 Location: STATION-2
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:

Microphone Linear Weighting
PSPL 100.8 dB(L) at 0.419 sec
ZC Freq 14.2 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1192 mv)

	Tran	Vert	Long	
PPV	0.181	0.205	0.134	mm/s
ZC Freq	60	54	85	Hz
Time (Rel. to Trig)	0.009	0.174	0.037	sec
Peak Acceleration	0.010	0.013	0.010	g
Peak Displacement	0.000	0.001	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.3	Hz
Overswing Ratio	4.0	4.1	4.2	

Peak Vector Sum 0.220 mm/s at 0.180 sec



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div
Trigger =


Sensor Check

Date/Time Vert at 10:14:23 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB


Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221101423.IDFW
Scaled Distance 223.1 (172.8 m, 0.6 kg)

Notes
Location: STATION-2
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:


Tran Dominant Frequency = 29.25 Hz., Amplitude = 0.004, PPV from Event = 0.181 mm/s




Vert Dominant Frequency = 64.50 Hz., Amplitude = 0.004, PPV from Event = 0.205 mm/s



Long Dominant Frequency = 55.00 Hz., Amplitude = 0.005, PPV from Event = 0.134 mm/s



MicL Dominant Frequency = 16.75 Hz., Amplitude = 0.069, PSPL From Event = 100.8 dB(L)





Event Report

Date/Time Tran at 11:55:49 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221115549.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes


Location: STATION-3
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 117.9 dB(L) at 0.272 sec
ZC Freq 41 Hz
Channel Test Passed (Freq = 20.5 Hz Amp = 1256 mv)


	Tran	Vert	Long	
PPV	2.538	2.845	2.309	mm/s
ZC Freq	102	114	>200	Hz
Time (Rel. to Trig)	0.045	0.044	0.042	sec
Peak Acceleration	0.323	0.207	0.306	g
Peak Displacement	0.003	0.004	0.044	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.5	7.3	Hz
Overswing Ratio	3.9	4.1	4.1	

Peak Vector Sum 3.608 mm/s at 0.045 sec

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures







Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 5.000 pa.(L)/div
Trigger =

Sensor Check

Date/Time Tran at 11:55:49 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221115549.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes
 Location: STATION-3
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:





Event Report

Date/Time MicL at 11:58:51 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221115851.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes


Location: STATION-3
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 109.9 dB(L) at 0.768 sec
ZC Freq 33 Hz
Channel Test Passed (Freq = 20.5 Hz Amp = 1256 mv)


	Tran	Vert	Long	
PPV	1.332	1.096	1.766	mm/s
ZC Freq	>200	>200	>200	Hz
Time (Rel. to Trig)	0.535	0.349	0.349	sec
Peak Acceleration	0.220	0.128	0.314	g
Peak Displacement	0.001	0.001	0.011	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.5	7.3	Hz
Overswing Ratio	3.9	4.1	4.1	

Peak Vector Sum 2.079 mm/s at 0.349 sec

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 2.000 pa.(L)/div
Trigger =

Sensor Check




FFT Report

Date/Time MicL at 11:58:51 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221115851.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes
Location: STATION-3
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:



Date/Time Long at 11:59:49 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00
Range dB(L) Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB



Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221115949.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes
 Location: STATION-3
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:

Microphone Linear Weighting
PSPL 111.5 dB(L) at 0.292 sec
ZC Freq 1.8 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1203 mv)

	Tran	Vert	Long	
PPV	1.616	1.537	1.963	mm/s
ZC Freq	79	114	79	Hz
Time (Rel. to Trig)	0.055	0.078	0.103	sec
Peak Acceleration	0.104	0.105	0.117	g
Peak Displacement	0.003	0.002	0.004	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.1	Hz
Overswing Ratio	4.1	4.2	4.4	





Peak Vector Sum 2.317 mm/s at 0.054 sec



Date/Time Long at 11:59:49 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00
Range dB(L) Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221115949.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes
 Location: STATION-3
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:





Event Report

Date/Time Long at 12:01:09 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00
Range dB(L) Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221120109.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes


Location: STATION-3
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 113.4 dB(L) at 0.358 sec
ZC Freq 12.0 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1203 mv)


	Tran	Vert	Long	
PPV	2.286	1.505	1.852	mm/s
ZC Freq	79	114	60	Hz
Time (Rel. to Trig)	0.134	0.130	0.148	sec
Peak Acceleration	0.125	0.112	0.084	g
Peak Displacement	0.004	0.002	0.004	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.1	Hz
Overswing Ratio	4.1	4.2	4.4	

Peak Vector Sum 2.390 mm/s at 0.134 sec

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures




Sensor Check

Date/Time Long at 12:01:09 February 21, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB


Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240221120109.IDFW
Scaled Distance 83.6 (64.7 m, 0.6 kg)

Notes
Location: STATION-3
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:


Tran Dominant Frequency = 91.75 Hz., Amplitude = 0.086, PPV from Event = 2.286 mm/s




Vert Dominant Frequency = 69.50 Hz., Amplitude = 0.019, PPV from Event = 1.505 mm/s



Long Dominant Frequency = 69.00 Hz., Amplitude = 0.047, PPV from Event = 1.852 mm/s



MicL Dominant Frequency = 35.00 Hz., Amplitude = 0.063, PSPL From Event = 113.4 dB(L)





Event Report

Date/Time Vert at 09:45:28 February 22, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB



Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240222094528.IDFW
Scaled Distance 260.9 (202.1 m, 0.6 kg)

Notes
 Location: STATION-4
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:

Microphone Linear Weighting
PSPL 103.0 dB(L) at 0.523 sec
ZC Freq 17.4 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1149 mv)

	Tran	Vert	Long	
PPV	0.118	0.126	0.118	mm/s
ZC Freq	114	>200	171	Hz
Time (Rel. to Trig)	-0.055	0.000	-0.041	sec
Peak Acceleration	0.018	0.020	0.016	g
Peak Displacement	0.000	0.000	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.3	7.3	Hz
Overswing Ratio	3.9	4.1	4.1	

Peak Vector Sum 0.149 mm/s at 0.000 sec






FFT Report

Date/Time Vert at 09:45:28 February 22, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240222094528.IDFW
Scaled Distance 260.9 (202.1 m, 0.6 kg)

Notes
Location: STATION-4
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:





Event Report

Date/Time MicL at 09:48:41 February 22, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB



Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240222094841.IDFW
Scaled Distance 260.9 (202.1 m, 0.6 kg)

Notes
 Location: STATION-4
 Client: GEORGE KOCHUPARAMBIL
 User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
 General:

Microphone Linear Weighting
PSPL 108.5 dB(L) at 0.176 sec
ZC Freq 13.3 Hz
Channel Test Passed (Freq = 19.7 Hz Amp = 1244 mv)

	Tran	Vert	Long	
PPV	0.126	0.118	0.134	mm/s
ZC Freq	47	57	79	Hz
Time (Rel. to Trig)	-0.201	0.214	1.992	sec
Peak Acceleration	0.010	0.013	0.012	g
Peak Displacement	0.000	0.000	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.3	7.3	Hz
Overswing Ratio	4.0	4.2	4.3	

Peak Vector Sum 0.185 mm/s at 1.943 sec






FFT Report

Date/Time MicL at 09:48:41 February 22, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2024 by UES New Delhi
File Name UM18455_20240222094841.IDFW
Scaled Distance 260.9 (202.1 m, 0.6 kg)

Notes
Location: STATION-4
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:





Event Report

Date/Time Tran at 09:52:57 February 22, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240222095257.IDFW
Scaled Distance 260.9 (202.1 m, 0.6 kg)

Notes


Location: STATION-4
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:

Microphone Linear Weighting
PSPL 95.75 dB(L) at 2.763 sec
ZC Freq N/A
Channel Test Passed (Freq = 19.7 Hz Amp = 1148 mv)


	Tran	Vert	Long	
PPV	0.150	0.134	0.110	mm/s
ZC Freq	146	>200	128	Hz
Time (Rel. to Trig)	0.000	1.649	-0.010	sec
Peak Acceleration	0.016	0.021	0.013	g
Peak Displacement	0.000	0.000	0.000	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.5	7.3	Hz
Overswing Ratio	4.0	4.1	4.1	

Peak Vector Sum 0.161 mm/s at 1.085 sec
N/A: Not Applicable

DGMS India (A)



- a) Industrial Buildings
- b) Domestic houses/structures
- c) Historic objects, sensitive structures



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div
Trigger =

Sensor Check




FFT Report

Date/Time Tran at 09:52:57 February 22, 2024
Trigger Source Geo: 0.127 mm/s, Mic: 100.00 dB(L)
Range Geo: 254.0 mm/s
Record Time 3.0 sec at 2048 sps
Job Number: 1
Operator/Setup: Operator/factory.MMB

Serial Number UM18455 V 10-90FB Micromate ISEE
Battery Level 3.8 Volts
Unit Calibration October 3, 2023 by UES New Delhi
File Name UM18455_20240222095257.IDFW
Scaled Distance 260.9 (202.1 m, 0.6 kg)

Notes
Location: STATION-4
Client: GEORGE KOCHUPARAMBIL
User Name: GLOBAL ENVIRONMENT AND MINING SERVICES
General:



Rainwater Harvesting Pond


ANNEXURE- 04



GPS Map
Camera Lite

Unnamed Road, Manakkad, Kerala 685583, India


Latitude 9.8958412°
Longitude 76.6417242°
Local 11:08:17 AM
Altitude 22 meters
Thursday, 22.02.2024
GMT 02:38:17 MA



GPS Map
Camera Lite

Unnamed Road, Manakkad, Kerala 685583, India

Latitude 9.89567246°
Longitude 76.64187337°
Local 11:08:55 AM
Altitude 57 meters
GMT 05:38:55 AM
Thursday, 22.02.2024



GPS Map
Camera Lite

VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.89630614°
Longitude 76.64065782°
Local 11:04:18 AM
Altitude 65 meters
GMT 05:34:18 AM
Thursday, 22.02.2024

Environment Monitoring Cell and the Meeting Minutes

ANNEXURE- 05

SI No	Name	Post
1	Shri. Sonu Jose	Head of Monitoring Cell
2	Mr. Baby P Poullose	In charge
3	Mr. Joseph K Y	Member
4	Mr. Prasanth P P	Member
5	Mr. Jomy Joy	Member
6	Mr. John Peter	Member

Environment Monitoring Cell

25th Meeting of the Environment Monitoring Committee, held on 14.11.2023 at 3.30 PM.

Minutes of the 24th meeting were reviewed.

Bottom bench fencing preparations started. New lease matters are discussed in this meeting also. Details are given there under new points.

Medical Examination has to be arranged soon.

Hepatitis B. 2nd dose of vaccination is completed. Third dose vaccination will be arranged on due date.

New Points

1. New lease application is submitted to Mines & Geology dept. Boundary Pillars are fixed with concrete and Boards displayed. Barbed wire fencing is under progress.
2. This year we have planted about 500 trees/plants. Mostly outside lease area as compensatory afforestation plan.
3. We are getting intermittent rains this year. So not much of damage to roads. Road maintenance is regularly done.
4. Near the new lease pillar no. 5 there is some filled area. It is decided to strengthen this ground with overburden and use it as scrap yard. There will be 2 sections like total scrap & reusable scrap.
5. Check dam boards are to be changed as silt settling tanks (SS1). We have 3 tanks and the silt water collected in SS1 settles and overflows to SS2 and then to SS3.

The clean water from SST 3 is pumped back to Rain Harvesting tank for further use in Sand washing plant, dust suppression in quarries & Mines roads.

Members.

1. Mr. Baly. P. Paulose
2. Mr. Joseph KY
3. Mr. Prasanth P.P.
4. Mr. Jomy Joy
5. Mr. John Peter

[Handwritten signatures and initials corresponding to the list members]

(*[Signature]*)
Head of Committee.

26th Meeting of the Environment Monitoring Committee held on 11-01-2024 at 4.00 PM.

Minutes of the 25th meeting are reviewed.

- a) Bottom bench fencing has to be completed
- b) Medical Examination of 10 employees are to be done. List has to be prepared.
- c) Hepatitis B. 3rd dose also completed.
- d) New lease application is submitted to Mines & Geology department. They have asked for some clarification. This will be provided soon. All B.P. Pillars are fixed and fencing all around is done. No Entry boards are to be fixed at proper places.
- e) Silt settling tank boards are to be displayed at proper places.

New Points

1. Overflow from Silt Settling Tank No. 1 is can ~~go~~ ^{flow} through the drainage provided. A trap door to be built in between and an Underground pipe to be provided to divert this water to SSI. 2.
2. Well grown coconut trees are infested by weeds and the trees are dying. Proper approved insecticides are to be injected/sprayed.
3. Water mist system newly installed is in operation & fume crushing plant to office area. This covers all dust generating roads by transport vehicles.
4. As summer started, water sprinkling is intensified in Parakkadavil-Vaghitthala.

road. This is a public road.

5. We have initiated action for a new magazine licence. The land is identified. Other ~~measurements~~ plan preparation etc are in progress.

6. The country road from public road to the new proposed lease area in the western side has to be gated. Lease area is fenced. But the safe zone around the proposed lease area has to be protected from unauthorized entry of strangers.

7. An additional fencing around above safe area is also to be studied if required this will be done whenever necessary.

Members

1. Mr. Galuy P. Parlose.
2. Mr. Joseph K.Y
3. Mr. Prasanth P.P.
4. Mr. Benny Joy
5. Mr. John Peter.

Handwritten signature
Handwritten signature


Handwritten signature

Handwritten signature

(Benny Joy)
 Head of Committee.

Access Roads


ANNEXURE- 06



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89432626° Longitude 76.63766974°
Local 10:47:20 AM Altitude 46 meters
GMT 05:17:20 AM Thursday, 22.02.2024




VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89428946° Longitude 76.63765324°
Local 10:47:48 AM Altitude 46 meters
GMT 05:17:48 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.8942913° Longitude 76.6376797°
Local 10:49:00 AM Altitude 61 meters
GMT 05:19:00 AM Thursday, 22.02.2024

Solar Light

ANNEXURE- 07





VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.8957131°

Local 11:01:39 AM
GMT 05:31:39 AM

Longitude
76.63964219°

Altitude 77 meters
Thursday, 22.02.2024

Water Tanker with Sprinkler

ANNEXURE- 08




VJWP+7V4, Vazhithala To Parakkadavu Road, Kolady, Manakkad,
Vazhithala, Kerala 685583, India

Latitude
9.89428974°

Longitude
76.63753493°

Local 10:45:30 AM
GMT 05:15:30 AM

Altitude 46 meters
Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.89559479°


Longitude
76.63954405°

Local 10:59:11 AM
GMT 05:29:11 AM


Altitude 77 meters
Thursday, 22.02.2024

Plantation


ANNEXURE- 09



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89402677° Longitude 76.63944912°
Local 12:14:21 PM Altitude 46 meters
GMT 06:44:21 AM Thursday, 22.02.2024



VJWW+243, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.8967372° Longitude 76.64326036°
Local 11:43:04 AM Altitude 65 meters
GMT 06:13:01 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89628479° Longitude 76.64078664°
Local 11:37:37 AM Altitude 65 meters
GMT 06:07:37 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.8944446° Longitude 76.6390006°
Local 10:50:14 AM Altitude 61 meters
GMT 05:20:14 AM Thursday, 22.02.2024

Fencing and Boundary Pillars

ANNEXURE- 10



VJWW+243, Vazhithala, Manakkad, Kerala 685583, India

Latitude	Longitude
9.89594607°	76.64349975°
Local 11:46:00 AM	Altitude 46 meters
GMT 06:16:00 AM	Thursday, 22.02.2024




VJWW+243, Vazhithala, Manakkad, Kerala 685583, India

Latitude	Longitude
9.89590065°	76.64350019°
Local 11:46:11 AM	Altitude 46 meters
GMT 06:16:11 AM	Thursday, 22.02.2024



VJWW+243, Vazhithala, Manakkad, Kerala 685583, India

Latitude	Longitude
9.89551591°	76.64374188°
Local 11:48:23 AM	Altitude 60 meters
GMT 06:18:23 AM	Thursday, 22.02.2024



VJRV+WJJ, Vazhithala Koladi Road, Vazhithala, Manakkad, Kerala 685583, India

Latitude	Longitude
9.89447284°	76.64275319°
Local 11:50:59 AM	Altitude 76 meters
GMT 06:20:59 AM	Thursday, 22.02.2024



VJRV+WJJ, Vazhithala Koladi Road, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.8942274° Longitude 76.64263116°
Local 11:52:54 AM Altitude 76 meters
GMT 06:22:54 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.89388142° Longitude 76.63954608°
Local 12:15:27 PM Altitude 90 meters
GMT 06:45:27 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India


Latitude 9.89402949° Longitude 76.63959225°
Local 12:17:09 PM Altitude 90 meters
GMT 06:47:09 AM Thursday, 22.02.2024

Blasting time & Safety Board


ANNEXURE- 11








VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89456191° Longitude 76.63903831°
Local 10:52:33 AM Altitude 61 meters
GMT 05:22:33 AM Thursday, 22.02.2024




VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.8922128° Longitude 76.6391422°
Local 10:52:50 AM Altitude 77 meters
GMT 05:22:50 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89531405° Longitude 76.6392089°
Local 10:57:47 AM Altitude 77 meters
GMT 05:27:47 AM Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India
Latitude 9.89555679° Longitude 76.6395844°
Local 10:59:31 AM Altitude 77 meters
GMT 05:29:31 AM Thursday, 22.02.2024




VJVQ+QI18, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.89567938°	Longitude 76.63960155°
Local 11:01:14 AM GMT 05:31:14 AM	Altitude 77 meters Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.89582545°	Longitude 76.64067769°
Local 11:03:03 AM GMT 05:33:03 AM	Altitude 81 meters Thursday, 22.02.2024



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.89613813°	Longitude 76.64081007°
Local 11:05:55 AM GMT 05:35:55 AM	Altitude 65 meters Thursday, 22.02.2024

ബോട്ടിംഗ്

പൊതുജനശ്രദ്ധയ്ക്കായി, കേരള സംസ്ഥാനം, തൃശ്ശൂർ ജില്ല, തൊടുപുഴ താലൂക്ക്, മണക്കാട് ഗ്രാമപഞ്ചായത്ത്, മണക്കാട് റിപ്പബ്ലിക്കൻ പബ്ലിക് വിസർവ്വേ നമ്പർ 354/4, 354/5, 355/1pt, 351/1pt, 350, 352/1pt-ൽ പാറഖനം കെട്ടുന്നതിനുള്ള പരിസ്ഥിതി അനുമതി ശ്രീ. മോഹൻ കോച്ചുപറമ്പിൽ-ന് കേരള സംസ്ഥാന പരിസ്ഥിതി ഇംഗ്ലീഷ് "അസ്ട്രിക്ട്" അതോറിറ്റിയിൽനിന്നും ഓർഡർ നമ്പർ 1137/EC/SEIAA/KL/2017 തീയതി 17-03-2018 ഓർഡർ പ്രകാരം ലഭിച്ചിരിക്കുന്നു. ഈ ഓർഡറിന്റെ പകർപ്പ് കേരള സംസ്ഥാന പരിസ്ഥിതി ഇംഗ്ലീഷ് അസ്ട്രിക്ട് അതോറിറ്റിയിൽ ലഭ്യമാണ്. www.seiaakerala.org എന്ന വെബ്സൈറ്റിൽ കൂടിയും പകർപ്പ് കാണാവുന്നതാണ്.

PUBLIC NOTICE

NOTICE

This is to inform to the General Public that, the proposed quarry project in Re-Survey Nos 354/4, 354/5, 355/1pt, 351/1pt, 350, 352/1pt, of Shri George Kochuparambil at Manakkad Village, Manakkad Grama Panchayat, Thodupuzha Taluk, Idukki District, Kerala is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. 1137/EC/SEIAA/KL/2017 dt. 17-03-2018 and the copy of the Environmental Clearance is available with the office of State Environment Impact Assessment Authority and may also be seen on the website of the Authority at www.seiaakerala.org

Annexure-14

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1730(E72220)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-



1. Licence is hereby granted to

George Kolhuparambil, Proprietor (अधिभोगी / Occupier : George Kolhuparambil), M/s. United Granites & Metals, Vazhithala P.O., Thodupuzha,, Town/Village - Vazhithala, District-IDUKKI, State-Kerala, Pincode - 685588

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : **Proprietorship Firm**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। : possess for use of **Detonators, Safety Fuse, Nitrate Mixture**, - के उपयोग के लिए
Licence is valid only for the following purpose.

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	250 Kg.
2.	Detonators	6,3	0	5000 Nos.
3.	Safety Fuse	6,1	0	2000 Mtrs

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3 (b) and (c)] : **20 times as above.**

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1730 : (E72220)

The licensed premises shall conform to the following drawing : दिनांक (Dated) 01/04/2015 (s): .

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 357/3, Block No. 11 , ग्राम (Town/Village) : **Manakkadu (Thodupuzha Taluk)**
जिला (District) **IDUKKI** राज्य (State) **Kerala** पिनकोड (Pincode) **685588**
दूरभाष (Phone) ई. मेल (E-Mail) फेक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following : **Constructed magazine for explosives and detonator as per Specification 2 of Schedule VII of Explosives Rules, 2008.** facilities.

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
2. अनुज्ञप्ति प्राधिकारी द्वारा हस्ता.क्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों। Conditions and Additional Conditions of this licence signed by the licensing authority.
3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख **31 मार्च 2019** तक विधिमान्य रहेगी। This licence shall remain valid till **31st day of March 2019.**

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the

conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 01/04/2015

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
Sd/-
Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 25/09/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 09/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 29/06/2018

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीनीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
31/01/2022	31/03/2027	Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

(सेट VIII | Set VIII)

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/1730(E72220) की शर्तें निम्नलिखित हैं।
The following are the conditions of licence number E/SC/KL/22/1730(E72220) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form I.E-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके; परंतु—
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पत्तों और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पत्तों, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचों, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचें, शेल्फें और फिटिंग यथासाध्य ग्रीट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे; परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधक नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञप्तिधारी द्वारा पश्चात्कर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :
परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभावी होगा :
परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।
If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test in the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is

For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.


10. उपयुक्त तथा जेब रहित कार्यकरण वस्तु, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :
परंतु इस शर्त का वह भाग जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।
Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:
Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.
11. अनुज्ञापिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा। स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
16. विस्फोटकों के पैकेटों के चढ़े इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशेषियों को पढ़ने के लिए उनके बीच से होकर आ जा सके।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा।
The resistance of the lighting conductor to earth shall be as low as possible and in no case be more than 10 ohms.
17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट को, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भण्डारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकेजों को शीघ्रतः वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञापिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञापन परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञापन परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञापन फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पत्ती खरीदेगा।

कुंते उष मुख् विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
Ernakulam

- The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञापनधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा | The licensee shall not exhibit, possess and sell fireworks of foreign origin.


कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

कृते उप मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1730(E72220) in form LE-3 granted to George Kohuparambil, Proprietor, M/s. United Granites & Metals, Vazhithala P.O., Thodupuzha,, Kerala-685588 .

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(ISD)			
1	Room or Workshop used in Connection with the Magazine	M	UM
2	Any other Explosives Magazine or store House or Factory of the Applicant	16	24
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		45
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		68
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V		68
28	Electric Power over head Transmission Lines upto 440V		15

The Date : 01/04/2015

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 25/09/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 09/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/03/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 29/06/2018


For Joint Chief Controller of Explosives
South Circle, Chennai

കൂടെ ഉപ മുഖ്യ വിस्ഫോटक നിയന്ത്രക
For Deputy Chief Controller of Explosives
എറണാകുളം Ernakulam

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276
ई-मेल Email: dyceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/1730(E72220)

दिनांक (Date): 31/01/2022

सेवा में | To,

George Kolhuparambil, Proprietor,
M/s. United Granites & Metals, Vazhithala P.O., Thodupuzha, Town/Village - Vazhithala
District-IDUKKI, State-Kerala, Pincode - 685588

विषय: Survey No.357/3, Block No. 11, ग्राम Manakkadu (v), Thodupuzha Taluk, जिला IDUKKI, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1730(E72220) के नवीनीकरण संदर्भ में।

Subject: Possession for Use of Explosives from magazine situated at Survey No.:357/3, Block No. 11, Manakkadu (v), Thodupuzha Taluk, Dist. IDUKKI, Kerala -Licence No.: E/SC/KL/22/1730(E72220) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 19/01/2022 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2027 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।
Reference to your letter No.: Nil dated: 19/01/2022, the subject licence duly renewed upto 31/3/2027 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

Conditions:

1) USE OF EXPLOSIVES IN QUARRY SHALL BE STARTED ONLY AFTER GRANT OF QUARRYING LEASE FROM THE DIRECTOR OF MINES & GEOLOGY. PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF THE DGMS, BANGALORE AS REQUIRED UNDER THE MINES ACT 1952 AND METTALIFERROUS MINES REGULATIONS 1961

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2027 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2027.

- प्ररूप आरई-1 में विधेयत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाएं (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)। Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(पी.के.राणा | Dr. P. K. Rana)

विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Deputy Chief Controller of Explosives

प्रतिलोप प्रेषित | Copy Forwarded to:

1. जिला मजिस्ट्रेट (District Magistrate), IDUKKI (Kerala)- सूचना के लिए (for information)

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें.)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

अनुज्ञापति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञापति

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञापति सं. (Licence No.) : E/SC/KL/22/811(E38112)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-



1. Licence is hereby granted to

Shri George Kochuparambil (अधिभोगी / Occupier : Shri George Kochuparambil), M/s.United Granites & Metal,Vazhithala P.O, Idukki,Kerala., Town/Village - , District-IDUKKI, State-Kerala, Pincode -

को अनुज्ञापति अनुदत्त की जाती है।

2. अनुज्ञापतिधारी की प्रास्थिति | Status of licensee : **Individual**

3. अनुज्ञापति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। Possess for use of **Nitrate Mixture, Safety Fuse, Detonators, Electric Detonators,** - के उपयोग के लिए

4. अनुज्ञापति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	1500 Mtrs
3.	Detonators	6,3	0	5000 Nos.
4.	Electric Detonators	6,3	0	1000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञापति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]:

20 times as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing(s):

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/811 : (E38112)
दिनांक (Dated) 05/05/2004

6. अनुज्ञापति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No(s). 519/1-13 , ग्राम (Town/Village) : Manakkadu,Thodupuzha
जिला (District) **IDUKKI** राज्य (State) **Kerala** पुलिस थाना (Police Station) : Thodupuzha
दूरभाष (Phone) **ई. मेल (E-Mail)** **पिनकोड (Pincode)**
फेक्स (Fax)

7. अनुज्ञापति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following facilities.

NA

8. अनुज्ञापति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञापति प्राधिकारी व्दारा हस्ता.क्षरित इस अनुज्ञापति की शर्तों और अतिरिक्त शर्तों। Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञापति तारीख **31 मार्च 2006** तक विधिमान्य रहेगी। This licence shall remain valid till **31st day of March 2006.**

यह अनुज्ञापति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा

उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Sd/-

तारीख | The Date - 05/05/2004

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 27/12/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 04/03/2014

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
06/02/2020	31/03/2025	Dy. Chief Controller of Explosives, Ernakulam Deputy Chief Controller of Explosives एरनाकुलम Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।

Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

(सेट VIII | Set VIII)

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को विक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/811(E38112) की शर्त निम्नलिखित हैं।

The following are the conditions of licence number E/SC/KL/22/811(E38112) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्तर होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके; परंतु—
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पत्तीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पत्तीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सियाव अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लिसरीन या द्रव नाइट्रो योगिक के निकल जाने के विह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बैचो, शैल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचे, शैल्फ और फिटिंग यथासाध्य ग्रिट से गुंथत एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे; परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।

उप मुख्य विस्फोटक नियंत्रक
Deputy Chief Controller of Explosives
एरनाकुलम, Ernakulam

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

9. यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञापिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञापिधारी द्वारा पश्चात्कर्ता प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभावी होगी :

परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. उपयुक्त तथा जेब रहित कार्यकरण वस्तुओं, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वजित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :

परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञापिधारी प्ररूप आर ई-3 और आर ई-4 या आर ई-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टाक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें ।

No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.

13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी ।

Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।

The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशेषियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।

The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.

तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा ।

The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.


17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।

उप मुख्य विस्फोटक नियंत्रक
Deputy Chief Controller of Explosives
एम्माकुलम Emakulam

- A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
 19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
 20. विस्फोटकों के खाली पैकेजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
 21. अनुज्ञापिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
 22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
 23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञत परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और त्रिनिदिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
 24. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
 25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए -
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log₁₀ (N) dB, where N = number of crackers joined together.
 26. आग या विस्फोट व्दारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञापिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा।
The licensee shall not exhibit, possess and sell fireworks of foreign origin.



 कृते संयुक्त मुख्य विस्फोटक नियंत्रक
 For Joint Chief Controller of Explosives
 दक्षिणांचल, चेन्नै | South Circle, Chennai
 उप मुख्य विस्फोटक नियंत्रक
 Deputy Chief Controller of Explosives
 एरनाकुलम Ernakulam

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/811(E38112) in form LE-3 granted to Shri George Kochuparambil, M/s.United Granites & Metal,Vazhithala P.O, Idukki,Kerala., Kerala-.

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(ISD)			
		M	UM
1	Room or Workshop used in Connection with the Magazine	11	17
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		33
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		45
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V		45
28	Electric Power over head Transmission Lines upto 440V		15

The Date : 05/05/2004


 For Joint Chief Controller of Explosives
 South Circle, Chennai

ദക്ഷിണ കേരള വിस्ഫോടക് നിയന്ത്രക
 Deputy Chief Controller of Explosives
 Ernakulam

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 27/12/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 04/03/2014



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ. कक्कनाडु कोच्चि | CSEZ PO Kakkannad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फेक्स (Fax):- 2427276
ई-मेल Email: dycceernakulam@explosives.gov.in

E 17 FEB 2020

संख्या (No.): E/SC/KL/22/814(E38112)

दिनांक (Date): 06/02/2020

संवा में | To,

Shri George Kochuparambil,
M/S. United Granites & Metal Vazhithala P.O, Idukki, Kerala, Town/Village -
District-IDUKKI, State-Kerala, Pincode -

विषय : Survey No(s).519/1-13, ग्राम Manakkadu,Thodupuzha, जिला IDUKKI, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/811(E38112) के नवीनीकरण संदर्भ में।

Subject: Possession for Use of Explosives from magazine situated at Survey No(s).:519/1-13, Manakkadu,Thodupuzha, Dist. IDUKKI, Kerala - Licence No.: E/SC/KL/22/811(E38112) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir.

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 29/01/2020 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्रारूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2025 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।

Reference to your letter No.: Nil dated: 29/01/2020, the subject licence duly renewed upto 31/3/2025 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2025 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2025.

- प्रारूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में गांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाए। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर को योग्यता उरती अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(आर.वेणुगोपाल | Dr. R. Venugopal)

उप मुख्या विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्चि | Ernakulam

Deputy Chief Controller of Explosives

एरनाकुलम Ernakulam

उप मुख्या विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्चि | Ernakulam

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. जिला मजिस्ट्रेट (District Magistrate), IDUKKI (Kerala)- सूचना के लिए (for information.)

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ. कक्कनाड कोच्ची | CSEZ PO Kakknad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या/ No:A/SC/KL/P3/14(A2264)

दिनांक / Dated : 01/02/2022

सेवा में / To,
GEORGE KOCHUPARAMBIL, Prop. M/s United Granites and Metal,
S.No.357/3, Block No.11, Manakkadu Village, Thodupuzha Tk.,
Town/Village - Thodupuzha
Distt. IDUKKI, State. Kerala, Pincode-685588

विषय / Subject: Licence to possess for use of Ammonium Nitrate from a store house attached to explosives manufacturing unit (ANFO) situated at Survey No.:357/3, Block No.11, Village/Town. Manakkadu, Distt. IDUKKI, State Kerala Licence No.: A/SC/KL/P3/14(A2264) granted in Form P-3 of Ammonium Nitrate Rules, 2012 - Renewal regarding

महोदय / Sir(s),

आपके पत्र संख्या Nil दिनांक 19/01/2022 के सन्दर्भ में अमोनियम नाइट्रेट नियम 2012 के प्ररूप पी-3 में जारी विषयक अनुज्ञप्ति दिनांक 31/3/2027 तक विधिवत नवीनीकृत कर आपको प्रेषित की जा रही है। कृपया अनुज्ञप्ति की पावती स्वीकार करें। / Reference to your letter No.: Nil dated: 19/01/2022, the subject licence duly renewed upto 31/3/2027 and issued in Form P-3 of Ammonium Nitrate Rules, 2012 is forwarded herewith, Please acknowledge receipt of the licence.

अनुज्ञप्ति के आगामी नवीनीकरण हेतु कृपया निम्नलिखित दस्तावेज इस प्रकार प्रेषित करें कि वह दिनांक 31/3/2027, को या उससे पूर्व this office में प्राप्त हो जाएं। / For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2027.

- विधिवत भरा हुआ एवं हस्ताक्षरित प्ररूप आर - 1 / Application in Form R-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, अमोनियम नाइट्रेट नियम, 2012 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Ammonium Nitrate Rules, 2012.
- मूल अनुज्ञप्ति मय अनुमोदित आरेखण / Original licence with approved plan.
- इस सम्बन्ध में कृपया अमोनियम नाइट्रेट नियम, 2012 के नियम 36 का भी सन्दर्भ लें। / In this connection, please also refer to Rule 36 of Ammonium Nitrate Rules, 2012.
- रंगीन पासपोर्ट साइज के 6 फोटोग्राफ जिन पर सामने की ओर काले रंग की अमिट स्याही से ऑक्यूपायर (अमोनियम नाइट्रेट नियम, 2012 के नियम 2 (O) के अन्तर्गत यथा परिभाषित) द्वारा विधिवत हस्ताक्षर किया गया हो (यदि जमा नहीं किया गया हो) / Six copies of colour passport size photographs duly signed by the occupier (as defined under Rule 2 (O) of Ammonium Nitrate Rules, 2012) 'in front' by 'black color indelible ink' (if not submitted).

संलग्नक / Enclosures :

भवदीय / Yours faithfully,

(पी.के.राणा) I (Dr. P. K. Rana)
विस्फोटक नियंत्रक | Controller of Explosives
For Dy. Chief Controller of Explosives
कृते उप मुख्य विस्फोटक कोच्ची
Ernakulam
For Deputy Chief Controller of Explosives
Ernakulam

प्रतिलिपि प्रेषित / Copy Forwarded to:

- District Magistrate, IDUKKI (Kerala) for information

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives,
कोच्ची | Ernakulam

[स्टैटस, शुल्क, एवं अन्य विवरणों के बारे में अधिक जानकारी हेतु कृपया संगठन का वेबसाइट <http://peso.gov.in> देखें। / For more information regarding status, fees and other details, please visit our web site <http://peso.gov.in>]

**Note :- This is system generated document does not require physical signature.
Applicant may take printout for their records.**

अनुज्ञप्ति प्ररूप P-3
(अमोनियम नाइट्रेट नियम, 2012 की अनुसूची I की क्रम संख्या-3 और नियम 35 देखें)

LICENCE FORM P-3
(See Sr.No.-3 of Schedule I and rule 35
of Ammonium Nitrate Rules, 2012)

विस्फोटक विनिर्माण इकाई (एनएफओ) से जुड़े गोदाम से, अमोनियम नाइट्रेट के उपयोग के लिए, रखने हेतु
Licence to possess for use of Ammonium Nitrate from a store house attached to explosives manufacturing



अनुज्ञप्ती संख्या | Licence No. : A/SC/KL/P3/14(A2264)
वार्षिक अनुज्ञप्ती शुल्क | Annual licence Fee Rs: 1000/-

अनुज्ञप्ति एतद्वारा जारी की जाती है :
Licence is hereby granted to :

अधिष्ठाता : GEORGE
GEORGE KOCHUPARAMBIL, Prop. M/s United Granites and Metal Works
S.No.357/3, Block No.11, Manakkadu Village, Thodupuzha Tk.,,
ग्रहर | गांव - Thodupuzha
जिला - IDUKKI, राज्य - Kerala, पिन कोड - 685588
Phone -, Email -, फेक्स-



- अनुज्ञप्तिधारी का स्तर: Individual
Status of licence holder: Individual
- अनुज्ञप्ति केवल निम्नलिखित प्रयोजन हेतु वैध है : विस्फोटक विनिर्माण इकाई (एनएफओ) से जुड़े गोदाम से, अमोनियम नाइट्रेट के उपयोग के लिए, रखने हेतु अनुज्ञप्ति
Licence is valid only for the following purpose : Licence to possess for use of Ammonium Nitrate from a store house attached to explosives manufacturing unit (ANFO)
- अनुज्ञप्ति अमोनियम नाइट्रेट की निम्नलिखित मात्रा के लिए वैध है :
Licence is valid for the following quantity of Ammonium Nitrate:

नाम तथा विवरण Name and Description	किसी एक समय में मात्रा (कि.ग्रा.) Quantity at a time (K.g.)	किसी एक वित्तीय वर्ष में क्रय की जाने वाली अमोनियम नाइट्रेट की मात्रा(कि.ग्रा.) Quantity of Ammonium Nitrate to be purchased in a financial Year (K.g.)
Ammonium Nitrate (Solid)	35000	420000

- अनुज्ञप्त परिसर निम्नलिखित आरेखण(णों) के अनुरूप होगा
The licensed premises shall conform to the following drawing(s):
आरेखण संख्या | Drawing No : A/SC/KL/P3/14 (A2264) दिनांक | Dated : 09/11/2017
- अनुज्ञप्त परिसर निम्नलिखित पते पर स्थित है :
The Licensed premises are situated at following address:
Survey No. 357/3, Block No.11, ग्रहर | गांव | Town | Village : Manakkadu
पुलिस स्टेशन | Police Station : Thodupuzha जिला | District : IDUKKI राज्य | State : Kerala
पिन कोड | PinCode : 685588 फोन | Phone : ईमेल | E-Mail : फेक्स | Fax :
- अनुज्ञप्त परिसर में निम्नलिखित सुविधाएँ उपलब्ध हैं :
The licensed premises consist of following facilities :
Consist of one store house .
- अनुज्ञप्ति, समय-समय पर यथा संशोधित विस्फोटक अधिनियम 1884, एवं उसके अधीन बनाए गए अमोनियम नाइट्रेट नियम, 2012 की शर्तों, अतिरिक्त शर्तों तथा निम्नलिखित उपबन्धों के अधीन जारी की जाती है
(i) उक्त क्रम संख्या 5 में उल्लिखित आरेखण (जिसमें स्थल, निर्माण एवं अन्य विवरण दर्शाए गए हैं) □
(ii) अनुज्ञप्ति जारी करने वाले प्राधिकारी द्वारा हस्ताक्षरित अनुज्ञप्ति की शर्तों एवं अतिरिक्त शर्तों ।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Ammonium Nitrate Rules, 2012 framed there under and the conditions, additional conditions and Annexures.
(i) Drawings (showing site, construction and other details) as stated in serial No. 5 above.
(ii) Conditions and Additional Conditions of this licence signed by the license issuing authority.
- यह अनुज्ञप्ति 31 मार्च 2022 तक वैध रहेगी ।
This licence shall remain valid till 31st day of March 2022

यह अनुज्ञप्ति विस्फोटक अधिनियम, 1884 या उसके अधीन बनाए गए अमोनियम नाइट्रेट नियम, 2012 या इस अनुज्ञप्ति की किसी शर्तों का उल्लंघन करने पर या यदि अनुज्ञप्त परिसर, आरेखण और उससे संलग्न उपाबद्ध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलम्बित या प्रतिसंहत की जा सकती है ।
This licence is liable to be suspended or revoked for any violation of the Explosives Act 1884 or Ammonium Nitrate Rules, 2012 framed there under or the conditions of this license, if the licensed premises are not found conforming to the description shown in the plans and annexure attached hereto.

दिनांक | Date: 09/11/2017

Sd/-
संयुक्त मुख्य विस्फोटक नियंत्रक
Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

अनुज्ञापि नवीकरण के लिए प्रमाणन: | Endorsement for renewal of licence:

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर Signature of licensing authority
01/02/2022	31/03/2027	Dy. Chief Controller of Explosives, Ernakulam

सांविधिक चेतावनी: अमोनियम नाइट्रेट कानून का दुरुपयोग कानूनी तौर पर गंभीर दण्डनीय अपराध है।
Statutory Warning : Misuse of Ammonium Nitrate shall constitute serious criminal offence under the law.


Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Conditions

मुख्य विस्फोटक नियंत्रक / या विस्फोटक नियंत्रक द्वारा प्रदत्त प्रारूप P-3 में विस्फोटक विनिर्माण इकाई (एनएफओ) से जुड़े गोदाम से, अमोनियम नाइट्रेट के उपयोग के लिए, रखने हेतु अनुज्ञापति, अनुज्ञापति संख्या A/SC/KL/P3/14(A2264) की शर्त निम्नलिखित हैं।

The following are the conditions of licence number A/SC/KL/P3/14(A2264) to Licence to possess for use of Ammonium Nitrate from a store house attached to explosives manufacturing unit (ANFO) in Form P-3 granted by the Chief Controller or Controller of Explosives.

1. अमोनियम नाइट्रेट का भण्डारण अनुज्ञापति के साथ संलग्न अनुमोदित आरेखण में दर्शाए गए अनुज्ञापत गोदाम या मेल्ट भण्डारण टैंक में ही किया जाएगा।
The Ammonium Nitrate shall be possessed only in the licensed storehouse or melt storage tank shown in the approved plan attached with the License.
2. अमोनियम नाइट्रेट की मात्रा परिसर, में या उसके किसी भी भाग में, अनुज्ञापत मात्रा, किसी एक समय में, से अधिक नहीं होनी चाहिए।
The quantity of Ammonium Nitrate in the premises or any part thereof shall not exceed at any one time the quantity for which License has been issued.
3. छलाका हुआ या अपशिष्ट अमोनियम नाइट्रेट को एकत्र कर अनुज्ञापतिधारी द्वारा विनष्ट किया जाना चाहिए एवं विनष्ट किए गए अमोनियम नाइट्रेट की मात्रा का लेखाजोखा रखा जायगा।
Spilled or sweepings of Ammonium Nitrate the waste Ammonium Nitrate collected from sweeping or spilled shall be destroyed by the License holder and account thereof shall be maintained indicating the quantity of the Ammonium Nitrate destroyed.
4. अनुज्ञापतिधारी और विनिर्माण तथा संपरिवर्तन के लिए परिसर में नियुक्त प्रत्येक व्यक्ति को विनिर्माण तथा संपरिवर्तन के लिए अनुज्ञापति परिसर में अग्नि या विस्फोट से होने वाली दुर्घटना से बचाव तथा विनिर्माण तथा संपरिवर्तन के लिए अनुज्ञापत परिसर में अनधिकृत व्यक्तियों के प्रवेश से बचाव के लिए पूर्ण सावधानी बरतनी होगी एवं ऐसे किसी भी कार्य से विरत करना होगा जो अग्नि या विस्फोट का कारण बने एवं जो विनिर्माण तथा संपरिवर्तन परिसर में कार्य के उद्देश्य से आवश्यक न हो।
The License holder and every person employed shall take all due precautions for prevention of accidents by fire or explosion in the licensed premises and for preventing unauthorised person from having access to licensed premises and shall abstain from any act from whatsoever which tends to cause or explosion and is not reasonably necessary for the purpose of works related thereto.
5. मुख्य विस्फोटक नियंत्रक या अनुज्ञापन प्राधिकारी की पूर्व लिखित स्वीकृति के बिना अनुज्ञापत परिसर में किसी भी प्रकार का परिवर्तन एवं परिवर्धन नहीं किया जाएगा। स्वीकृत किए गए इस प्रकार के परिवर्तन एवं परिवर्धन अनुज्ञापति के साथ संलग्न संशोधित आरेखण में दर्शाए जाएंगे।
No additions and alterations shall be carried out in the licensed premises without a previous sanction in writing of the Licensing Authority. Such additions and alterations so sanctioned shall be shown in the amended plan attached to the License.
6. अनुज्ञापतिधारक द्वारा विनिर्माण तथा संपरिवर्तन प्रक्रिया के पर्यवेक्षण एवं कार्यों का संचालन इन नियमों के अनुरूप करने हेतु एक योग्य एवं सक्षम व्यक्ति नियुक्त किया जाएगा।
The License holder shall appoint a competent person to supervise the operations shall be conducted under the supervision of the competent person.
7. किसी निरीक्षण अधिकारी या नमूना लेने वाले अधिकारी को अनुज्ञापत परिसर में युक्तियुक्त समय पर बराबर अबाध पहुँच प्रदान की जाएगी और ऐसे अधिकारी को वे सभी सुविधाएँ उपलब्ध की जाएगी जिससे कि वह सुनिश्चित कर सके कि अधिनियम और इन नियमों के उपबंधों एवं सुरक्षा संबंधी शर्तों का सम्यक रूप से पालन किया जा रहा है।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and all facilities shall be offered to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
8. यदि जिला प्राधिकारी या निरीक्षण अधिकारी अनुज्ञापतिधारी को लिखित में अधिकृत परिसर में कोई मरम्मत या कोई परिवर्तन या परिवर्धन या ऐसी सिफारिशों को क्रियान्वित करने के लिए, जो ऐसे अधिकारी की राय में अस्वीकार्य जोखिम उत्पन्न कर सकती है और इस प्रकार वह परिसर के बाहर या भीतर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, सूचित करता है, तो अनुज्ञापतिधारी उन सिफारिशों को निष्पादित करेगा और ऐसे प्राधिकारी द्वारा विनिर्दिष्ट अवधि में अनुपालन की रिपोर्ट देगा।
If the License issuing authority or the inspecting officer informs in writing, the holder of the License to execute any repairs or to make any additions or alterations to the licensed premises or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and therefore the same is necessary for the safety or security of the premises or persons, the holder of the License shall execute the recommendations and report compliance within the period specified by such authority.
9. अग्नि या विस्फोट से होने वाली दुर्घटनाओं और अमोनियम नाइट्रेट की हानि, उसमें कमी या चोरी की सूचना निकटतम पुलिस स्टेशन और जिला प्राधिकारी के स्थानीय कार्यालय को तुरन्त दी जाएगी।
Accidents by fire or explosion and losses, shortage or theft of Ammonium Nitrate shall be immediately reported to the nearest police station and the District Authority.
10. अनुज्ञापतिधारी अनुसूची-II भाग 3 में विनिर्दिष्ट प्रारूप में इनका अभिलेख रखेंगे जिससे कि अमोनियम नाइट्रेट के लिए उत्तरदायित्व सुनिश्चित कर उनकी पहचान कर खोज की जा सके एवं नियम 50 में विहित प्राधिकारी के मांगे जाने पर ऐसे अभिलेख प्रस्तुत किए जाएँ।
License holder shall maintain records in the prescribed forms specified in Schedule II Part 3 to ensure accountability, identification and traceability of Ammonium Nitrate and shall produce such records on demand to authority specified in rule 50.
11. अनुज्ञापतिधारी, अनुसूची II भाग 3 में विनिर्दिष्ट प्रारूप दू-9 में जिला प्राधिकारी को मासिक विवरणी इस प्रकार प्रेषित करेंगे कि वह प्रत्येक आगामी महीने की 10 तारीख तक अनुज्ञापन प्राधिकारी या जिला प्राधिकारी को प्राप्त हो जाए।
The License holder shall submit monthly returns of AN received, sold /used/stolen or short received and destroyed in the form prescribed in Form R-9 of Part 3 of Schedule II so as to reach Licensing Authority and District Authority within 10th day of every succeeding month.


कृते संयुक्त मुख्य विस्फोटक नियंत्रक
दक्षिणांचल, चेन्नै
For Joint Chief Controller of Explosives
South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.


द्वारा संयुक्त मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एराकुलम, एराकुलम



भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037

फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

ई-मेल Email: dycecernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/38/21(E98818)

दिनांक (Date): 01/02/2022

सेवा में | To,

George Kochuparambil, Proprietor,

M/s. United Granites & Metals, Manakkadu (v), Vazhithala P.O., Thodupuzha Taluk., Town/Village - IDUKKI

District-IDUKKI, State-Kerala, Pincode - 685588

विषय: Survey No.357/3, Block No.11., ग्राम Manakkadu (v), Thodupuzha Taluk, जिला IDUKKI, राज्य Kerala में एनफो विस्फोटक के एनफो शेड में विनिर्माण हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-1 में जारी अनुज्ञप्ति सं E/SC/KL/38/21(E98818) के नवीनीकरण संदर्भ में।

Subject: Manufacturing of ANFO situated at Survey No.:357/3, Block No.11., Manakkadu (v), Thodupuzha Taluk, Dist. IDUKKI, Kerala - Licence No.: E/SC/KL/38/21(E98818) granted in Form LE-1 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 19/01/2022 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-1 में जारी अनुज्ञप्ति दिनांक 31/3/2027 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।

Reference to your letter No.: Nil dated: 19/01/2022, the subject licence duly renewed upto 31/3/2027 and issued in Form LE-1 of Explosives Rules, 2008 is forwarded herewith.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2027 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2027.

- प्ररूप आर.ई.-1 में विधेयत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई.भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008. आपके द्वारा विनिर्माण किए गए विस्फोटको का रिकार्ड (खाता) विस्फोटक नियम, 2008 के प्ररूप आर.ई.2 और आर.ई.5 में बनाए रखने की सलाह दी जाती है।
You are advised to maintain accounts of explosives manufactured by you in Form RE-2 and RE-5 of Explosives Rules, 2008.

भवदीय | Your's faithfully

(पी.के.राणा | Dr. P. K. Rana)

विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

कोच्ची | Ernakulam

प्रतिलोपे प्रेषित | Copy Forwarded to:

1. जिला माजिस्ट्रेट (District Magistrate), IDUKKI (Kerala)- सूचना के लिए (for information.)

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारा वेबसाइट <http://peso.gov.in> देखें।)

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Licence Endorsed under Rule 107(3) of Explosives Rules, 2008
By Shri Dr. R.Venugopal, Joint Chief Controller of Explosives, Ernakulam on 29/04/2019

अनुज्ञापति प्ररूप एल. ई.-1 | LICENCE FORM LE-1

(विस्फोटक नियम, 2008 की अनुसूची 4 के 1(घ) देखिए।)

(See article 1(d) of Schedule IV of Explosives Rules, 2008)

(घ) एक समय में 200 किलोग्राम से अनधिक स्थल पर ए.एन.एफ.ओ. विस्फोटक के विनिर्माण के लिए अनुज्ञापति
Licence to manufacture : (d) ANFO explosives not exceeding 200 kilogrammes at any one time.

अनुज्ञापति सं. (Licence No.) : E/SC/KL/38/21(E98818)

वार्षिक फीस रूपए (Annual Fee Rs): 1200/-

1. Licence is hereby granted to

George Kochuparambil, Proprietor (अधिभोगी / Occupier : George Kochuparambil), M/s. United Granites & Metals, Manakkadu (v), Vazhithala P.O., Thodupuzha Taluk., Town/Village - IDUKKI, District-IDUKKI, State-Kerala, Pincode - 685588

को अनुज्ञापति अनुदत्त की जाती है।

2. अनुज्ञापतिधारी की प्रास्थिति | Status of licensee : **Proprietorship Firm**

3. अनुज्ञापति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

Licence is valid only for the : **Manufacture of - ANFO - के विनिर्माण के लिए।**
following purpose.

4. अनुज्ञापति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	ANFO	2, 0	0	200 Kg.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञापति परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing(s) :

रेखाचित्र क्र. (Drawing No.) E/SC/KL/38/21(E98818)
दिनांक (Dated) 02/04/2018

6. अनुज्ञापति परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:

Survey No. 357/3, Block No.11, , ग्राम (Town/Village) : Manakkadu (v), Thodupuzha Taluk, पुलिस थाना (Police Station) : Thodupuzha

ज़िला (District) **IDUKKI** राज्य (State) **Kerala** पिनकोड (Pincode) **685588**
दूरभाष (Phone) **इ. मेल (E-Mail)** फेक्स (Fax)

7. अनुज्ञापति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of : **as per attached Annexure details**
following facilities.

8. अनुज्ञापति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञापति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञापति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- परिशिष्ट | Annexure

9. यह अनुज्ञापति तारीख **31 मार्च 2022** तक विधिमान्य रहेगी। This licence shall remain valid till **31st day of March 2022**.

यह अनुज्ञापति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट Set III के अधीन तथा उपवर्णित इस अनुज्ञापति की शर्तों का अधिक्रमण करने या यदि अनुज्ञापति परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under set Set III, wherever applicable, referred to in Part 4 of Schedule V or if



the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 02/04/2018

Sd/-
संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of
Explosives
South Circle, Chennai

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीनीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
01/02/2022	31/03/2027	उप मुख्य विस्फोटक नियंत्रक, एरणाकुलम Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.


Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

(सेट III | Set III)

मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा अनुदत्त प्ररूप एल ई 1 [अनुच्छेद (घ)] में ए.एन.एफ.ओ. विस्फोटकों के विनिर्माण के लिए अनुज्ञप्ति सं. E/SC/KL/38/21(E98818) की शर्तें निम्नलिखित हैं।

The following are the conditions of licence number E/SC/KL/38/21(E98818) for manufacture of ANFO explosives in Form LE-1 [article 1(d)] granted by Controller or Controller of Explosives.

- परिसर या उसके किसी भाग में एनएफओ विस्फोटकों की मात्रा किसी एक समय में उस मात्रा से अधिक नहीं होगी, जिसके लिए अनुज्ञप्ति जारी की गई है।
The quantity of ANFO explosives in the premises or any part thereof shall not exceed at any one time the quantity for which licence has been issued.
- एनएफओ विनिर्माण शेड को 15 मीटर की दूरी पर बाड़ लगा कर संरक्षित किया जाएगा और वह अनुसूची- VIII की सारणी 1 में यथाविनिर्दिष्ट संरक्षित संकर्मों से सुरक्षा दूरी बनाए रखेगा।
The ANFO manufacturing shed shall be protected by a fencing at a distance of 15 metres and it shall maintain safety distance from protected works as specified in table 1 of Schedule VIII.
- शेड में कार्य कड़ाई में अधिकथित सुरक्षाकार्य प्रक्रियाओं और अनुदेशों के अनुसार किया जाएगा।
Work in the shed shall be carried out strictly in accordance with the laid down safe working procedures and instructions.
- एनएफओ विस्फोटकों को विनिर्माण अनुज्ञप्तिधारी द्वारा नियुक्त किसी अर्हित उत्तरदायी व्यक्ति के सीधे पर्यवेक्षणधीन किया जाएगा।
The ANFO explosives shall be manufactured under the immediate supervision of a qualified responsible person appointed by the licensee.
- अनुज्ञप्तिधारी और प्रत्येक नियोजित व्यक्ति उस स्थान या उन स्थानों में जहाँ एनएफओ विस्फोटकों का विनिर्माण किया जात है या देखभाल की जाती है या उपयोग किया जाता है, अग्नि या विस्फोटक के कारण होने वाली दुर्घटनाओं को रोकने के लिए सभी सम्यक पूर्वाधानियां बरतेंगे।
The licensee and every person employed shall take all due precautions for the prevention of accidents by fire or explosion. in the place or places where the ANFO explosives is manufactured, handled or used.
- एनएफओ विस्फोटकों के सभी अवशेषों को एकत्रित किया जाएगा और अनुभवी व्यक्ति के पर्यवेक्षण के अधीन अनुज्ञप्त परिसर से दूर किसी सुरक्षित स्थान में नष्ट किया जाएगा।
All spillage of ANFO explosive shall be collected and destroyed at a safe place away from the licensed premises under the supervision of experienced person.
- एनएफओ विस्फोटकों के विनिर्माण के लिए प्रयुक्त आधानों और मिश्रणों को प्रयोग के पश्चात उपयुक्त डिटरजेंट घोल से अच्छी तरह साफ किए जाएंगे और जल से धोया जाएगा।
All containers and mixers used for manufacturing the ANFO explosive shall after use, be thoroughly cleaned with suitable detergent solution and washed with water.
- अनुज्ञप्तिधारी और कर्मचारी परिसरों के भीतर अपात के दौरान की जानेवाली प्रक्रिया से अवगत होंगे।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
- किसी निरीक्षण या नमूना लेने वाले अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञप्त परिसर में अबाध पहुंच प्रदान की जाएगी और यह अभिनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों या सुरक्षा संबंधी शर्तों का सम्यक रूप से पालन किया जाता है, उस अधिकारी को प्रत्येक सुविधा उपलब्ध करवाई जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
- यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक लिखित में अनुज्ञप्ति धारक को अनुज्ञप्त परिसर या मशीनरी, औजारों या साधनों में कोई मरम्मत या कोई परिवर्धन या परिवर्तन करने के लिए या ऐसी सिफारिशों को क्रियान्वित करने के लिए, जोखिम प्रदर्शित कर सकती है और परिसर या व्यक्तियों की स्थल पर या स्थल से बाहर सुरक्षा के लिए आवश्यक है, सूचित करता है जो अनुज्ञप्ति धारक उन सिफारिशों को निष्पादित करेगा और ऐसे प्राधिकारी व्दा रा विनिर्दिष्ट अवधि के भीतर अनुपालन की रिपोर्ट देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
- अग्नि या विस्फोट के कारण होनेवाली दुर्घटनाओं और विस्फोटकों की हानि, कमी या चोरी के बारे में निकटतम पुलिस स्टेशन और अनुज्ञापन प्राधिकारी तथा अनुज्ञापन प्राधिकारी के स्थानतीय कार्यालय में तुरंत रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.


कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

कृते सहाय्य मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एरनाकुलम | Ernakulam



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/RO-EKM/IDK/R18IDU446677/2021
Date of issue :10/08/2021

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : R18IDUCTOR446677

- Ref : 1. Consent No.018IDKCTOA7515269 dated 16/07/2018 valid Up to 15/07/2023**
- 2. Consent Variation Order No:O18LDKCVO 8454273 Dated:04.09.2018**
- 3. Consent Variation Order No : O18IDKCVO8831136 dated 17.10.2018**

The ' Integrated Consent to Operate' issued as per reference above to M/s SRI.GEORGE KOCHUPARAMBIL, QUARRY OF UNITED GRANITES & METALS GEORGE KOCHUPARAMBIL, VAZHITHALA P O THODUPUZHA is hereby renewed up to 15/07/2024 and issued to M/s SRI.GEORGE KOCHUPARAMBIL, QUARRY OF UNITED GRANITES & METALS GEORGE KOCHUPARAMBIL, VAZHITHALA P O THODUPUZHA The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	CAPITAL INVESTMENT	Rs.1200LAKH
2	ANNUAL FEE	Rs.81,000/-
3	FEE REMITTED	Rs.81,000/-
4	VALIDITY	15.07.2024

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

For renewal of the consent in case of continuance of operation of the quarry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System 2 months prior to the date of expiry. Late application will be accepted only with fine

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :10/08/2021


SIGNATURE & SEAL OF ISSUING AUTHORITY
M. A. BAJJU
CHIEF ENVIRONMENTAL ENGINEER
Chief Environmental Engineer



To
SRI. GEORGE KOCHUPARAMBIL,
QUARRY OF UNITED GRANITES & METALS
VAZHITHALA P O, THODUPUZHA

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



നമ്പർ: 7/2022-2023/JC3/1445/2023

തീയതി: 01/04/2023

മണക്കാട് ഗ്രാമപഞ്ചായത്ത്
പുതുപ്പരിയാരം പി.ഒ., ഇടുക്കി (ജില്ല)

പിന്: 685608, ഫോൺ: 04862-202248, ഇ-മെയിൽ: manakkadgp@gmail.com

വ്യവസായം, വാണിജ്യം, സംരക്ഷകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള ലൈസൻസ്
(കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE & OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)

ലൈസൻസിയുടെപേര്	ജോർജ്ജ് കൊച്ചുപറമ്പിൽ		
ലൈസൻസിയുടെ മേൽവിലാസം	കൊച്ചുപറമ്പിൽ, വഴിത്തല പി.ഒ.		
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	യുണൈറ്റഡ് ഗ്രാനൈറ്റ്സ് & മെറ്റൽസ്, വഴിത്തല		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ ക്വാറി നടത്തി സ്റ്റോൺ അഗ്രിഗേറ്റ്സ് ഉൽപ്പാദിപ്പിക്കുന്നതിന്		
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	XII/-		
ലൈസൻസ് കാലാവധി	01/04/2023 മുതൽ	31/03/2028 വരെ	
ലൈസൻസ് ഫീസ്	തുക	രസീത് നമ്പർ	തീയതി
	75000 /- രൂപ	1220303816, 3817, 4430	15/03/2023, 31/03/2023
	മോട്ടോർ ഫീസ്	22200 /- രൂപ	1220303816, 3817, 4430
തൊഴിൽ നികുതി	12500 /- രൂപ	1220303816, 4430	15/03/2023, 31/03/2023

ലൈസൻസ് അനുവദിക്കുന്നതിന് ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)



ഓഫീസ് മുദ്ര

- Integrated Consent to operate-Renewal from PCB No. PCB/RO-1. EKM/IDK/R181DU446677/2021 Dated 10/08/2021 Valid upto 15/07/2024 (15/07/2024-നു ശേഷം ലൈസൻസ് പുതുക്കി ഹാജരാക്കേണ്ടതാണ്)
- Environment Clearance from SEIAA No. 1137/EC/SEIAA/KL/2017 Dated 02/03/2023 (Certificate യഥാസമയം പുതുക്കേണ്ടതാണ്)
- License from PESO No. E/SC/KL/22/811 (E38112) Dated 06/02/2020 Valid upto 31/03/2025,(31/03/2025-നു ശേഷം ലൈസൻസ് പുതുക്കി ഹാജരാക്കേണ്ടതാണ്), BLASTMANS CERTIFICATE

സെക്രട്ടറി
മണക്കാട് ഗ്രാമപഞ്ചായത്ത്

ഫോൺ: 685 608
ഫോൺ: 04862 202248, ഇ-മെയിൽ: 04862045103

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- 1 കേരള പഞ്ചായത്ത് രാജ് ആകട്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൈകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാണ്.
- 3 എ്ത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാക്കാത്ത വിധത്തിലും വ്യപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാക്കാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വിഴുക്യോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നിക്ഷേപിച്ചിരിക്കേണ്ടതാണ്.
- 8 ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവിഴാനിയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് വയ്പിക്കേണ്ടതാണ്.
- 10 അധിതം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്.
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തപ്ത് രോഗമോ കൃഷ്ണ രോഗമോ (വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കൈ) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയോഗിക്കുന്ന നിരോധിത വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്റ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്വ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.



(Handwritten signature)

സെക്രട്ടറി
മുഹമ്മദ് കെ. ഫാദ്.
 മണക്കാട് ഗ്രാമപഞ്ചായത്ത്
 മണക്കാട് (Puthupary)
 ഫോൺ: 04862 202248, 04862 202249, 04862 202250
 ഫാക്സ്: 04862 202248, 04862 202249, 04862 202250

N.B:- ഈ ലൈസൻസ് അപസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.

UNITED GRANITES AND METALS
 VAZHITHALA P.O., THODUPUZZHA, KERALA, INDIA. PIN CODE - 685 583
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA
GENERAL CONDITIONS (for mining projects)
 Environmental Clearance Order No. 1137/EC/SEIAA/KJ/2017 Validity expires on 16.03.2023

1. Water Harvesting facility should be installed as per the prevailing provisions of EPDP/2008, unless otherwise specified.
2. Environmental Monitoring Cell to be formed under the direction of the proponent. The proponent should be formed and made functional.
3. Suitable access ways should be provided along either side of the tunnel road and open parking areas, if any, including of approach road and internal roads.
4. Minimum suitable water carrying capacity and retention tank to be provided as an essential part of the project.
5. Operations shall be restricted and used in the project site to contain dust emissions.
6. Compensation for loss of trees should be done as per state of the project area.
7. At least 10 percent cut of the total excavated pit area should be retained as water storage area and the remaining area should be reclaimed with suitable drainage and protection and planted with indigenous plant species that are eco-friendly, if any other specific conditions as mentioned in part II stipulated in the E.C.
8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.
9. The mine area shall be fenced off with barbed wire to a minimum height of 4m around, before starting of mining. All the boundary indication should be clearly marked, and shall be provided at all times and shall be conspicuous.
10. Healthy areas including the area of mining shall be saved as possible, wherever they are to be exempted as per provisions of Explosives Department.
11. Control measures on noise and vibration generated by EOPC should be implemented.
12. Control measures on noise and vibration generated by EOPC should be implemented.
13. Quantifying measures should be taken to mitigate the impact of noise and vibration generated by EOPC as per state of the project area.
14. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
15. A suitable person should be appointed to monitor the mining operations that may cause falling transportation of materials.
16. Access roads in the vicinity shall be turned to suitable condition that may cause falling transportation of materials.
17. Dust mitigation measures should be implemented, including the use of water sprays, fogging, etc. as per state of the project area.
18. Impact of mining should be assessed for specific sites that are not less than 5m, if there is any building in the mining area.
19. Impact of mining should be assessed for specific sites that are not less than 5m, if there is any building in the mining area.
20. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
21. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
22. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
23. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
24. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
25. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
26. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
27. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
28. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
29. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
30. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
31. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
32. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
33. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
34. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
35. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
36. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
37. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
38. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
39. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
40. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
41. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
42. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
43. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
44. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
45. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
46. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
47. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
48. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
49. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
50. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
51. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
52. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
53. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
54. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
55. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
56. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
57. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
58. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
59. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
60. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
61. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
62. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
63. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
64. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
65. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
66. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
67. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
68. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
69. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
70. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
71. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
72. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
73. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
74. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
75. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
76. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
77. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
78. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
79. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
80. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
81. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
82. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
83. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
84. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
85. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
86. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
87. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
88. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
89. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
90. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
91. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
92. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
93. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
94. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
95. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
96. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
97. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
98. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
99. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
100. Mining should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.

VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude 9.89436231° Longitude 76.63879227°
 Local 10:51:05 AM Altitude 61 meters
 GMT 05:21:05 AM Thursday, 22.02.2024

GPS Map Camera Lite

UNITED GRANITES & METALS

Kochuparambil, Vazhithala, Thodupuzha

Proprietor : George Kochuparambil

Address : Kochuparambil House, Vazhithala P. O., Thodupuzha

PIN : 685 583 Ph : 0486 2274694, Mob : 8281885888

LEASE ORDER No.

Pro. Order No. 451/18-19/890/M3/2017/DMG

Dated : 01.10. 2018

DISTRICT

IDUKKI

TALUK

THODUPUZHA

VILLAGE

MANAKKAD

Sy. No.

354/4, 354/5, 355/1Pt, 351/1Pt, 350, 352/1Pt

BLOCK No.

11

LEASE Area

12. 2987 HECTARES



GPS Map
Camera Lite

VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude

9.89437456°

Longitude

76.63880842°

Local 10:51:32 AM

GMT 05:21:32 AM

Altitude 61 meters

Thursday, 22.02.2024

UNITED GRANITES & METALS

Kochuparambil, Vazhithala, Thodupuzha
PIN : 685 583 Ph : 0486 2274694

NAME AND ADDRESS OF LICENSEE	GEORGE KOCHUPARAMBIL PROPRIETOR, UNITED GRANITES AND METALS, VAZHITHALA Pin: 685 583 THODUPUZZHA
EXPLOSIVE LICENSE	1. E/ SC/ KL/22/ 811 (E 38112) 2. E/ SC/ KL/ 22/ 1730 (E 72220)
MINING AND GEOLOGY DEPARTMENT RMCU REGISTRATION	No. 56/ 2018/ - 19/ RMCU/ IDKY/ 3576/, m3/ 2018 Dtd. 11/10/2018
ENVIRONMENTAL CLEARANCE	No. 1137/ EC/ SEIAA/ KC/ 2017
D & O LICENSE GRAMA PANCHAYAT MANAKKAD	1. MGP/ A4/ 2/ 2018 - 2019 2. A4/ 107/ 2018 - 2019 3. MGP/ A4/ 3/ 2018 - 2019
KERALA STATE POLLUTION CONTROL BOARD	1. R 15 1DU - R4 - 7450321 2. O18 1DK CTOA 7515269 3. R15 1DUCTO - 750390
GSTIN	32AFJPK9650E1ZH
DEPARTMENT OF INDUSTRIES GOVERNMENT OF KERALA	32 - 009 - 1 - 3 - 2095 - PART II
FACTORIES AND BOILERS GOVERNMENT OF KERALA	1DK / 04/ 140/ 2000
FIRE & RESCUE SERVICES IDUKKI	No. A1 - 1057/18 No. A1 - 1090/18
DISTRICT MEDICAL OFFICE	No. C3 (K. DIS) - 12656/ 14



VJVQ+QH8, Vazhithala, Manakkad, Kerala 685583, India

Latitude
9.89436381°

Longitude
76.63879562°

Local 10:51:24 AM
GMT 05:21:24 AM

Altitude 61 meters
Thursday, 22.02.2024

CER Expenditures and Receipts

ANNEXURE- 18

CSR EXPENDITURES & RECEIPTS

CSR REPORT ON 01/10/2023 to 31/03/2024			
DATE	NAME	PURPOSE	AMOUNT
4/11/2023	MARY THOMAS	MEDICAL HELP (6morts x 3000)	18000
01-10-2023	ROAD WORK KURUSUPALLI ROAD	MATERIAL SUPPLY	505463
07-10-2023	SURYA JAI	EDUCATION	25000
09-10-2023	DINU TOMY	EDUCATION	60000
12-10-2023	JEEVADHARA RENAL CARE FOUNDATION VAZHAKULAM, KIDNEY PATIENTS	KIDNEY PATIENTS	25000
16-10-2023	KANIV	PALIYETIVE CARE	47000
27-10-2023	ST SEBASTAIN SCHOOL MEMADANGU	MATERIAL SUPPLY	9765
28-10-2023	KIDNEY PATIENTS	DIALYSIS	5000
03-11-2023	ST THOMAS LP SCHOOL KOLADY	AUTO CASH	8400
06-11-2023	HM & PTA PRESIDENT ST SEBASTIANS HSS VAZHITHALA	STUDENTS BUS FARE	55500
07-11-2023	KANIV	PALIYETIVE CARE	50000
04-12-2023	ST THOMAS LP SCHOOL KOLADY	AUTO CASH	8400
05-12-2023	HM & PTA PRESIDENT ST SEBASTIANS HSS VAZHITHALA	STUDENTS BUS FARE	58100
12-12-2023	KANIV	PALIYETIVE CARE	51000
14-12-2023	KIDNEY PATIENTS	DIALYSIS	10000
23-11-2023	EDWIN ABIN OPERATION CHARGE	MEDICAL	30342
28-12-2023	ST THOMAS LP SCHOOL KOLADY	AUTO CASH	6400
01-01-2024	HM & PTA PRESIDENT ST SEBASTIANS HSS VAZHITHALA	STUDENTS BUS FARE	45100
10-01-2024	KIDNEY PATIENTS	DIALYSIS	5000
10-01-2024	KANIV	PALIYETIVE CARE	52000
03-02-2024	ST THOMAS LP SCHOOL KOLADY	AUTO CASH	8400
06-02-2024	HM & PTA PRESIDENT ST SEBASTIANS HSS VAZHITHALA	STUDENTS BUS FARE	55500
20-02-2024	RANI BENNY KOLLAMALAYIL KOLADY CSR	MATERIAL SUPPLY	21000
22-02-2024	MEDICAL HELP	CANCER PATIENT	10000
27-02-2024	PRIYA B S	EDUCATIONAL	10000
27-02-2024	KANIV	PALIYETIVE CARE	50000
04-03-2024	ST THOMAS LP SCHOOL KOLADY	AUTO CASH	8400
12-03-2024	HM & PTA PRESIDENT ST SEBASTIANS HSS VAZHITHALA	STUDENTS BUS FARE	58100
16-03-2024	KANIV	PALIYETIVE CARE	50000
28-03-2023	ST THOMAS LP SCHOOL KOLADY	AUTO CASH	7600
		TOTAL	13,54,470/-



ST. THOMAS L. P. SCHOOL

Kolady, Vazhithala - 685 583

Mob : 9544585239

No. 38/23-24

Date 27/3/24

From

The Headmistress / Manager

To

Ms. Daish, Kochuparambil

Unsted Gramates, Vazhithala

Sub :-

Auto charge receipt: 2024-March

Ref:-

Sir,

2024 മാർച്ച് മാസം school തൊഴിലാളികൾക്ക് മാർച്ച് മാസം ഉപയോഗിച്ച് 19 പ്രവർത്തി ദിവസങ്ങൾക്ക് 7600/- രൂപ നന്നി പദ്ധതിക്ക് തുക അടയ്ക്കണമെന്നും.

എന്ന വിവരങ്ങൾക്ക്

Shalamma Joseph
Headmistress
St. Thomas L.P. School
Kolady, Vazhithala - 685 583

Date	Value Date	Particulars	Tran Type	Tran ID	Cheque Details	Withdrawals	Deposits	Balance	Dr/Cr
28-03-2024	28-03-2024	MB FTB/24088287933 9/SIJU JOSEP/United /	MB	S43293742			31,700.00	2,48,98,732.87	DR
28-03-2024	28-03-2024	UPI IN/445439928628/ basipaulraju1994- 2@okaxi0000	TFR	S43529640			99,000.00	2,47,99,732.87	DR
28-03-2024	28-03-2024	NFT/JOSEPH KANJIRAK/SBIN32 4088783161/SBI	TFR	S43754444			15,310.00	2,47,84,422.87	DR
28-03-2024	28-03-2024	MB FTB/24088300241 3/ANNA GEORG/UGM/For M sand and	MB	S43810329			1,50,000.00	2,46,04,422.87	DR
28-03-2024	28-03-2024	EBIZ TP RAJAGOPALAN O N UNITED	TFR	FB111697		5,000.00		2,46,09,422.87	DR
28-03-2024	28-03-2024	NFT/FBBT2408804 80019/PRESTIGE MILL/IBKJUNITED 334	TFR	S45236189		36,870.00		2,46,46,292.87	DR
28-03-2024	28-03-2024	NFT/FBBT2408804 80018/LARSEN AND TU/ICK/UNITED 000	TFR	S45236190		21,457.00		2,46,67,749.87	DR
28-03-2024	28-03-2024	NFT/FBBT2408804 80025/AJIKUMAR P/KLGB/UNITED 403571	TFR	S45237335		7,600.00		2,46,75,349.87	DR
28-03-2024	28-03-2024	NFT/KADAPATTO OR SAN/UCBAH24088 910217/UCO BANK	TFR	S45499681			32,300.00	2,46,43,049.87	DR
28-03-2024	28-03-2024	MB FTB/24088355763 4/SARATH KRII/Sa	MB	S45835560			32,800.00	2,46,10,449.87	DR
28-03-2024	28-03-2024	FT IMPS/IFI/40881611 6401/SIVA SAKTHI SANDI/Pay to a	TFR	S46892724			23,700.00	2,45,86,749.87	DR
28-03-2024	28-03-2024	MB FTB/24088378651 7/SUDEEP J/kochuparam/	MB	S46721191			10,000.00	2,45,76,749.87	DR
28-03-2024	28-03-2024	MB FTB/24088396945 1/EMPOWER EN/hul/United Grant	MB	S47493173			30,000.00	2,45,46,749.87	DR

16/03/24

KANIV Beneficiary List for Account transfer March 2024

Manakkadu Grama Panchayat

Sl.No.	A/c Holder	A/c No	Bank	Branch	IFSC	Amount
MA 2	Aleykutty Issac	67202104800	State Bank of India	Vazhithala	SBIN0070962	1000
MA 6	Ammini Appu	338002010014446	Union Bank of India	Thodupuzha	UBIN0533807	1000
MA 14	Baiju A K	33254532282	State Bank of India	Nediyasala	SBIN0006457	1000
MA 16	Jagadamma	338002010021202	Union Bank of India	Thodupuzha	UBIN0533807	1000
MA 18	Gauriamma Kunjikuttian	40328101066623	Kerala Gramin Bank	Thodupuzha	KLGB0040328	1000
MA 23	Kumari Sreekumar	4355001702005679	Punjab National Bank	Thodupuzha	PUNB0435500	1000
MA 26	Parukutty K O	0722108030732	Canara Bank	Thodupuzha	CNRB0000722	1000
MA 31	Mercy	11210100258690	Federal Bank	Thodupuzha	FDRL0001121	1000
MA 37	Sali Louis	30188238651	State Bank of India	Nediyasala	SBIN0006457	1000
MA 39	Sarojini Sukumaran	32865143845	State Bank of India	Nediyasala	SBIN0006457	1000
MA 41	Shibu Thomas	32668155787	State Bank of India	Nediyasala	SBIN0006457	1000
MA 42	Syjan Thomas	33055429907	State Bank of India	Nediyasala	SBIN 0006457	1000
MA 43	Thankamma Ayyappan	33452841784	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 45	Annie Sebastian	30322013976	State Bank of India	Nediyasala	SBIN0006457	1000
MA 47	Bhavani	67203548926	State Bank of India	Vazhithala	SBIN0070962	1000
MA 50	Nalini Vasu	10550100089533	Federal Bank	Vazhithala	FDRL0001055	1000
MA 55	Valsala Kunjappan	32951554314	State Bank of India	Thodupuzha	SBIN0008674	1000
MA 58	Anil M N	10550100122995	Federal Bank Ltd	Vazhithala	FDRL 0001055	1000
MA 59	Mercy	32987339555	State Bank of India	Thodupuzha	SBIN 0008674	1000
MA 60	Molly Babu	20302987028	State Bank of India	Nediyasala	SBIN0006457	1000
MA 64	Joseph Mathai	138312301029184	Kerala Bank	Thodupuzha	KSBK0001383	1000
MA 69	Thresssia Paulose	32984323559	State Bank of India	Nediyasala	SBIN0006457	1000

MA 109	Molly Jby	'0722119000238	Canara Bank	Thodupuzha	CNRB0000722	1000
MA 110	Radhakrishnan P P	10550100108192	Federal Bank	Vazhithala	FDRL 0001055	1000
				Total		51000

Date	Value Date	Particulars	Tran Type	Tran ID	Cheque Details	Withdrawals	Deposits	Balance	Dr/Cr
16-03-2024	16-03-2024	UPI IN/407676445021/ binukesavan1@ok hdfcbank/5051	TFR	588107452			10,400.00	58,387.52	CR
16-03-2024	16-03-2024	EBIZ TP KRISHI PIPE S	TFR	FB428		6,400.00		51,987.52	CR
16-03-2024	16-03-2024	TD FCM441750473081 /PHONEPE /PHONEPE	TFR	S89542592		320.11		51,667.41	CR
16-03-2024	16-03-2024	UPI IN/444228079597/ hankachantr1965@ okicid/5051	TFR	S90988408			8,800.00	60,467.41	CR
16-03-2024	16-03-2024	STDLINS TO 10550100086141 / GEORGE KOCHUPARAMBIL	TFR	S87227077		50,000.00		10,467.41	CR
16-03-2024	16-03-2024	UPI IN/407658718325/ amhisubhash46@o kicid/5051	TFR	S92000209			2,480.00	12,947.41	CR
16-03-2024	16-03-2024	UPI IN/407080187381/ udapeuliyarickal- 2@okhd/5051	TFR	S93475210			48,000.00	60,947.41	CR
16-03-2024	16-03-2024	UPI IN/407624386930/ ajpsnk210. 2@okicid/UP/5051	TFR	S09865624			2,790.00	63,737.41	CR
16-03-2024	16-03-2024	EBIZ TP KONDODY PREFAB	TFR	FB7/5051			10,00,000.00	10,63,737.41	CR
16-03-2024	16-03-2024	EBIZ A2A C78315032414232 S CSR	TFR	FB82123		5,000.00		10,58,737.41	CR
16-03-2024	16-03-2024	FRIZ NEFT C78315032414232 S CSR	TFR	FB82123		48,000.00		10,12,737.41	CR
16-03-2024	16-03-2024	RTG/FDR/LR/2024 031633323/18/ME TSO INLVSC/BL/united	TFR	S04049137		5,00,000.00		5,12,737.41	CR
16-03-2024	16-03-2024	EBIZ A2A C72016032413585 S WAGE	TFR	FB82832		1,94,542.00		3,18,195.41	CR
16-03-2024	16-03-2024	RTG/FDR/LR/2024 031633323/816/CL OBAL ENVHDFG/UNITE D	TFR	S85382655		3,12,700.00		5,495.41	CR



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 NABL & MOEFCC RECOGNIZED LABORATORY
 3rd Main Road, Basaveswara Badavane,
HOSPETE – 583201, Dist., Vijayanagara (Karnataka)
 Ph : +918394 229433, 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in

GEMS-ID/TF/11/01
 Date: 06.12.2023

Analysis Report of Ambient Air Quality Monitoring

1 Name of the Customer/Address : Granite Building Stone Quarry of
Shri. George Kochuparambil
 Extent: 12.2987Ha
 Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt,
 350 & 352/1pt,
 Manakkad Village, Thodupuzha Taluk,
 Idukki District, Kerala.

2 Sample Description : **Ambient Air Quality Monitoring**

3 Sample Collected By : GLOBAL Environment & Mining Services

4 Particulars of Sample Collected : Combined Sampler (GTI-241)

5 Duration of the Monitoring : 24 Hour of Sampling

6 Location of Monitoring : **Core zone area (A1)**

11 Report Number : ULR-TC532323000001775F

Results

Date of Monitoring	PM10 [µg/m ³]	PM2.5 [µg/m ³]	SO ₂ [µg/m ³]	NO ₂ [µg/m ³]
	IS : 5182: (Part 23) 2006 (RA 2012)	USEPA 2001	IS : 5182: (Part 2) 2001 (RF 2014)	IS : 5182: (Part 6) 2006 (RF 2014)
01.12.2023	58.1	22.6	13.0	15.4
Standard	100	60	80	80

INFERENCE As per CPCB Standards,
 Report Status: - Measured Values for the above parameters are within the limit.

****End of Report****

J.M.Ty

Analyzed By
 J.M. Thippeswamy
 Chemist



R.K.R

Authorized Signatory
 K. Ramakrishna Reddy
 Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

NABL & MOEFCC RECOGNIZED LABORATORY

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 06.12.2023

Analysis Report of Ambient Air Quality Monitoring


- Granite Building Stone Quarry of
Shri. George Kochuparambil
Extent: 12.2987Ha
- 1 Name of the Customer/Address : Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt,
350 & 352/1pt,
Manakkad Village, Thodupuzha Taluk,
Idukki District, Kerala.
- 2 Sample Description : **Ambient Air Quality Monitoring**
- 3 Sample Collected By : GLOBAL Environment & Mining Services
- 4 Particulars of Sample Collected : Combined Sampler (GTI-241)
- 5 Duration of the Monitoring : 24 Hour of Sampling
- 6 Name of the Station : **Kolady (A2)**
- 7 Report Number : ULR-TC532323000001776F

Results

Date of Monitoring	PM10 [$\mu\text{g}/\text{m}^3$]	PM2.5 [$\mu\text{g}/\text{m}^3$]	SO ₂ [$\mu\text{g}/\text{m}^3$]	NO ₂ [$\mu\text{g}/\text{m}^3$]
	IS: 5182: (Part 23) 2006 (RA 2012)	USEPA 2001	IS: 5182: (Part 2) 2001 (RF 2014)	IS: 5182: (Part 6) 2006 (RF 2014)
02.12.2023	51.3	19.0	11.7	12.4
Standard	100	60	80	80

INFERENCE	As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit.
-----------	---

****End of Report****


Analysed By
J.M. Thippeswamy
Chemist




Authorized Signatory
K. Ramakrishna Reddy
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
NABL & MOEFCC RECOGNIZED LABORATORY

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01
Date: 06.12.2023

TEST REPORT OF AMBIENT NOISE LEVEL MONITORING

- Granite Building Stone Quarry of
Shri. George Kochuparambil
Extent: 12.2987Ha
- 1 Name of the Customer/Address : Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt,
350 & 352/1pt,
Manakkad Village, Thodupuzha Taluk,
Idukki District, Kerala.
- 2 Sample Description : **Ambient Noise Level monitoring**
- 3 Sample Collected By : GLOBAL Environment & Mining Services
- 4 Particulars of Sample Collected : Noise Level Meter (Equinox-107)
- 5 Duration of the Monitoring : 24 Hours Sampling
- 6 Date of Analysis Completion : 02.12.2023
- 7 Report No : ULR-TC532322000001777F

Results

Date	01.12.2023	02.12.2023
Name of the Location	Core Zone	Kolady
Time (hrs)	N1	N2
6.00	39.1	35.7
7.00	46.4	40.3
8.00	48.2	46.7
9.00	51.4	48.3
10.00	54.3	54.7
11.00	56.7	53.2
12.00	54.8	51.2
13.00	55.8	52.4
14.00	53.4	50.8
15.00	54.8	53.4
16.00	58.1	50.2
17.00	56.2	51.2
18.00	53.6	48.8
19.00	48.2	49.6
20.00	42.8	48.4
21.00	39.5	46.4
22.00	38.1	40.3
23.00	37.2	38.7
00.00	36.8	36.2
01.00	37.4	37.2
02.00	36.0	35.4
03.00	36.3	34.6
04.00	37.8	35.3
05.00	38.6	36.0



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GE MS



NABET
Accredited

GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

NABL & MOEFCC RECOGNIZED LABORATORY

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

ULR-TC532323000001777F		
L max	58.1	54.7
L min	36.0	34.6
Ld	53.77	50.77
Ln	37.59	36.99
Leq	51.79	48.83

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Nighttime
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note	Day time shall mean from 6:00 am and 10.00 pm
	Night time shall mean from in between 10.00 pm and 5.00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
	A "decibel" is a unit in which noise is measured
	"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
Leq: It is energy mean of the noise level over a specified period.	



RKR
Authorized Signatory
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

NABL & MOEFCC RECOGNIZED LABORATORY

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 06.12.2023

ANALYSIS REPORT OF WATER QUALITY DATA

Granite Building Stone Quarry of

Shri. George Kochuparambil

Extent: 12.2987Ha

- 1 Name of the Customer/Address : Re-Sy.Nos: 354/4, 354/5, 355/1pt, 351/1pt,
350 & 352/1pt,
Manakkad Village, Thodupuzha Taluk,
Idukki District, Kerala.
- 2 Sample Collected By : GLOBAL Environment & Mining Services
- 5 Date of sample collection : 01.12.2023
- 6 Date of sample Received : 04.12.2023
- 7 Date of sample Analyzed : 05.12.2023
- 8 Report Number : ULR-TC532323000001778F

Sl. No.	Parameters	Unit	Result	Test Protocol	Requirement/Limit IS : 10500 : 2012	
					Acceptable	Permissible
1.	pH	-	6.82	APHA 22 nd Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)-1984, RA- 2012 Platinum cobalt Method	5	15
3.	Taste*	-	Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5) – 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	0.59	APHA 22 nd Edition 2012 2130 B (Pg No. 2-14)	1	5
6.	Conductivity	µS/cm	183	APHA 22 nd Edition 2012 2510 B (Pg No. 2-54)	-	-
7.	Total Dissolved Solids	mg/L	213	APHA 22 nd Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO ₃	mg/L	75	APHA 22 nd Edition 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO ₃	mg/L	152	APHA 22 nd Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	48	APHA 22 nd Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	8.3	APHA 22 nd Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	21.0	APHA 22 nd Edition 2012 4500 Cl (Pg No. 4-72)	250	1000
13.	Sulphate as SO ₄	mg/L	49	APHA 22 nd Edition 2012 4500 SO42 – E (Pg No. 4-190)	200	400
14.	Nitrates as NO ₃	mg/L	9.1	APHA 23 rd Edition - 4500 NO ₃ – E (Pg No. 4-131 to 4-132)	45	NR No Relaxation
14.	Nitrate Nitrogen as NO ₃	mg/L	13.6	APHA 22 nd Edition 2012 4500 NO3 E (Pg No. 4-125 to 4-127)	45	NR No Relaxation



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

NABL & MOEFCC RECOGNIZED LABORATORY

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in

ULR-TC532323000001778F


15.	Fluoride as F	mg/L	0.52	APHA 23 rd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.21	APHA 23 rd Edition –3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	7.9	APHA 23 rd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	-	-
18.	Potassium as K	mg/L	0.52	APHA 23 rd Edition 3500 K B (Pg No. 3-89 to 3-90)	-	-
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) – 1993 , RA-2014,	-	-
20.	COD as O2	mg/L	NIL	APHA 23 rd Edition 5220 C (Pg No. 5-18 to 5-19)	-	-
21.	Oil & Grease	mg/L	NIL	APHA 23 rd Edition 5520 B (Pg No. 5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 rd Edition-3111 –B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 rd Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	<0.001	APHA-23 rd Edition-3111 –B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 rd Edition-3111-B (Pg No. 3-20 to 3-21)	5	15
26.	Salinity*	PPT	NIL	APHA-23 rd Edition-3111-B (Pg No. 3-20 to 3-21)	-	-
27.	Total Phosphorous	mg/L	<0.01	APHA-23 rd Edition 4500-D (Pg No. 4-154)	-	-
28.	Total Coliforms*	MPN/100ml	Ab	APHA 22 nd Edition 9222 B (Pg No.9-78)	-	-
29.	Faecal Coliforms	MPN/100ml	Ab	APHA 22 nd Edition 9222 D (Pg No.9-85)	-	-
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 rd Edition 10200 F (Pg No.10-17)	-	-

Note: BDL Below Detectable Limit

Ag: Agreeable
NR: No Relaxation
RA: reaffirmed
Ab: Absent

Location: Kolady

****End of report****


Analyzed By
Chemist




Authorized Signatory
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.